0

The state of the second second second

Public Waters of the State of Oregon Ass. A section to the section of the mary with the

-		Cervies 0	takon.		,
State of	Oregon		d o	hereby make application for	a permit to appropriate the
	described			f Oregon, SUBJECT TO EXI	
•			•		
lf ti	he applicat	it is a corpor	ation, give date	and place of incorporation	
	······································			Unnamed creek a	······································
1. !	The source	of the propos	sed appropriatio	n is(Name	of stream)
•••••••			, a t	tributary ofPacding	Fiver
2.	The amoun	it of water w	hich the applica	nt intends to apply to benefic	ial use is
•	per second			be used from more than one source, give q	
••3.	The use to	which the w	ater is to be app	olied is Irris for water (Irrigation, power, mining. 2	fc: lattle : pro- manufacturing, domestic supplies, etc.)
4.	The point	of diversion	is located	ft	ft from the (E. cr W)
corner of	Por	t. le pump	ira from a po	int 1:00. ft. dest from	the 3.2. cir.r
cf sec	. 36 Mor	th easterl	" to a point	(Mection or subdivision) North 115.00 ft. and we	et 1 ga. 3 at ir
paid c	orner.				•••
***************************************				*********	
<u>.</u>	••••••••••		(If preferable, give dis	stance and bearing to section corner)	eren er en
					et if necessary)
being wit			one point of diversion,	each must be described. Use separate sheed of Sec. 36	
	hin the\$	(Gir	one point of diversion,	each must be described. Use separate shee	
R. 2	hin the S	M., in the con	one point of diversion. h. S	each must be described. Use separate sheed	, Tp. , Nors
R2	hin the	M., in the con	one point of diversion, h. S	each must be described. Use separate sheed of Sec. 36.	(Miles or feet)
R. 2	hin the	M., in the con	one point of diversion. h. S	each must be described. Use separate sheed of Sec. 36. (ission) to be line) of Sec.	(Miles or feet) Tp N or S
R. 2 (18. o)	hin the	M., in the con	one point of diversion. h. S	each must be described. Use separate sheed of Sec. 36.	(Miles or feet) Tp N or S
R. 2 5. in length	hin the	M., in the con	one point of diversion. h. S	each must be described. Use separate sheed of Sec. 36. (ission) to be line) of Sec.	(Miles or feet) Tp N or S
R. 2 5. in length R	hin the S.W. W. The terminate torw.	M., in the consideration of th	one point of diversion. h. S	each must be described. Use separate sheet of Sec. 36. rission) to be	(Miles or feet) Tp Nor Some the accompanying map.
R. 2 5. in length R	hin the S.W. W. The terminate torw.	M., in the consideration of th	one point of diversion. h. S	each must be described. Use separate sheed fission) of Sec. 36. to be	(Miles or feet) Tp N or S
R. 2 5. in length R	hin the	M., in the conting in the	one point of diversion. No. S.	each must be described. Use separate sheet of Sec. 36. rission) to be	(Miles or feet) Tp Nor Some the accompanying map.
R. 2 (E. of 5. in length R Diversion 6.	hin the S. W. W. The , terminati or W.) n Works— (a) Heigh	M., in the conting in the	one point of diversion. h. S	each must be described. Use separate sheet	(Miles or feet) Tp. Sor Sor the accompanying map. feet, length at hotter close teck consists making
R. 2 (E. of 5. in length R	hin the S. W. W. The , terminati or W.) n Works— (a) Heigh	M., in the conting in the	one point of diversion. h. S	each must be described. Use separate sheet	(Miles or feet) Tp. Sor Sor the accompanying map. feet, length at hotter close teck consists making
R. 2 (E. of 5. in length R Diversion 6.	hin the S. W. W. The , terminati or W.) n Works— (a) Heigh	M., in the conting in the	one point of diversion. h. S	each must be described. Use separate sheet of Sec. 36	(Miles or feet) Tp. Sor Sor the accompanying map. feet, length at hotter close teck consists making
R. 2 (E. of 5. in length R	hin the	M., in the conting in the	one point of diversion. h. S	each must be described. Use separate sheet	(Miles or feet) Tp

^{*}A different form of application is provided where storage works are contemplated

^{**}Application for permits to appropriate water for the generation of electricity, with the exception of minimizabilities must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer. Salem Oregon. 1-53-450

Section Sect	edgate. At has	igate: width on	top (at wat	er Une)	feet; width on bottom
(b) As miles from headgets: width on top (at water line) feet; width on bottom feet; depth of water feet (c) Length of pipe, ft; size at intake, in; size at feet (c) Length of pipe, ft; size at intake, in; size at feet (c) Length of pipe, ft; size at intake, in; size at feet (c) Length of pipe, ft; size at intake, in; size at feet (c) Length of pipe, ft; size at intake, in; size at feet (d) Length of pipe, ft; size at intake, in; size at feet (e) Length of pipe, ft; size at intake, in; size at feet (e) Length of pipe, ft; size at intake, in; size at feet (ft length of pipe, ft; size at intake, in; size at feet (g) Length of pipe, ft; s	·· 1 + 10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	feet; depth of v	p ater	feet; grade	feet fall per one
feet; width on bottom feet; depth of water feet ude feet full per one thousand feet. (c) Length of pipe, ft.; size at intake, in.; size at from intake in.; size at place of use in.; difference in elevation between take and place of use. sec. ft. 8. Location of area to be irrigated, or place of use Terminant in the interview of the irrigated of place of use Terminant in it is into pipe on the irrigated of S.E. 2 1.41.4 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	ousend feet.				
The state of the s	•				
(c) Length of pipe, ft.; size at intake, in.; size at from intake in.; size at place of use in.; size at place of use in.; difference in elevation between take and place of use. sec. ft. 8. Location of area to be irrigated, or place of use					water jeet,
on intake in.; size at place of use in.; difference in elevation between take and place of use. Sec. ft. 8. Location of area to be irrigated, or place of use Township Sec. ft. Section Sec	rade	feet fal	l per one the	ousand feet.	
Sec. 16. 8. Location of area to be irrigated, or place of use Summary	(c) Lengti	t of pipe,	f	t.; size at intake,	in.; size at ft
**************************************	om intake	in.;	size at plac	e of use in.; d	ifference in elevation between
8. Location of area to be irrigated, or place of use	take and place	of use,	ft.	Is grade uniform?	Estimated capacity
8. Location of area to be irrigated, or place of use	********************************	sec. ft.			
Position of an importance of the first of th		•	irrigat ed , or	place of use	
Taninging at an importance that it is sented. If the first have a river of lowering 5 Fourt. It now lest 6, C chains to no importance of the sented. If now lest 6, C chains to no importance of the sented. If now lest 6, C chains to no importance of the sented. If now lest 4 for the sented in each time of the sented. If now extended the sented is each time of the sented. If now extended the sented is each time. If now extended attack separate absent the relation of the sented in the sented attack separate absent the relation of the sented in the relation of the s		Range 2. or V. of Wilmosthe Maridian	Cortica	Forty-acre Tract	Number Acres To Be Irrigated
Taninging at an importance that it is sented. If the first have a river of lowering 5 Fourt. It now lest 6, C chains to no importance of the sented. If now lest 6, C chains to no importance of the sented. If now lest 6, C chains to no importance of the sented. If now lest 4 for the sented in each time of the sented. If now extended the sented is each time of the sented. If now extended the sented is each time. If now extended attack separate absent the relation of the sented in the sented attack separate absent the relation of the sented in the relation of the s	houth	2 West	36	N.W. a of S.E. 3	0.43 /
The first of the first price of the feature of the first price of the		91 99	11		Andrew Company and the Company of th
of the first arc crust of lowering 5 June. All mouths derice in print from the first from the content of the second of the seco				7	
of the Section of the prior forms of tweeting 5 Death, will involve the destriction for the prior forms, which is a set 20.42 chains to an iron pipe in the center. Co.42 chains to an iron ripe in the center of t					
of the first are countred lowering 5 Duri, in the country of 2004. All invited Merician in an imposite in the country of the country of the 2004. All now Test 6. Cochains to an imposite in the content of the country of the works by means of which the power is to be developed (a) Total fall to be utilized feet. (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in the country of th					and the second s
of the first are countred lowering 5 Duri, in the country of 2004. All invited Merician in an imposite in the country of the country of the 2004. All now Test 6. Cochains to an imposite in the content of the country of the works by means of which the power is to be developed (a) Total fall to be utilized feet. (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in the country of th	_				
## 20.42 chains to an iron ripe in the senter " note Test C.C chains to an iron ripe in the senter "C.42 chains to an iron ripe in the South line of the senter "C.42 chains to an iron ripe in the South line of the senter "C.42 chains to an iron ripe in the South line of the senter "C.42 chains to an iron ripe in the South line of the senter "C.42 chains to an iron ripe in the South line of the senter "C.42 chains to an iron ripe in the senter "C.42 chains to an iron ripe in the senter "C.42 chains to an iron ripe in the senter "C.42 chains to an iron ripe in the senter "C.42 chains to an iron ripe in the senter "C.42 chains to an iron ripe in the senter "C.42 chains to an iron ripe in the senter "C.42 chains to an iron ripe in the senter "C.42 chains to an iron ripe in the senter "C.42 chains to an iron ripe in the senter "C.42 chains to an iron ripe in the senter "C.42 chains to an iron ripe in the senter "C.42 chains to an iron ripe in the senter "C.42 chains to an iron ripe in the senter "C.42 chains the senter "C.43 chains the senter "C.43 chains					
The first Cold chains to an iron tipe in the center of the cold of the center of center of center of the center of the center of center of center of the center of the center of center of center of center of the center of center					
Color feet C. C chains to an iron ripe in the South line of the color					
**Control of the control of the cont					
(a) Character of soil (b) Kind of crops raised [Wick Tarren] (c) Total amount of power to be developed theoretical horsepower (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in theoretical horsepower for the works by means of which the power is to be developed (f) Is water to be returned to any stream? (g) If so, name stream and locate point of return Sec. Tp. R. No E or W.					
(a) Character of soil (b) Kind of crops raised trick for the control of the cont					
(a) Character of soil					•
(a) Character of soil (b) Kind of crops raised Trick Terror. Power or Mining Purposes— 9. (a) Total amount of power to be developed theoretical horsepower (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in of Sec. (Tp. No N or S. (No E or W.) (f) Is water to be returned to any stream? (Yes or No) (g) If so, name stream and locate point of return Sec. , Tp.: No N or S. (No E or W.)	entermone - non distribution also religion i reconsissioni agricultura.	er nning, ea	taining ."	. O somes of land.	
(b) Kind of crops raised Track Term Power or Mining Purposes— 9. (a) Total amount of power to be developed theoretical horsepower (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in of Sec. (Degal subdivision) (Tp. (No N or S.), R. (No E or W.) (f) Is water to be returned to any stream? (Yes or No.) (g) If so, name stream and locate point of return (Sec. Tp. R. (No E or W.)	(a) C	naracter of soil			
9. (a) Total amount of power to be developed theoretical horsepower (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in of Sec. (Tp. (No N or S.) (No E or W) (f) Is water to be returned to any stream? (Yes or No) (g) If so, name stream and locate point of return Sec. Tp.: R. (No E or W)					
(a) Total amount of power to be developed theoretical horsepower (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in of Sec. (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in feet. (e) Such works to be located in feet. (f) Is water to be returned to any stream? (Yes or No) (g) If so, name stream and locate point of return (No N or S No E or W No E		_	ed:		
(b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in of Sec. (Legal subdivision) (f) Is water to be returned to any stream? (Yea or No) (g) If so, name stream and locate point of return Sec. Tp. R. W. M.			ower to be o	leveloped	theoretical horsenoise
(c) Total fall to be utilized					•
(d) The nature of the works by means of which the power is to be developed (e) Such works to be located in					acc.jc.
(e) Such works to be located in					
(Legal subdivision) Tp, R, W. M	(d) T	he nature of the	works by m	eans of which the power is to l	ne developed
(Legal subdivision) Tp, R, W. M. (No N or S (No E or W) (f) Is water to be returned to any stream?	• • • • • • • • • • • • • • • • • • • •		•• ••••••••		
(f) Is water to be returned to any stream? (Yes or No) (g) If so, name stream and locate point of return Sec, Tp	(e) Si	uch works to be	located in	(Legal subdivision)	of Sec
(f) Is water to be returned to any stream? (Yes or No) (g) If so, name stream and locate point of return Sec, Tp.:	Tp	, , R	, W	V. M .	
(g) If so, name stream and locate point of return Sec, Tp.:, R					
, Tp.:, R. (No E or W.)	(7) IS			(Yes or No)	
		SO, name strong	N AMA INCATA	noint of return	
All a most				•	

ž,

	22332
	pureletion of
	inilities to be supplied
11. Betimeste dest of proposed works, \$ 22.100	200
12. Construction work will begin on or before _	Duly 1953
13. Construction work will be completed on or	before July 1954
14. The water will be completely applied to the	
***************************************	C d
<u> </u>	Pobert W Graves
-	(Signature of applicant)
Remarks:	
	······································
4	
<u></u>	······································
•••••	•••••••••••••••••••••••••••••••••••••••
•••••	
•	
•	•••••••••••••••••••••••••••••••••••••••
•	
•	······································
STATE OF OREGON,	
County of Marion,	•
This is to certify that I have examined the for	regoing application, together with the accompanying
maps and data, and return the same for	
In order to retain its priority, this application	n must be returned to the State Engineer, with correc-
tions on or before	, 19
WITNESS my hand this day of	, 19 · · · ·
	STATE ENGINEER

STATE OF OREGON.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The rio	ht herein are	mted is limits	d to the amo	est of water u	phich can be a	pplied to beneficial	use
						t of diversion from	
			•	er water users,	_		
#^***********							
******************			••••••				
The use	to which thi	is water is to l	be applied is	irri gati	.on		
······································		•••••••		•••••••••••••••••••••••••••••••••••••••			
							
If for ir	rigation, this	appropriation	shall be limi	ited toL	/8Q	of one cubic foot	рет
second or its e	equivalent for	r each acre irr	igatedand	shall be fur	ther limits	d to a diversion	of
not to exc	eed23acr	eleatpsr	acra for e	ach acre in	rigated duri	ng.theirrigatio	n
season of	each year,	······································					
				••••••			
•••				•••••			
***************************************	· · · · · · · · · · · · · · · · · · ·			** ********			
•••••							
	•		-		rdered by the	proper state officer.	
The pri	iority date of	this permit is	June 1	9, 1953			
Actual	construction	work shall be	egin on or be	fore A	ugnat 21, 19	954 and s	hall
thereafter be	prosecuted i	with reasonab	le dilig eñ ce a	nd be complete	ed on or before	October 1, 19 55	
Comple	ete applicatio	n of the water	r to the propo	sed use shall b	e made on or	before October 1, 195	٤.
WITNE	ESS my hand	this 21st	day of	August	.	. 19 53 .	
				Coin		True in	معردو
						STATE ENGINE	<u>e</u> r
e.		II 0) 0	• "		_		
;; 	* \	n the			8.	T. B.	
	PUBLIC ATE	ceived in th	. X			332 TENGINERA	
6 3	E PUB	received in th Salem, Oregor	8. /-	:	<u>~</u>	STATE	

15.00

State Printing 6624

CHAS. E. STRICKLIN

Permit No. 22332. Application No. 28

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

received in office of the State Engineer at Salem, Ore This instrument was first

on the 19th day of Le

19.53, at 7.37 o'clock:

Returned to applicant:

Approved:

August 21, 1953

Recorded in book No. 51

Permits on page