

Permit No. 22315

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, RALPH W. KELLOGG (Name of Applicant) of 15017 S.W. 101st Ave. (Mailing address) State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS.

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Kellogg Creek (Name of stream) a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 0.00 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Irrigation (Irrigation, Power, municipal, industrial, or other)

4. The point of diversion is located 490 ft. S and 700 ft. W from the N.E corner of Elisha Kellogg Q.L.C. (Section or subdivision)

(If preferable, give distance and bearing to reference point)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 NE 1/4 of Sec. 6 Tp. 2 S (Give smallest legal subdivision) (N or S)

R. 2 E W. M. in the county of Clackamas (E or W)

5. The Pipe Line to be 490 (Main ditch, canal or pipe line) (Miles or feet)

in length, terminating in the of Sec. Tp. (Smallest legal subdivision) (N or S)

R. W. M., the proposed location being shown throughout on the accompanying map. (E or W)

DESCRIPTION OF WORKS

Diversion Works--

6. (a) Height of dam None feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 4 hp 2 H.P. Electric Motor (Size and type of pump)

4-6 sprinklers - details not determined (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated.

\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 490 ft.; size at intake, 2 1/2 - 3 in.; size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, 4 ft. Is grade uniform? yes Estimated capacity, ..... sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range E. or W. of Willard Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
<u>2 S</u>	<u>2 E</u>	<u>6</u>	<u>NE 1/4 NE 1/4</u>	<u>2</u>

(If more space required, attach separate sheet)

(a) Character of soil Loam  
 (b) Kind of crops raised garden + Pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower  
 (b) Quantity of water to be used for power ..... sec. ft.  
 (c) Total fall to be utilized ..... feet.  
 (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in ..... of Sec. ....

Tp. ...., R. ...., W. M. ....

(f) Is water to be returned to any stream? .....  
 (Yes or No)

(g) If so, name stream and locate point of return

....., Sec. ...., Tp. ...., R. ...., W. M. ....

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of \_\_\_\_\_  
\_\_\_\_\_ County, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 400.00

12. Construction work will begin on or before One year from approval date

13. Construction work will be completed on or before two years from approval date

14. The water will be completely applied to the proposed use on or before three years from approval date

*[Handwritten Signature]*  
(Signature of applicant)

Remarks: \_\_\_\_\_

*[Faint, mostly illegible text, possibly bleed-through from the reverse side of the page]*

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 19\_\_\_\_\_

WITNESS my hand and this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_\_

PERMIT

STATE OF OREGON,

County of Marion

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right here granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.025 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Kellogg Creek.

The use to which this water is to be applied is irrigation of not to exceed 2 acres

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 7, 1952

Actual construction work shall begin on or before August 21, 1954 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1955

Complete application of the water to the proposed use shall be made on or before October 1, 1956

WITNESS my hand this 21st day of August 1953

[Signature] STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, Chapter 24, Oregon Laws 1943

Application No. 22345  
Permit No. 22345

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 7th day of August 1952 at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

August 21, 1953

Recorded in book No. 57 of

Permits on page 12345

C. W. S. SCHUBERT STATE ENGINEER

Drainage Basin No. 2 Page 244

Fees Paid \$0.00