N.

## To Appropriate the Public Waters of the State of Oregon

	Parts 1	Bow 220	al Point
	Route 1	iread)	al Point,
ste of	Oregon	, do hereby make application	for a permit to appropriate the
lowing de	ecribed public wa	ters of the State of Oregon, SUBJECT TO 1	EXISTING RIGHTS:
If the	applicant is a corp	poration, give date and place of incorporatio	n
1. The	source of the pro	posed appropriation is China Gulch a	nd storage, a trib. of
Kanes	Creek	a tributary ofRogu	e River
2. The	e amount of water	which the applicant intends to apply to bene	eficial use is 0.13 C.f.s.
bic feet pe	r second		
**3. The	e use to unhich the	(If water is to be used from more than one source, g water is to be applied is	
<b>0.</b> 1/	c ase to writer the	(Irrigation, power, mini	ng, manufacturing, domestic supplies, etc.)
4. The	point of diversio	on is located	5.ftE. from the . ii.4
rner of	Secti	Lon 35 (Section or subdivision)	
		(If preferable, give distance and bearing to section corner)	······································
eing within		han one point of diversion, each must be described. Use separate	* *
3 W.	the		, Tp. 36 S.
. 3 W . (E. or W.) 5. The	the, W. M., in the c	nan one point of diversion, each must be described. Use separate  SET NWT of Sec. 35  (Give smallest legal subdivision)  county of Jackson  main ditch to be  (Main ditch, canal or pipe line)	approximately 1900
3. W. (E. or W.) 5. The	the, W. M., in the c	SEE NW of Sec. 35 (Give smallest legal subdivision)  county of Jackson	approximately 1900
5. The	the, W. M., in the co	nan one point of diversion, each must be described. Use separate  SET NWT of Sec. 35  (Give smallest legal subdivision)  county of Jackson  main ditch to be  (Main ditch, canal or pipe line)	approximately 1900  (Miles or feet)  , Tp. 36 S.  (N or S.)
5. The length, ten	the, W. M., in the common the	main ditch to be  NET NWA of Sec. 35  (Give smallest legal subdivision)  county of Jackson to be  (Main ditch, canal or pipe line)  NET NWA of Sec. 35  (Smallest legal subdivision)	approximately 1900  (Miles or feet)  , Tp. 36 S.  (N or S.)
5. The length, ten	the, W. M., in the common ting in the	main ditch to be (Smallest legal subdivision)  NET NWA of Sec. 35  (Give smallest legal subdivision)  main ditch to be (Smallest legal subdivision)  NET NWA of Sec. 35  (Smallest legal subdivision)	approximately 1900  (Miles or feet)  , Tp. 36 S.  (N or S.)  on the accompanying map.
5. The length, ten  (E. or W.)  (E. or W.)  (E. or W.)  (E. or W.)	the	main ditch to be  (Smallest legal subdivision)  (Main ditch, canal or pipe line)  NET NWA of Sec. 35  (Smallest legal subdivision)  te proposed location being shown throughout	approximately 1900  (Mules or feet)  Tp. 36 S.  (N or S)  on the accompanying map.
5. The length, ten  (E. or W.)  (E. or W.)  iversion W.  6. (a)	the	nan one point of diversion, each must be described. Use separate  SET NWT of Sec. 35  (Give smallest legal subdivision)  county of Jackson  main ditch to be (Main ditch, canal or pipe line)  NET NWT of Sec. 35  (Smallest legal subdivision)  se proposed location being shown throughout  DESCRIPTION OF WORKS  feet, length on top	approximately 1900  (Miles or feet)  Tp. 36 S.  (N or S)  on the accompanying map.  feet, length at bottom  none = direct from (Loose rock, concrete masonry)
5. The length, ten  Siversion W  6. (a)	the, W. M., in the control of the	main ditch to be (Smallest legal subdivision)  NET NW of Sec. 35  (Smallest legal subdivision)  NET NW of Sec. 35  (Smallest legal subdivision)  te proposed location being shown throughout  DESCRIPTION OF WORKS  feet, length on top	approximately 1900  (Miles or feet)  , Tp. 36 S. (N or S)  on the accompanying map.  feet, length at bottom  none - direct from (Loose rock, concrete, masonry)
(E. or W.)  5. The length, ten  (E. or V.)  (E. or V.)	w. M. M., in the comminating in the w. W. M., the w.)  orks— Height of dam feet; material in the control of head	nan one point of diversion, each must be described. Use separate SE2 NW2 of Sec. 35 (Give smallest legal subdivision)  county of Jackson  main ditch to be (Main ditch, canal or pipe line)  NE2 NW2 of Sec. 35 (Smallest legal subdivision)  se proposed location being shown throughout  DESCRIPTION OF WORKS  feet, length on top  al to be used and character of construction  bottom of dam.  over or around dam)	approximately 1900  (Miles or feet)  Tp. 36 S.  (N or S)  on the accompanying map.  feet, length at bottom  none = direct from (Loose rock, concrete, massons)  application a

	gere: ween on v	op (et weter	line)	jeet; wath on bott
1.0 1	eet; depth of w	nter1.0	feet; grade	) feet fall per o
sand feet. (b) At		miles from h	eadgate: width on top (at we	iter line)
				f water fe
	feet fall			
		•		in.; size at
				difference in elevation between
ke and place (	of use,	ft. 1	Is grade uniform?	Estimated capac
8. Location	sec. ft. a of <b>area t</b> o be in	rigated, or p	lace of use	
Township	Range	ental major ya takin a da iya ka ta		Number Acres To Be Irrigated
North or South	Willermette Meridian	Section	Forty-scre Tract	Number Acres 10 de irrigated
36 S.	3 W.	35	SET NWT	5.0 acres
36 S.	3 W.	35	NET NWT	5.0 acres
·				110
in V The Sout Oreg scri	/ol. 318, p East Half th, Range.3 gon, except	of the Williams ther williams ther . 282, p.	d from Deed Records est Half of Section illamette Meridian, efrom five acres mo age 132, Deed Recor	n 35, Township 56 Jackson County, ore or less, de-
in V The Sout Oreg scri	/ol. 318, p  East Half th, Range. 3 gon, except ibed in Vol	of the Williams ther williams ther . 282, p.	est Half of Section illamette Meridian, efrom five acres mo	n 35, Township 56 Jackson County, ore or less, de-
in V The Sout Oreg scri	/ol. 318, p  East Half th, Range. 3 gon, except ibed in Vol	of the Williams ther williams ther . 282, p.	est Half of Section illamette Meridian, efrom five acres mo age 132, Deed Recor	Jackson County, ore or less, de-
in V The Sout Oreg scri	/ol. 318, p  East Half th, Range. 3 gon, except ibed in Vol	age 386.  of the West, Wing ther  . 282, p	est Half of Section illamette Meridian, efrom five acres mo age 132, Deed Recor	n 35, Township 56 Jackson County, ore or less, de-
in V The Sout Oreg scri Cour	Vol. 318, p East Half th, Range. 3 gon, except bed in Vol nty, Oregon	of the West, Wing ther . 282, p	est Half of Section illamette Meridian, efrom five acres mo age 132, Deed Recor	Jackson County, ore or less, de-
in V The South Oreg scri Cour	Fast Half th, Range 3 gon, except ibed in Vol nty, Oregon	of the West, Wing ther . 282, p	est Half of Section illamette Meridian, efrom five acres mo age 132, Deed Recor	Jackson County, ore or less, de-
in V The South Oreg scri Cour  (a) Ch (b) Ki	Fast Half th, Range 3 gon, except ibed in Vol nty, Oregon  aracter of soil nd of crops raise	of the West, Wing ther . 282, p	est Half of Section illamette Meridian, efrom five acres mo age 132, Deed Recor	Jackson County, ore or less, de-
in V The South Oreg scri Cour  (a) Ch (b) Kin	Fast Half th, Range 3 gon, except bed in Vol nty, Oregon  aracter of soil nd of crops raise g Purposes—	of the West, Wing ther . 282, post	est Half of Section illamette Meridian, efrom five acres mo age 132, Deed Record Recor	Jackson County, ore or less, de-
in V The South Oreg scri Cour  (a) Ch (b) Ki ower or Mining 9. (a) To	East Half th, Range 3 gon, except ibed in Vol nty, Oregon  aracter of soil nd of crops raise g Purposes— tal amount of po	of the West, Wing ther . 282, p	est Half of Section illamette Meridian, efrom five acres mo age 132, Deed Record Recor	Township 36 Jackson County, ore or less, de- eds of Jackson  theoretical horsepo
in V The South Oreg scri Cour  (a) Ch (b) Ki ower or Mining 9. (a) To (b) Qu	East Half th, Range 3 gon, except ibed in Vol nty, Oregon  aracter of soil nd of crops raise g Purposes— tal amount of po	of the West, Wing ther . 282, p	est Half of Section illamette Meridian, efrom five acres mo age 132, Deed Record Recor	Township 36 Jackson County, ore or less, de- eds of Jackson  theoretical horsepo
in V The South Oreg scri Cour  (a) Ch (b) Kin wer or Mining 9. (a) To (b) Qu (c) To	East Half th, Range 3 gon, except ibed in Vol nty, Oregon  aracter of soil nd of crops raise g Purposes— tal amount of po- uantity of water tal fall to be uti	of the West, Wing ther . 282, post clay d	est Half of Section illamette Meridian, efrom five acres mo age 132, Deed Record Recor	theoretical horsepo
in V The South Oreg scri Cour  (a) Ch (b) Kin wer or Mining 9. (a) To (b) Qu (c) To	East Half th, Range 3 gon, except ibed in Vol nty, Oregon  aracter of soil nd of crops raise g Purposes— tal amount of po- uantity of water tal fall to be uti	of the West, Wing ther . 282, post clay d	est Half of Section illamette Meridian, efrom five acres mo age 132, Deed Record Recor	Township 36 Jackson County, ore or less, de- eds of Jackson  theoretical horsepo
in V The South Oreg scri Cour  (a) Ch (b) Kiv wer or Mining 9. (a) To (b) Qu (c) To (d) Th	East Half th, Range. 3 gon, except bed in Vol nty, Oregon  aracter of soil nd of crops raise g Purposes— tal amount of po uantity of water tal fall to be utiline nature of the	of the West, Wing ther . 282, p	est Half of Section illamette Meridian, efrom five acres mo age 132, Deed Record Recor	theoretical horsepo
in V The South Oreg scri Cour  (a) Ch (b) Ki wer or Mining 9. (a) To (b) Qu (c) To (d) Th (e) Su	East Half th, Range 3 gon, except ibed in Vol nty, Oregon  aracter of soil nd of crops raise g Purposes— tal amount of po uantity of water tal fall to be uti ne nature of the	of the West, Wing ther . 282, post clay described works by me	est Half of Section illamette Meridian, efrom five acres mo age 132, Deed Record Recor	theoretical horsepo
in V The South Oregon of t	East Half th, Range 3 gon, except ibed in Vol nty, Oregon  aracter of soil nd of crops raise g Purposes— tal amount of po uantity of water tal fall to be uti ne nature of the uch works to be in ch works to	of the William ther 282, positive decated in works by me	est Half of Section illamette Meridian, efrom five acres mo age 132, Deed Record Recor	theoretical horsepo
in V The South Oregon of the South Oregon Court (a) Character Mining (b) Qu (c) To (d) Th  (e) Su p. (No Nors	East Half th, Range 3 gon, except ibed in Vol nty, Oregon  aracter of soil nd of crops raise g Purposes— tal amount of po uantity of water tal fall to be uti ne nature of the uch works to be in ch works to	of the West, Wing ther . 282, positive clay ower to be deto be used for lized works by me decated in	est Half of Section illamette Meridian, efrom five acres mo age 132, Deed Record Recor	theoretical horsepo
in V The South Oregon of South Oregon of Succession (a) Character (b) King (a) To (b) Quantum (c) To (d) The (e) Succession (f) Is	East Half th, Range 3 gon, except bed in Vol nty, Oregon  aracter of soil nd of crops raise g Purposes— tal amount of po uantity of water tal fall to be uti ne nature of the uch works to be leading. water to be retu	of the West, Wing ther. 282, positive clay.  (u more specially decided to be used for lized decated in	est Half of Section illamette Meridian, efrom five acres mo age 132, Deed Record Recor	theoretical horsepo

Į.

minimal or Dynamic States		• •	22358
II. (a) To make the fifty		higa dian di anggan di manggang mga ang dung ana anggan di anggan di anggan di anggan di anggan di anggan di a	
		Aution of	
t on ordered in the other of		<b>19</b> ,	
س عليموسط نها لآزاره	state married of Japane	es to be supplied	<u> </u>
		W in all cases	• •
11. Estimated dust of propos		-00	<b>%</b>
12. Construction work will	begin on or before 1I	ear from date of	priority.
13. Construction work will	be completed on or befo	ore2yearsfrom	iate of priority.
14. The water will be comp	letely applied to the prop	posed use on or before3.	years from date of priorit
	<b>9</b>	amea N. Co	mant,
Remarks:			
			······
			······································
······································			
	······································		
		······································	••••••
······································			
TATE OF OREGON, County of Marion,			
This is to certify that I ha	ave examined the forego	ing application, together	with the accompanying
naps and data, and return the so	ıme for		
In order to retain its price	ority, this application m	ust be returned to the Sta	te Engineer, with correc-
ions on or before		_	
ions on or before		, 10	

STATE ENGINEER

1

This is to carried that I have examined the foregoing application and do hereby grant the same,

		iGHTS and the following to the am			d to beneficio	ıl use
end shall s	ot exceedQal	25 cubic feet per	r second measure	ed at the point of c	liversion from	n the
stream, or	its equivalent in	case of rotation with ot	her water users,	fromChina.Gr	ilch and re	ser=
voir to	be constructed	under Application	No. R-28323,	Permit No. R-1	504,	
		water is to be applied i	•			
		ppropriation shall be li				
		each acre irrigated from to exceed lig acre				
************	•••••••••	of each year from				
.constru	cted under Per	nit No. R-1504,				
				····· ··· ··· ··· ··· ··· ··· ··· ···		
******						
••••						
•••••••••						
and shall	be subject to such	reasonable rotation sys	tem as may be or	dered by the prope	r state officer	<b>-</b> .
	-	his permit isApril 1				
Act	ual construction u	vork shall begin on or l	beforeAugust	21, 1954	and	<b>l</b> shall
thereafter	· be prosecuted wi	th reasonable diligence	and be complete	ed on or before Octo	ber 1, 1955	
Cor	nplete application	of the water to the proj	posed use shall b	e made on or before	e October 1, 1	9 <b>5</b> 6 .
WI	TNESS my hand t	his 21st day o	of August	7. 195 O	3	ر بر در می
				Matter Committee of Contraction	STATE ENGI	NEER
Application No. 28327.  Permit No. 28358.	PERMIT  TO APPROPRIATE THE PUBLIC  WATERS OF THE STATE  OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 16th day of April 1953, at 100 o'clock P. M.	Returned to applicant:	August 21, 1953 Recorded in book No. 57 Of Permits on page 2.2335	CHAS. E. STRICKLIN STATE ENGINEER	State Printing 60340