

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

We, W. R. Taylor and Eunice Taylor, husband and wife,
(Name of applicant)
of 504 E. 5th Street, The Dalles,
(Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is 2 springs, Gooseberry Spring and Taylor Spring,
(Name of stream)
a tributary of Columbia River
2. The amount of water which the applicant intends to apply to beneficial use is 0.95
0.8 S.F. from Taylor Spring, 0.15 sec. ft. from
cubic feet per second. Gooseberry Spring.
(If water is to be used from more than one source, give quantity from each)
- **3. The use to which the water is to be applied is irrigation and domestic
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
0.40 sec. ft. for irrigation, 0.55 sec. ft. for domestic.
4. The point of diversion is located 790 ft. S. and 814 ft. E. from the SW
(N. or S.) (E. or W.)
corner of Sections 16, 17, 20 and 21, or S. 45° 51' E., from said corner.
(Section or subdivision)
This being the location of Taylor Spring. Gooseberry Spring is located
S. 9° 07' E., 2213.5 feet, or 2185.8 ft. South and 350.7 ft., East of
the same section corner. Township 2 N., Range, 13 E.W.M.
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary.)

being within the NW 2NW 1 and SW 2NW 1 of Sec. 21, Tp. 2 N.,
(Give smallest legal subdivision) (N. or S.)
R. 13 E., W. M., in the county of Wasco
(E. or W.)

5. The pipe line to be 3000 feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the NW 1NE 1 of Sec. 20, Tp. 2 N.,
(Smallest legal subdivision) (N. or S.)
R. 13 E., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____
feet; material to be used and character of construction concrete
(Loose rock, concrete, masonry,

rock and brush, timber crib, etc. wasteway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description one 10 h.p. turbine type,
one 5 h.p. turbine type, electric power.
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)
maximum head, to be lifted, 40 feet.

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

22370

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 3000 ft.; size at intake, 6 in.; size at 1000 ft. from intake 4 in.; size at place of use 2 in.; difference in elevation between intake and place of use, 42 ft. Is grade uniform? NO Estimated capacity, 1 sec. ft.

8. Location of area to be irrigated, or place of use 24 acres irrigation and domestic

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
2 N.	13 E.	20	NE $\frac{1}{4}$ NE $\frac{1}{2}$	4.0
2 N.	13 E.	20	SE $\frac{1}{4}$ NE $\frac{1}{2}$	2.0
2 N.	13 E.	21	NW $\frac{1}{4}$ NW $\frac{1}{2}$	12.4
2 N.	13 E.	21	SW $\frac{1}{4}$ NW $\frac{1}{2}$	5.6

(If more space required, attach separate sheet)

(a) Character of soil sandy loam

(b) Kind of crops raised GRASS

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply

10. (a) To supply the city of

..... County, having a present population of
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied approximately 100
at trailer camp.

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 10,000

12. Construction work will begin on or before April 1, 1954

13. Construction work will be completed on or before April 1, 1955

14. The water will be completely applied to the proposed use on or before April 1, 1955

W. R. Taylor
(Signature of Applicant)
Eunice Taylor

Remarks: Title to land involved in this application, as taken from
Wasco County Deed Records, December 28, 1938, to Dr. W. R. Taylor,
"That part of Sections 16, 17, 20 and 21, that lie within the Edward
Grate Donation Land Claim No. 38, and East of the present Columbia
River Highway."

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before 194.....

WITNESS my hand this day of 194.....

PERMIT

STATE OF OREGON, }
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.95 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Gooseberry & Taylor Springs, being 0.15 cfs. from Gooseberry Spring & 0.80 cfs. from Taylor Spring.

The use to which this water is to be applied is irrigation and domestic, being 0.40 cfs. for irrigation and 0.55 cfs. for domestic.

If for irrigation, this appropriation shall be limited to 1/60 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 23, 1953

Actual construction work shall begin on or before August 21, 1954 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1955

Complete application of the water to the proposed use shall be made on or before October 1, 1956

WITNESS my hand this 21st day of August 1953

Class E. Stricklin
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, Chapter 74, Oregon Laws 1953

Application No. 28346
Permit No. 22370

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 23rd day of April 1953 at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

August 21, 1953 of
Recorded in book No. 57

Permits on page 22370

CLAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. 4 Page 0 of 0

Fees Paid 25.00