

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Ralph E. Aetg (Name of applicant)

of Jamison (Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Turner Creek & Poison Creek, a tributary of Willow Creek

2. The amount of water which the applicant intends to apply to beneficial use is 2 1/2 cubic feet per second. 1/2 ft from Turner Creek - 2 ft from Poison Creek

**3. The use to which the water is to be applied is irrigation

4. The point of diversion is located 850 ft. W and 50 ft. N from the SE corner of Sec 16-11-16-11 on Turner Creek 8 1/2 miles N 55 W from SW corner of Section 16 to SE

being within the SE 1/4 SE 1/4 + SE 1/4 SE 1/4 of Sec. 16-17 Tp. R. 2 W. M., in the county of

5. The Main ditch, canal or pipe line to be 1/4 mile in length, terminating in the SE 1/4 of SE 1/4 of Sec. 16-17 Tp. R. 2 W. M., the proposed location being shown throughout on the accompanying map

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 4 feet, length on top 2.4 feet, length at bottom 20 feet; material to be used and character of construction

(b) Description of headgate Timber concrete, etc. number and size of openings

(c) If water is to be pumped give general description

*A different form of application is provided where storage works are contemplated **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon. 1-52-4M

22376

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 2 1/2 feet; width on bottom 1 1/2 feet; depth of water 1 1/2 feet; grade 2 1/2 feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use S 1/2 S 1/2 Sec 16 T 1 N R 43 E M

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated		Primary
				Total	Suppl'	
	43E	16	SE 1/4 SE 1/4	40	40 ⁰	0 ⁰
"	"	"	SW 1/4 SE 1/4	4	40 ⁰	0 ⁰
"	"	"	SE 1/4 SW 1/4	18	10 ⁰	8 ⁰
"	"	"	SW 1/4 SW 1/4	19	0 ⁰	9 ⁰
				100 ⁰		

(If more space required, attach separate sheet)

(a) Character of soil Sandy clay loam

(b) Kind of crops raised Hay, pasture, grain, etc.

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No N or S) (No E or W)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No N or S) (No E or W)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of _____

_____ County, having a present population of _____

and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 300

12. Construction work will begin on or before May 1, 1953

13. Construction work will be completed on or before May 1, 1955

14. The water will be completely applied to the proposed use on or before May 1, 1955

Joseph E. Cletig
(Signature of applicant)
Jamison Oregon

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion and correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before July 7, 1953

WITNESS my hand this 7th day of May, 1953

CHAS. E. STRICKLIN
STATE ENGINEER

By *Chris L. Wheeler*
Chris L. Wheeler, Assistant

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 2.50 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Poison Creek & Turner Creek, being 2.00 c.f.s. from Poison Creek & 0.50 c.f.s. from Turner Creek.

The use to which this water is to be applied is irrigation & supplemental irrigation.

If for irrigation, this appropriation shall be limited to 1/40 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year, and shall be still further limited to a diversion of not to exceed 2.50 c.f.s., provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 27, 1953

Actual construction work shall begin on or before August 21, 1954 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1955

Complete application of the water to the proposed use shall be made on or before October 1, 1956

WITNESS my hand this 21st day of August, 1953

Chas. E. Stricklin STATE ENGINEER

Application No. 28356

Permit No. 22376

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 27th day of April, 1953, at 1:00 o'clock P. M.

Returned to applicant:

May 7, 1953

Approved:

August 21, 1953

Recorded in book No 57 of

Permits on page 22376

CHAS. E. STRICKLIN STATE ENGINEER