10

To Appropriate the Public Waters of the State of Oregon

I, Allie Brow	ACCUTOR
of 460 Sales	Heights Ave Salem
State ofQR9.1	KGDdo hereby make application for a permit to appropriate the
•	public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applican	nt is a corporation, give date and place of incorporation
1. The source	of the proposed appropriation isBig_Nestucca_River
	, a tributary of
2. The amoun	at of water which the applicant intends to apply to beneficial use is
cubic feet per second	(If water is to be used from more than one source, give quantity from each)
**3. The use to	which the water is to be applied is
4. The point	of diversion is located 360 ft. N and 2250 ft. W from the 2
corner of Between	sections 11 and 14 Top-4-S.R.10.W.W.M. Fillamook County Oregon (Section or subdivision)
•••••	•
*	• • • • • • • • • • • • • • • • • • •
	(If preferable, give distance and bearing to section corner)
,	there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the	(Cité munitant leffer subditamon)
R. 10; Wa, W.	M., in the county ofTillamook
5. The	pipe line to be 1300 ft. (Main ditch, canal or pipe line) (Miles or feet)
in length, terminati	ng in the NE' SH' & SE' SW' of Sec. 11 , Tp. 4.5.
	. W. M., the proposed location being shown throughout on the accompanying map.
	DESCRIPTION OF WORKS
Diversion Works—	Warran and a second
6. (a) Heigh	t of dam None feet, length on top feet, length at bottom
	et; material to be used and character of construction (Loose rock, concrete masonry
rock and brush timber crib,	etc., wasteway over or around dam)
(b) Descripti	ion of headgate
(c) If water	is to be pumped give general description 5 H.P. Elec Centrifugal (Size and type of pump)
	(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

^{**}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer. Salem, Oregon.
3-53-4M

Sener we were	dgate: width on	feet; width on botton		
*****************	feet; depth of t	oeter	jeet; grade	feet fall per or
sand feet.				ster line)
		, •	_	water fee
	feet fa			,
		-		in : sian at
				in.; size at
				difference in elevation betwe
ke and place	of use,	ft. 1	s grade uniform?	Estimated capacit
8. Locatio	,	irrigated, or p	lace of use	
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
North or South	Will wette Meridian		FOR Y-SOR TRACE	
4.S.	10.W.	11	· NR ¹ SW ¹	2.5
4.S.	10.W.	<u> </u>	SE SW	10.2
4.S.	10.W.	<u> 11</u>	NWL SWL	3.7
4.5.	10.W.	11	SW ¹ SW ¹	21.6
			Total	38,00
ll and 14 thence N chains: t	twp 4.S.R.10 50-014 7.00 Chence West 1	O.W.W.M. Til chains; ther 7.88 chains	lamook County, Cregon; nce S 82-01W 9.00 chain	dependent between section Thence North 19.0 chains; thence 3 41-00'W 7.0 chain ce South 19.85 chain taining 86.92 acres.
ll and 14 thence N chains: t	twp 4.S.R.10 50-014 7.00 Chence West 1	O.W.W.M. Til chains; ther 7.88 chains	llamook County, Cregon; nee S 82-0'W 9.00 chain to the section line; t	Thence North 19.0 cha is; thence 3 41-00'W 7.0 he ce South 19.85 chain
ll and 14 thence N chains: t	twp 4.S.R.10 50-014 7.00 Chence West 1	O.W.W.M. Til chains; ther 7.88 chains	llamook County, Cregon; nee S 82-0'W 9.00 chain to the section line; t	Thence North 19.0 cha is; thence 3 41-00 W 7.0 the ce South 19.85 chain
ll and 14 thence N chains; t thence Ea	Twp 4.S.R.10 50-01W 7.00 chence West 1 st 20.0 cha	O.W.W.M. Tilchains; ther 7.88 chains ind to the	lamook County, Cregon; nce S 82-0'W 9.00 chain to the section line; to place of beginning, con	Thence North 19.0 chais; thence 3 41-00 W 7.0 he ce South 19.85 chain taining 86.92 acres.
ll and 14 thence N chains; t thence Ea	Twp 4.S.R.10 50-01W 7.00 chence West 1 st 20.0 cha	O.W.W.M. Tilchains; ther 7.88 chains ind to the	lamook County, Cregon; nce S 82-0'W 9.00 chain to the section line; to place of beginning. con	Thence North 19.0 chais; thence 3 41-00 W 7.0 he ce South 19.85 chain taining 86.92 acres.
ll and 14 thence N chains; thence Ea	twp 4.5.R.16 50-01 7.00 Thence West 1 20.0 cha	O.W.W.M. Tilcheins; ther 7.88 chains ind to the	lamook County, Cregon; nce S 82-0'W 9.00 chain to the section line; to place of beginning, con	Thence North 19.0 chais; thence 3 41-00 W 7.0 ine ce South 19.85 chain staining 86.92 acres.
ll and 14 thence N chains; t thence Ea (a) C (b) K wer or Minir	twp 4.5.R.16 50-01 7.00 Thence West 1 20.0 cha	O.W.W.M. Tilchains; ther 7.88 chains ind to the pandy andy	lamook County, Cregon; nce S 82-O'W 9.00 chain to the section line; to place of beginning, con exercise the section con River bottom loam ss	Thence North 19.0 chais; thence 3 41-0 W 7.0 ine ce South 19.85 chain staining 86.92 acres.
ll and 14 thence N chains; t thence Ea (a) C (b) K wer or Minir 9. (a) T	theracter of soil and of crops raising Purposes— otal amount of	O.W.W.M. Tilchains; there 7.88 chains ind to the sind to the sandy sed and sed are power to be described as a sed are	lamook County, Cregon; nce S 83-O'W 9.00 chain to the section line; to place of beginning. con required attach separate about) River bottom loam security attach separate about)	Thence North 19.0 chais; thence 3 41-0 W 7.0 ine ce South 19.85 chain staining 86.92 acres.
(a) C (b) K wer or Minir 9. (a) T (b) G	Twp 4.5.R.16 50-01 7.00 Thence West 1 151 20.0 cha Tharacter of soil Tind of crops raising Purposes— Total amount of Quantity of wate	O.W.W.M. Tilchains; there 7.88 chains ind to the sind to the sandy sed and sed for to be used for to be used for the sed sed sed sed sed sed sed sed sed se	lamook County, Cregon; nce S 83-0'W 9.00 chain to the section line; to place of beginning. con River bottom loam ss	Thence North 19.0 chais; thence 3 41-0 W 7.0 he ce South 19.85 chain taining 86.92 acres.
(a) C (b) K wer or Minir 9. (a) T (b) G (c) T	Twp 4.5.R.16 50-01 7.00 Thence West 1 20.0 character of soil and of crops raising Purposes— Total amount of Quantity of water Total fall to be u	O.W.W.M. Tilchains; there 7.88 chains ind to the sandy sed and sed or to be used for tilized	lamook County, Cregon; nce S 83-0'W 9.00 chain to the section line; to place of beginning. con River bottom loam ss eveloped r power feet.	Thence North 19.0 chais; thence 3 41-0 W 7.0 ine ce South 19.85 chain staining 86.92 acres. theoretical horseport. sec. ft.
(a) C (b) K wer or Minir 9. (a) T (b) G (c) T	Twp 4.5.R.16 50-01 7.00 Thence West 1 20.0 character of soil and of crops raising Purposes— Total amount of Quantity of water Total fall to be u	O.W.W.M. Tilchains; there 7.88 chains ind to the sandy sed and sed or to be used for tilized	lamook County, Cregon; nce S 83-0'W 9.00 chain to the section line; to place of beginning. con River bottom loam ss	Thence North 19.0 chais; thence 3 41-00 W 7.0 ine ce South 19.85 chain staining 86.92 acres. theoretical horseport. sec. ft.
ll and 14 thence N chains; t thence Ea (a) C (b) K wer or Minir 9. (a) T (b) G (c) T (d) T	haracter of soil ind of crops raising Purposes— otal amount of Quantity of wate The nature of the	O.W.W.M. Tilchains; there 7.88 chains ind to the sind to the sandy sed	lamook County, Cregon; nce S 83-O'W 9.00 chain to the section line; to place of beginning. con River bottom loam ss eveloped r power (Head) ans of which the power is to	Thence North 19.0 chais; thence 3 41-0 W 7.0 ine ce South 19.85 chain staining 86.92 acres. theoretical horseport. sec. ft.
thence N chains; t thence Ea (a) C (b) K wer or Minir 9. (a) T (b) G (c) T (d) T	haracter of soil ind of crops raising Purposes— otal amount of Quantity of wate The nature of the	O.W.W.M. Tilchains; there 7.88 chains ind to the sind to the sandy sed	lamook County, Cregon; nce S 83-0'W 9.00 chain to the section line; to place of beginning. con River bottom loam ss eveloped r power feet.	Thence North 19.0 chais; thence 3 41-0 W 7.0 ine ce South 19.85 chain staining 86.92 acres. theoretical horseport. sec. ft.
(a) C (b) K wer or Minir 9. (a) T (b) G (c) T (d) T (e) S	haracter of soil ind of crops raising Purposes— otal amount of Quantity of wate The nature of the	O.W.W.M. Tilchains; there 7.88 chains ind to the sandy sed and sed for to be used for tilized are works by me	lamook County, Cregon; loe S 83-O'W 9.00 chain to the section line; to place of beginning. con River bottom loam SS Eveloped r power feet. (Head) ans of which the power is to	Thence North 19.0 chais; thence 3 41-00 W 7.0 ine ce South 19.85 chain staining 26.92 acres. theoretical horseposes. sec. ft.
(a) C (b) K wer or Minir 9. (a) T (b) G (c) T (d) T	haracter of soil ind of crops raising Purposes— Total amount of water Cotal fall to be used to the nature of the such works to be used.	O.W.W.M. Tilchains; there 7.88 chains ind to the sandy sed	lamook County, Cregon; loe S 83-O'W 9.00 chain to the section line; to place of beginning. con River bottom loam SS Eveloped r power feet. (Head) ans of which the power is to	Thence North 19.0 chais; thence 3 41-00 W 7.0 ine ce South 19.85 chain staining 26.92 acres. theoretical horseposes. sec. ft.
(a) C (b) K wer or Minir 9. (a) T (b) G (c) T (d) T (d) T	Twp 4.5.R.16 50-01 7.00 Thence West 1 151. 20.0 chan In Purposes Total amount of Quantity of wate Total fall to be u The nature of the Such works to be The water to be re	O.W.W.M. Tilchains; ther 7.88 chains ind to the andy sed Ta power to be de r to be used for tilized e works by me e located in works by me	lamook County, Cregon; loe S 83-O'W 9.00 chain to the section line; to place of beginning. con River bottom loam SS Eveloped T power (Legal subdivision) M.	thence S 41-00 W 7.0 ine ce South 19.85 chain staining 26.92 acres. theoretical horseport sec. ft. be developed of Sec.
(a) C (b) K wer or Minir 9. (a) T (b) G (c) T (d) T (d) T	Twp 4.5.R.16 50-01 7.00 Thence West 1 151. 20.0 chan In Purposes— Total amount of wate Total fall to be use The nature of the Such works to be The system of	O.W.W.M. Tilchains; ther 7.88 chains ind to the pandy sed	lamook County, Cregon; loe S 82-O'W 9.00 chain to the section line; to place of beginning. con River bottom loam ss eveloped r power (Head) ans of which the power is to (Legal subdivision) M. stream? (Yes or No)	thence North 19.0 chais; thence 3 41-00 W 7.0 ine ce South 19.85 chain staining 86.92 acres. theoretical horsepoil. sec. ft. be developed

STATE ENGINEER

Manicipal or Demontic Supply—	223
M. (4) To gaply the elly of	
County, Market	
(b) If for demands we also were	And the second s
	families to be supplied
11. Estimated evet of proposed works, \$220	M. M. and M in all control
	,
12. Construction work will begin on or before	
13. Construction work will be completed on a	
14. The water will be completely applied to th	e proposed use on or beforeJuly 1953
	010:0
	allie Broughton
	V
Remarks: The water will be pur	med out of the river without any dam.
•	
	
	······································
•	
•	
	······································
	•••••
STATE OF OREGON,	
County of Marion,	
	rozoina annlianti tarrel
	regoing application, together with the accompanying
naps and data, and return the same for	
	nust be returned to the State Engineer, with correc-
ions on or before	
WITNESS my hand this day of	, 19

STATE OF OREGON

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use stream, or its equivalent in case of rotation with other water users, fromBig Mastucca Rivar...... The use to which this water is to be applied is _____irrigation_____ If for irrigation, this appropriation shall be limited to ______1/80 _____ of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of ..not.to.exceed.22.acre..feet.per.acre..for.each.acre..irrigated.during.the.irrigation season of each year, **** and shall be subject to such reasonable rotation system as may be ordered by the proper state officer Actual construction work shall begin on or before August 21, 1954 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 55. Complete application of the water to the proposed use shall be made on or before October 1. 19-50 WITNESS my hand this 21st day of lower E finely

State Printing 84340

PERMIT

223

Permit No.

Application No. 28.

PUBLIC WATERS OF THE STATE OF OREGON TO APPROPRIATE TH

Salem, Oregon This instrument was first office of the State Engineer at

X on the 29th day of Apri 1953, at 8.00 o'clock 18

Returned to applicant:

August 21, 1953

Approved:

Recorded in book No. Permits on page

CHAS. E. STRICKLIN