

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Eugene A. Hahn and Alberta E. Hahn, husband and wife

of Route 1, Nickreall

State of Oregon

do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Spring in NE 1/4 NW 1/4, S 15, T6S, R4W,

W.M., a tributary of Ash Swale

2. The amount of water which the applicant intends to apply to beneficial use is 0.01

cubic feet per second.

**3. The use to which the water is to be applied is Domestic

4. The point of diversion is located 1175 ft. S and 2550 ft. E from the NW

corner of S 15, T6S, R4W, W.M.

being within the NE 1/4 NW 1/4 of Sec. 15, Tp. 6S, R. 4W, W.M., in the county of Polk

5. The pipe line to be 3000 feet

in length, terminating in the NW 1/4 NW 1/4 of Sec. 15, Tp. 6S, R. 4W, W.M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works--

6. (a) Height of dam feet, length on top feet, length at bottom

feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 3000 ft.; size at intake, 3/4 in.; size at ft. from intake in.; size at place of use 3/4 in.; difference in elevation between intake and place of use, 300 ft. Is grade uniform? Yes Estimated capacity, 0.02 sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
6S	4W	15	NW 1/4 NW 1/4	
Place of Use				
Property upon which water is to be applied is that more explicitly described by applicant as follows:				

That portion of the Glen O. Burnett and wife Donation Land Claim Number 43 lying within Sections 15 and 16 in Township 6 South, Range 4 West of the Willamette Meridian described as follows:

Beginning at a point 25 chains east and 16.75 chains south of the northwest corner of said claim number 43; thence south 23.25 chains; thence east 28.69 chains; thence south 18.83 chains; thence east 26.31 chains to the east line of said claim; thence north on said east line 40.346 chains; thence west 17.33 chains; thence north 1.734 chains; thence west 37.67 chains to the place of beginning, and being the same real estate conveyed to the Union Central Life Insurance Company by Deed dated July 26, 1926 and recorded in Book 84, page 29 of the Records of Polk County, Oregon;



(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

Tp. R. W. M.

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

..... Sec. Tp. R. W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of _____
_____ County, having a present population of _____
_____ and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied one

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 350.00

12. Construction work will begin on or before Built in 1914

13. Construction work will be completed on or before extended and completed, 1927

14. The water will be completely applied to the proposed use on or before water completely applied to beneficial use at the present time.

x Eugene A. Hahn
(Signature of applicant)
x Alberta S. Hahn

Remarks: This application is made for the purpose of dividing the water right presently in existence in favor of the property now owned by Donald E. Shields and Ina L. Shields, which is certificate No. 8769 in Polk County, issued July 9, 1930. The concurrence of the Shields is indicated by the grant of water right to the Hahns in the document attached hereto. The issuance of this water right in favor of the Hahns will make no change at all in the existing use or facilities for use of this water. All the works have been in place and in use in excess of 25 years and the granting of this right will not cast any greater burden upon anyone.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

STATE ENGINEER

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from spring

The use to which this water is to be applied is domestic

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 1, 1953

Actual construction work shall begin on or before August 21, 1954 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1955

Complete application of the water to the proposed use shall be made on or before October 1, 1956

WITNESS my hand this 21st day of August 1953

Chas. E. Stricklin STATE ENGINEER

Application No. 28376

Permit No. 22388

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 1st day of May 1953, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

August 21, 1953

Recorded in book No. 57 of

22388

Permits on page

CHAS. E. STRICKLIN

STATE ENGINEER