***APPLICATION FOR PREMIT**

To Appropriate the Public Waters of the State of Oregon

I, Corbett NoLoum
2738 S.E. Clay Street, Portland, 15, Oregon
State ofOregon, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. The source of the proposed appropriation is Tualatin River (Name of stream) , a tributary of Willamette River
2. The amount of water which the applicant intends to apply to beneficial use is 0.0656
cubic feet per second. (If water is to be used from more than one source, give quantity from each)
**3. The use to which the water is to be applied is
4. The point of diversion is located 572.0 ft. N and 568.0 ft. W from the S.W.
corner of S.E. 4 of N.E. 4 (Section or subdivision)
and the control of th
(If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SWANEL of Sec. 20 , Tp. 2 S (Give smallest legal subdivision)
R. 1 E , W. M., in the county of Clackamas.
5. The Pipe line to be 350 feet (Miles or feet)
n length, terminating in the SW 1 of the NE 1 of Sec. 20 , Tp. 25 , (Smallest legal subdivision)
R LE W. M., the proposed location being shown throughout on the accompanying map.
DESCRIPTION OF WORKS
Diversion Works
6. (a) Height of dam. None feet, length on top. feet, length at bottom
feet: material to be used and character of construction
ock and brush, timber crib, etc., wasteway over or around dam)
(b) Description of headgate None (Timber, concrete, etc., number and size of openings)
(c) If water is to be pumped give general description American Warsh Centrifugal Fump, Size
(Size and type of pump) Type RDstationaryconnected to 2 hp motor30 gnm at 95 !head, cut off at 101! (Size and type of engine of motor to be used, total head water in to be lifted, etc.)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.) Lift to wary from 60 to 60 feet, suction from 10 to 15 feet ar Our special heads
with 8 gpm per head (portable heads - with 400 feet of 3/4 " hose)
*A different form of application is provided where storage works are contemplated **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities must be made to the stydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the offset Engineer, Salem, oregon.

idgate. At headgate: width	on top (at water line)	jeet, wiath on bottom
nusand feet.	of water feet; grade	feet fall per one
(b) At	miles from headgate: width on top	(at water line)
feet; width o	on bottom feet; d	lepth of water feet;
ade feet	t fall per one thousand feet.	
(c) Length of pipe,	350 ft.; size at intake, 12	in.; size at 115 ft.
om intake1"	in.; size at place of use	in.; difference in elevation between
	80 ft. Is grade uniform?	
0.065 sec. ft.	Above pipe with 400 feet of	
	be irrigated, or place of use	
Williametta Meridi		
2 S 1 B Prope	erty of Corbett and Ferne Pelen	1 MoLean
	5.258 Acres, more or less, al	iong Tualatin River.
Down of the Southwest	t quarter of the Northeast quar	ter of Section 20, T.2S. R.1 E
of said road, South 0°18 West 429.43 fe distant from an iron quarter of the North	ion 20; from said beginning poin 80°07' East 282.58 feet to a 1/2 set to a point, which is North5's a pipe located at the southwest heast one-quarter of said section	99.82 feet and West 397.43 feet corner of the Southeast one- on 20; thence South 59*44' East
quarter of said sect of said road, South 0°18' West 429.45 fe distant from an iron quarter of the North 256.96 feet, thence of the left bank of No. 34°39' West 140.00 leaving said water 1	sion 20; from said beginning point 80°07' East 282.58 feet to a 1: set to a 2: set to a 2: set to a point, which is North55 a pipe located at the southwest	of thence, along the center line inch bridge spike; thence South 99.82 feet and West 397.43 feet corner of the Southeast one on 20; thence South 59"44' East to the ordinary high water line stream along said water line, 30" West 113.42 feet; thence, place of Reginning of the tract
quarter of said sect of said road, South 0°18' West 429.45 fe distant from an iron quarter of the North 256.96 feet, thence of the left bank of N. 34°39' West 140.0 leaving said water 1 herein described con	sion 20; from said beginning point 80°07' East 282.58 feet to a 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	of thence, along the center line inch bridge spike; thence South 99.82 feet and West 397.43 feet corner of the Southeast one on 20; thence South 59"44' East to the ordinary high water line stream along said water line, 30" West 113.42 feet; thence, place of Reginning of the tract
quarter of said sect of said road, South 0°18' West 429.45 fe distant from an iron quarter of the North 256.96 feet, thence of the left bank of N. 34°39' West 140.0 leaving said water 1 herein described con	sion 20; from said beginning point 80°07' East 282.58 feet to a 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	of thence, along the center line inch bridge spike; thence South 99.82 feet and West 397.43 feet corner of the Southeast one on 20; thence South 59"44' East to the ordinary high water line stream along said water line, 30" West 113.42 feet; thence, place of Reginning of the tract
quarter of said sect of said road, South 0°18' West 429.45 fedistant from an iron quarter of the North 256.96 feet, thence of the left bank of N. 34°59' West 140.0 leaving said water laberein described con Situate in Clack	sion 20; from said beginning point 80°07' East 282.58 feet to a 1 set to a point, which is North55 in pipe located at the southwest neast one-quarter of said section South 52°09'30'West 377.08 feet the Tualatin River, Thence, upon the Tualatin River, Thence, upon the Tualatin River, Thence, upon the North 66°02' line, North 667.45 feet to the staining 5.258 acres, more or located County, Oregon Predominately clay	of thence, along the center line inch bridge spike; thence South 99.82 feet and West 397.43 feet corner of the Southeast one on 20; thence South 59"44' East to the ordinary high water line stream along said water line, 30" West 113.42 feet; thence, place of Reginning of the tract
quarter of said sect of said road, South 0°16' West 429.45 fedistant from an iron quarter of the North 256.96 feet, thence of the left bank of N. 34°39' West 140.0 leaving said water 1 herein described con Situate in Clack (a) Character of soil	sion 20; from said beginning point 80°07' East 282.58 feet to a 45 set to a point, which is North55 a pipe located at the southwest neast one-quarter of said section South 52°09'30"West 377.08 feet the Tualatin River, Thence, upon the Tualatin River, Thence, upon the North 66°02' line, North 667.45 feet to the pataining 5.258 acres, more or located at the County, Oregon Predominately clay Red Blueberries, pamellias, we seed Blueberries, pamellias, we	at thence, along the center line inch bridge spike; thence South 99.82 feet and West 397.43 feet corner of the Southeast one on 20; thence South 59"44' East to the ordinary high water line stream along said water line, 30" West 113.42 feet; thence, place of Reginning of the tractes.
quarter of said sect of said road, South 0°18' West 429.45 fedistant from an iron quarter of the North 256.96 feet, thence of the left bank of N. 34°59' West 140.0 leaving said water 1 herein described community of the left bank of the left bank of N. 34°59' West 140.0 leaving said water 1 herein described community of the Character of soil (b) Kind of crops raise Power or Mining Purposes—Power or Mining Purposes—	sion 20; from said beginning point 80°07' East 282.58 feet to a 45 set to a point, which is North55 a pipe located at the southwest neast one-quarter of said section South 52°09'30"West 377.08 feet the Tualatin River, Thence, upon the Tualatin River, Thence, upon the North 66°02' line, North 667.45 feet to the pataining 5.258 acres, more or located at the County, Oregon Predominately clay Red Blueberries, pamellias, we seed Blueberries, pamellias, we	at thence, along the center line inch bridge spike; thence South 99.82 feet and West 397.43 feet corner of the Southeast one on 20; thence South 59"44' East to the ordinary high water line stream along said water line, 30" West 113.42 feet; thence, place of Reginning of the tractes.
quarter of said sect of said road, South 0°16' West 429.45 fed istant from an iron quarter of the North 256.96 feet, thence of the left bank of No. 34°39' West 140.00 leaving said water 1 herein described con Situate in Clack (a) Character of soil (b) Kind of crops raise Power or Mining Purposes—9. (a) Total amount of	sion 20; from said beginning point 80°07' East 282.58 feet to a 1 set to a point, which is North55 in pipe located at the southwest neast one-quarter of said section South 52°09'30'West 377.08 feet the Tualatin River, Thence, upon the Tualatin River, Thence, upon the North 66°02' line, North 667.45 feet to the staining 5.258 acres, more or located section of the South South South, Oregon Predominately clay Red Blueberries, pamellias, we seed Blueberries, pamellias, we	at thence, along the center line inch bridge spike; thence South 99.82 feet and West 397.43 feet corner of the Southeast one on 20; thence South 59"44' East to the ordinary high water line stream along said water line, 30" West 113.42 feet; thence, place of Reginning of the tractes.
quarter of said sect of said road, South 0°16' West 429.45 fed istant from an iron quarter of the North 256.96 feet, thence of the left bank of No. 34°39' West 140.00 leaving said water 1 herein described con Situate in Clack (a) Character of soil (b) Kind of crops raise Power or Mining Purposes—9. (a) Total amount of	sion 20; from said beginning point 80°07' East 282.58 feet to a 45 set to a point, which is North55 in pipe located at the southwest neast one-quarter of said section South 52°09'30"West 377.08 feet the Tualatin River, Thence, upon the Tualatin River, Thence, upon the North 667.45 feet to the pataining 5.258 acres, more or located at the Blueberries, pamellias, we see Blueberries, pamellias, we see Blueberries amellias, we see the used for power to be developed attentions at the section of the se	of thence, along the center line inch bridge spike; thence South 99.82 feet and West 397.43 feet corner of the Southeast one on 20; thence South 59"44' East to the ordinary high water line stream along said water line, 30" West 113.42 feet; thence, place of Reginning of the tract one.
quarter of said sect of said road, South 0°16' West 429.45 fed istant from an iron quarter of the North 256.96 feet, thence of the left bank of No. 34°39' West 140.00 leaving said water 1 herein described con Situate in Clack (a) Character of soil (b) Kind of crops raise (b) Kind of crops raise (b) Quantity of we (c) Total fall to be (c) Total fall to be	sion 20; from said beginning point 80°07' East 282.58 feet to a 45 set to a point, which is North55 a pipe located at the southwest neast one-quarter of said section South 52°09'30"West 377.08 feet the Tualatin River, Thence, upon the Tualatin River, Thence, upon the North 667.45 feet to the pataining 5.258 acres, more or located at a county, Oregon Predominately clay seed Blueberries, pamellias, we comply to be developed attention by developed attentions at the section of the sec	of theore, along the center line inch bridge spike; thence South 99.82 feet and West 397.43 feet corner of the Southeast one- on 20; thence South 59"44' East to the ordinary high water line, stream along said water line, 30" West 113.42 feet; thence, place of Reginning of the tract ease. Sec. ft. feet.
quarter of said sect of said road, South 0°16' West 429.45 fed istant from an iron quarter of the North 256.96 feet, thence of the left bank of No. 34°39' West 140.00 leaving said water 1 herein described con Situate in Clack (a) Character of soil (b) Kind of crops raise (b) Kind of crops raise (b) Quantity of we (c) Total fall to be (c) Total fall to be	sion 20; from said beginning point 80°07' East 282.58 feet to a 45 set to a point, which is North55 in pipe located at the southwest neast one-quarter of said section South 52°09'30"West 377.08 feet the Tualatin River, Thence, upon the Tualatin River, Thence, upon the North 667.45 feet to the pataining 5.258 acres, more or located at the Blueberries, pamellias, we see Blueberries, pamellias, we see Blueberries amellias, we see the used for power to be developed attentions at the section of the se	of theore, along the center line inch bridge spike; thence South 99.82 feet and West 397.43 feet corner of the Southeast one-con 20; thence South 59"44' East to the ordinary high water line, stream along said water line, 30" West 113.42 feet; thence, place of Reginning of the tract ease. Section of the s
quarter of said sect of said road, South O'18' West 429.43 fed distant from an iron quarter of the North 236.96 feet, thence of the left bank of No. 34'39' West 140.00 leaving said water 1 herein described con Situate in Clack (a) Character of soil (b) Kind of crops raise (b) Kind of crops raise (b) Quantity of we (c) Total fall to be (d) The nature of the content	sion 20; from said beginning point 80°07' East 282.58 feet to a 45 set to a 45 set to a 45 set to a point, which is North 50 pipe located at the southwest neast one-quarter of said section South 52°09'30'West 377.08 feet the Tualatin River, Thence, upon the Tualatin River, Thence, upon North 667.45 feet to the pataining 5.258 acres, more or located at a county, Oregon Predominately clay The Blueberries, pamellias, we come to be developed attent to be used for power to be developed at a to be used for power to the used for power to the works by means of which the power the works by means of which the power to the works by means of which the works by	of theore, along the center line inch bridge spike; thence South 99.82 feet and West 397.43 feet corner of the Southeast one-con 20; thence South 59"44' East to the ordinary high water line, stream along said water line, 30" West 113.42 feet; thence, place of Reginning of the tract ease. Section of the s
quarter of said sect of said road, South O'16' West 429.45 fed istant from an iron quarter of the North 256.96 feet, thence of the left bank of No. 34'39' West 140.00 leaving said water 1 herein described con Situate in Clack (a) Character of soil (b) Kind of crops raise (b) Kind of crops raise (b) Quantity of we (c) Total fall to be (d) The nature of the Such works to	sion 20; from said beginning point 80°07' East 282.58 feet to a 45 set to a 45 set to a 45 set to a point, which is North 50 opposed at the southwest neast one-quarter of said section South 52°09'30'West 377.08 feet the Tualatin River, Thence, upon the Tualatin River, Thence, upon the North 667.45 feet to the pataining 5.258 acres, more or lockamas County, Oregon Predominately clay seed Blueberries, pamellias, we seed Blueberries, pamellias, we seed Blueberries pamellias, we seed the used for power to be developed after to be used for power to the works by means of which the power the works by means of which the power be located in the works by means of which the power to be located in the subdivisor that subdivisor the subdivisor the subdivisor the subdivisor the subdivisor the subdivisor the subdivisor that subdivisor the subdivisor the subdivisor that subdivisor the subdivisor the subdivisor that subdivisor the subdivis	thence, along the center line inch bridge spike; thence South 19.82 feet and West 397.43 feet corner of the Southeast one on 20; thence South 59"44' East to the ordinary high water line, stream along said water line, 30" West 113.42 feet; thence, place of Reginning of the tract of the region of the tract of the region of the tract of the region of the section of t
quarter of said sect of said road, South O'16' West 429.45 fed istant from an iron quarter of the North 256.96 feet, thence of the left bank of No. 34'39' West 140.00 leaving said water 1 herein described con Situate in Clack (a) Character of soil (b) Kind of crops raise (b) Kind of crops raise (b) Quantity of we (c) Total fall to be (d) The nature of the Such works to Cp. (e) Such works to Cp. R.	sion 20; from said beginning point 80°07' East 282.58 feet to a 45 set to a 45 set to a 45 set to a point, which is North 50 pipe located at the southwest heast one-quarter of said section South 52°09'30"West 377.08 feet the Tualatin River, Thence, upen the Tualatin River, Thence, upen to feet and thence North 86°02' line, North 667.45 feet to the paraining 5.258 acres, more or located makes County, Oregon Predominately clay Sed Blueberries, pamellias, we see the be used for power to be developed after to be used for power to be developed the works by means of which the power the works by means of which the power be located in (hegaisubdivisor, W. M. (No. E. or W.)	thence, along the center line inch bridge spike; thence South 19.82 feet and West 397.43 feet corner of the Southeast one on 20; thence South 59"44' East to the ordinary high water line, stream along said water line, 30" West 113.42 feet; thence, place of Reginning of the tract of the region of the tract of the region of the tract of the region of the section of t
quarter of said sect of said road, South 0°16' West 429.45 fed istant from an iron quarter of the North 256.96 feet, thence of the left bank of No. 34°39' West 140.00 leaving said water 1 herein described con Situate in Clack (a) Character of soil (b) Kind of crops raise (b) Kind of crops raise (b) Quantity of we (c) Total fall to be (d) The nature of the Such works to (e) Such works to (f) Is water to be	sion 20; from said beginning point 80°07' East 282.58 feet to a 45 set to a 45 set to a point, which is North 50 ppp located at the southwest neast one-quarter of said section South 52°09'30"West 377.08 feet the Tualatin River, Thence, upper the Tualatin River, Thence, upper to feet and thence North 66°02' line, North 667.45 feet to the partial feet to the partial feet to the partial feet to the partial feet to be grant and staining 5.258 acres, more or located attention be developed after to be used for power to be developed after to be used for power to the works by means of which the power the works by means of which the power be located in the works by Means of which the power be located in the works by Means of which the power to be located in the works by means of which the power be located in the works by means of which the power to be located in the works by means of which the power to be located in the works by means of which the power to be located in the works by means of which the power to be located in the works by means of which the power to be located in the works by means of which the power to be located in the works by means of which the power to be located in the works by means of which the power to be located in the works by means of which the power to be located in the works by means of which the power to be located in the works by means of which the power to be located in the works by means of which the power to be located in the works by means of which the power to be located in the works by means of which the power to be located in the works by means of which the power to be located in the works by means of which the power to be located in the works by means of which the power to be located in the works by means of which the power to be located in the works by means of which the power the works by means of which the power the works by means of which the power the works by means of which the works by means	thence, along the center line inch bridge spike; thence South 19.82 feet and West 397.43 feet corner of the Southeast one on 20; thence South 59"44' East to the ordinary high water line, stream along said water line, 30" West 113.42 feet; thence, place of Reginning of the tract of the region of the tract of the region of the tract of the region of the section of t
quarter of said sect of said road, South 0°16' West 429.45 fed istant from an iron quarter of the North 256.96 feet, thence of the left bank of No. 34°39' West 140.00 leaving said water 1 herein described con Situate in Clack (a) Character of soil (b) Kind of crops raise (b) Kind of crops raise (b) Quantity of we (c) Total fall to be (d) The nature of the Such works to (e) Such works to (f) Is water to be	sion 20; from said beginning point 80°07' East 282.58 feet to a 10 set to a point, which is North 50 pps located at the southwest heast one-quarter of said section South 52°09'30"West 377.08 feet the Tualatin River, Thence, upon the Tualatin River, Thence, upon 100 feet and thence North 66°02' line, North 667.45 feet to the pataining 5.258 acres, more or located in the works by means of which the power of utilized the works by means of which the power the utilized the works by means of which the power be located in (hegai subdivisor W. M. M. (No. E. or W.) returned to any stream? (Yex or No) ream and locate point of return	thence, along the center line inch bridge spike; thence South 19.82 feet and West 397.43 feet corner of the Southeast one on 20; thence South 59 44' East to the ordinary high water lines tream along said water line, 30 West 113.42 feet; thence, place of Reginning of the tract of the residence of the corner of the residence of the tract of the residence of the tract of the residence of the resid

Ļ

⁽i) The nature of the mines to be served

	L 22389
ar. (at so seems are only of	1000 quadravia 1000 aut 100 augus 100 au
County, heating a private	t segulation of
on estimated propolation of	in 19
(b) If for domestic use state number of	femilies to be supplied
Change challes H. 1	I, II, and II in all cases)
11. Estimated cost of proposed works, \$. 400s	***************************************
12. Construction work will begin on or before	May. 15, 1958
13. Construction work will be completed on a	r beforeSept. 15, 1958
14. The water will be completely applied to th	_
	Corlet Mr Lean
	(Mgnature of applicant)
Remarks: Attached find map and als	o legal description of property to be irrige
	······································
······································	
······································	
· · · · · · · · · · · · · · · · · · ·	
	· · · · · · · · · · · · · · · · · · ·
· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
	• 0.00
· · · · · · · · · · · · · · · · · · ·	
· · · · · · · · · · · · · · · · · · ·	• · · · · · · · · · · · · · · · · · · ·
the second of th	ere en
en e	
· · · · · · · · · · · · · · · · · · ·	······································
• • • • • • • • • • • • • • • • • • •	
CATE OF OREGON,	
County of Marion, sss.	
This is to certify that I have examined the f	oregoing application, together with the accompanying
	J. J
	on must be returned to the State Engineer, with correc-
	, 19
•	of

h !

STATE OF OREGON,

County of Merion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial to				
and shall not exceed				
stream, or its equivalent in case of rotation with other water users, fromTualatin.River				
The use to which this water is to be applied is irrigation				
If for irrigation, this appropriation shall be limited to				
diversion of not to exceed 22 acre feet per acre for each acre irrigated during the				
irrigation season of each year,				
•• •				
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.				
The priority date of this permit is May 1, 1953				
Actual construction work shall begin on or before				
thereafter be prosecuted with reasonable diligence and be completed on or before				
October 1, 1955				
Complete application of the water to the proposed use shall be made on or before				
October 1, 1956				
WITNESS my hand this 21st day of August, 1953				
Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 193				

Application No. 28378

2238 Permit No.

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON PERMIT This instrument was first received in the

District No.

Division No.

Salem, Oregon, Σ office of the State Engineer at on the 4th day of May

1953 at 8:00 o'clock A Returned to applicant:

Corrected application received

August 21, 1953

Approved:

Permits on page ... 3.2.3 Recorded in book No.

o

PILLS B. STRICK

Drainage Basin No. Fees Paid 150.