*APPLICATION FOR PRIMER

. Sudayor

A CONTRACTOR OF

M.	A	41	Dalla Water	-61	Ha	Ctata	٥f	Orogon
10	APPENDIMU	UR	Public Waters	UI		DIAIC	UI	OI GROII

, Gerold & Bauerly (also spelled Bowerly)
of At. 1, Boy 149, Springfild
State of Oregan State of Orega
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. The source of the proposed appropriation is Mohawk River (Name of stream)
a tributary of McKenzie River
2. The amount of water which the applicant intends to apply to beneficial use is
cubic feet per second. (If water is to be used from more than one source, give quantity from each)
**3. The use to which the water is to be applied is
4. The point of diversion is located 2472 ft. N and 3715 ft. E from the S. W. corner of Robert Mc Gowan D.L.C. # 43 T 165 R 2 W (Section or subdivision)
8 +6 ft. Noj. South line of farm
(If preferable, give distance and bearing to section corner)
being within the N.W. 4 of S.W. 1 of Sec. 26 , Tp. 16 (Give smallest legal subdivision)
R. Z. W. W. M., in the county of LANE
5. The Pipe line to be 1500 ft. (Main ditch, canal or pipe line) to be (Miles or feet)
in length, terminating in the of Sec, Tp,
R. W. M., the proposed location being shown throughout on the accompanying map.
DESCRIPTION OF WORKS Diversion Works—
6. (a) Height of dam feet, length on top feet, length at bottom
feet; material to be used and character of construction (Linibe tock, concrete, masonry
rock and brush timber crtb, etc., wasteway over or around dam)
(b) Description of headgate
<u></u>
(c) If water is to be pumped give general description 15 H. F. Electric. 3 'Lent
(Size and type of engine or motor to be used, total head water is to be lifted etc.)
3 p sprinklere, 7 gal. per min.

^{**}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

3-33-4M

spest, At ness	igate: width on t	lop (et water	line)	feet; width on bottor
	feet; depth of w	eter	feet; grade	feet fall per on
usand feet. (b) At	as 1 * * * * * * * * * * * * * * * * * *	milee from he	adgate: width on top (at wa	ter line)
	•			water feet
	feet fall			
(c) Length	of pipe,	ft.;	size at intake,	in.; size atfi
				lifference in elevation between
•		-		Estimated capacity
• 		•		
	•	rrigat ed , or pl	ace of use	
Township North or South	Range E. or W. of Willemothe Moridian	Gection	Forty-acre Tract	Number Acres To Be Irrigated
168	2 W	27	- SE NE	3.94
165	2 W	27	NESE	6. 2.7
165	2 W	26	_SW NW	2474
165	2 W	26	SENW	1. 4)
165	2 W	26	NESW	2.62
165	2 W	16	NN ~W	26.1
and the state of t				
	er menganensan i sakaringkinkan i Pelas Suggan sakrisor yan kenganggan samorin			
	_	,		
(a) Ch	gracter of soil	· .	required, attach separate sheet)	
	•		·	
o) Ki Power or Mining		ea <i>l. I</i>	pasture jrai	
	-	ower to be dev	veloped	. theoretical horsepowe
(b) Q1	uantity of w ater	to be used for	power	sec. ft.
(c) To	otal fall to be uti	lized	feet.	
(d) T	he nature of the	works bu mea	ns of which the power is to	he developed
	,			
(e) Sı	ich works to be	located in		of Sec.
			(Legal subdivision)	of bee.
(No.N. or	water to be reti			
		-	(Yes or No)	
(g) I		•	oint of return	en e
		See	, Tp(No. N or	, R

C 1	stimated population ofin 19
	(b) If for domestic use state number of families to be supplied
	(American quantitions II., ES, IS, and 16 in all cases)
1.	Estimated light of proposed works, \$ 3600 0
2.	Construction will begin on or before Many 20, 53
3.	Construction work will be completed on or before
£.	The water will be completely applied to the proposed use on or before
•	Gerald Buch Sky

Reginning it a giont_3700.2 feet F. and 1750.0 fo t W. of the S. .. corner of the Robert McCowan D. L. C. No. 40, Township lo South, Mange 2 Test of the Tillamette Meridian, said point being on the easterly right of way of the county highway and many thence arong said right of way S. 31. 50 to 11. 7 to 1. thence C. If 40' D. 1545. feet to the right bank of the Moh. A iver, thence up said right base a courses as follows: Y. II I'm loss feet, thence leaving said of ht bank, N. O O. F. 25.0 feet to a point on the North line of the Jharles Hardisty T. L. C. No. 42, thence N. 25.53' E. along said Forth line 170.0 feet to the right bank of the M hawk River, thence ur said right bank 7 courses as follows: N. 20 EB' E. 108... I et, 7.19'48' 7. 137.0 feet, N. 17'20' 4. 154.3 feet, T. 7'52' 1. 130.5 feet: 54'30' E. 177.9 feet, T. 75'35' E. 21.0 feet, ... 37°37' E. 117.2 feet, thence leaving said ribet bank, N. 21 40' W. 1825.1 feet to the point of beginning, containing 45.18 acres more or less.

Also, beginning at a point 3786.2 feet N. and 2703.8 feet P. of the C. . corner of the Rob't McCowan D.L.C. No. 43, Twp. 108., Range 2 est of the W.M., said point being on the Easterly Right of May of the County Highway & running thence S. 81 40 E. 1668.1 feet to the right bank of the Mohawk Tiver, thence up said right bank is sold so follows: N. 41°50' E. 74.0 feet N. 45°50' E. 440.3 feet, thence is vine significant bank N. 51°40' N. 1505.0 feet to the Right of as yes the County Michay, thence along said Right of Lay 3. 10.71 .. Il..O feet to the point of beginning, containing 1..74 weres, more o. lets.

STATE OF OREGON. County of Marion,

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority this application must be returned to the State Engineer, with corrections on or before , 19

WITNESS my hand this

day of

, 19

...

STATE OF OREGON,

County of Merica,

This is to certify that I have examined the foregoing application and do hereby grant the same,

Subject	TO EXISTING	RIGHTS and the follow	ring limi	tations and	condition);		
The	right herein gra	ated is limited to the ar	nount of	water whic	h can be	applied	to benef	icial use
and shall	not exceed	812 cubic feet pe	er second	l measured	at the po	int of d	iversion f	rom the
		case of rotation with a						
•		•••••••••••••••••••••••••••••••••••••••	··········	***************************************	······································	······································	••••••	
The		water is to be applied						irrigation
If fo		appropriation shall be li						
		each acre irrigatedan						_
		feet per acre for						
•	•	provided further t	••••••	••••••••••••••	••••••••	· · · · · · · · · · · · · · · · · · ·		
		t secured under any						
shall n	ot exceed the	limitation allowed	herein	•	••••			
			•••••	***************************************	••••			
** **** ** ***			•••	•••••	······································			
•• • • • • • • • • • • • • • • • • • • •	•			••••••				• •
	3 3			•				
		reasonable rotation sys		nay be order	ed by the	proper	state offi	cer.
		his permit is May 8				4.		
		work shall begin on or ith reasonable diligence			•			ind shall
	-	of the water to the pro		•	•			
	TNESS my hand t			August-		10 E3		, 10 P.T.,
***	IN ESS my nana i	mis	4	tien	Ed	Tu	che 1	han
					المديدة والمتعاد	• • • • • • • • • • • • • • • • • • • •	STATE E	NGINEER
	·							
	ن ن	in the regon,			3	,	ENGINEER	
	PUBLIC ATE	sived em, O M.				40	I INC	
28404	ST	t rece it Sal it Sal		:	7	- ~; - ~;	LIN	9
28		s firs		:	953		STACKLIN	# 28 88
n No.		te Enginee day of	ant:	:	21.			2 0.2
catio it No	PI APPROPF WATERS OF	trumer e State A da	ıpplic		August Led in bo	age	S. E	Š.
Application No. 28404 Permit No. 22404	i '		Returned to applicant:	: . 	August 21, 1	Permits on page	CHAS.	
, -	TO	This im office of the on the S	turne	Approved	Roco	rmits		
		T offic on th	Re	Ap		Pe		