Permit No. 22408

8.28745

riste the Public Waters of the State of Oregon

I, Laurelmood Water Users Co-Operative					
of	c/o H.A. Peckham	Rt. 2 Box 49B Gaston, Or	egon		
State of	Oregon	, do hereby make applic	ation for a permit to appropriate the		
		of the State of Oregon, SUBJECT			
If t	he applicant is a corpora	tion, give date and place of incorpo	oration		
		, 1953 At Laurelwood Schoo			
•					
		d appropriation is Unnamed s	(Name of stream)		
•••••		, a tributary of Hill	creek		
2 .	The amount of water whi	ch the applicant intends to apply to	beneficial use is		
cubic feet	per second	entilies (if water is to be used from more than one a			
**3.	The use to which the wat	er is to be applied is Domesti			
0.	ine use to which the wat	(Irrigation, pow	er, mining, manufacturing, domestic supplies, etc.)		

4 .	The point of diversion is	located ft. and	ft from the		
corner of	S prin	g location (Section or subdivision)			
····	See m	ap of spring location			
N. 22°	53! E. 1762.7 !: th	ence 330' E.: thence 125' N	. from the S. quarter corner		
of Sec		in the second se	. Thom wie o. dual ber corner		
		preferable, give distance and bearing to section co	rner)		
***************************************	(If there is more than one	point of diversion, each must be described. Use se	eparate sheet if necessary)		
being with	hin the NW SE	mallest legal subdivision) of Sec	$c.$ $\frac{14}{2}$, $Tp.$ $\frac{2}{2}\frac{3}{3}$.		
R (Z or	, W. M., in the coun	y of Washington			
5.	The	litch, canal or pipe line)	be 2 miles		
in lenath.					
ח,		(Smallest legal subdivision)			
R (R	. W. M., the processor w	pposed location being shown throug	hout on the accompanying map.		
	· · ·	DESCRIPTION OF WORKS			
	Works_Reservoir (a) Height of dam 1	oft. feet, length on top 3	λΩ -: ' +		
0. 3∪_£1		feet, length on top	fect, length at bottom		
	feet; material to l	oe used and character of construction	on Smill to a A Stool		
rock and brus	h timber crib, etc., wasteway over o	around dam)			
(b)	Description of headgate	Six inch water ma	in		
		(Timber, concrete, etc.)	number and sire of openings		
(0)	If water is to be now.	Laine consul description			
(0)	ij uuter is to de pumped	l give general description Gra	(Size and type of pump)		
•	(Size and type	of engine or motor to be used total head water is	to be lifted less		

^{*}A different form of application is provided where storage works are contemplated

^{**}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer Salem Oregon. 1-52-4M

rigate. At hou	dosti: width on t	op (et weter	llaic)	feet; width on botto
*********	feet; depth of un	nter	feet; grade	feet fall per or
ousand feet.				iter line)
•••••••••••••••••••••••••••••	. feet; width on bo	ttom	feet; depth o	f water fee
rade	feet fall	per one thous	and feet.	
(c) Lengt	h of pipe,	ft.;	size at intake,	in.; size at f
om intake	in.;	size at place o	f use in.;	difference in elevation betwee
rtake and place	e of use	ft Te	ande uniform?	Estimated capacity
		······································	grade analysis	Dormarea capació,
8. Locatio	•	rigated, or pl	ace of use	····
Township	Range B. or W. or	Section	Forty-acre Tract	Number Acres To Be Irrigated
North or South	Willemette Meridien	*	Forty-serv fract	Numer Actes to be brigated
<u> 2 S</u>	3 ₩	<u> </u>	SW2 NW2	Dom,
\			SW	
***************************************		5	SEZ NEZ	n
			SE l	n
			S½ S₩½	11
*				11
		8	NW NE	11
			NE ¹ NT ¹	
Marinda Marinda (m. 1900). Marinda (m. 1904). Marin				
-				
			required, attach separate sheet)	
(a) C	haracter of s oil			
		I		
Power or Minin		a. ta ha da	alam a d	
				theoretical horsepowe
			power	sec. ft.
(c) T	otal fall to be util	ized	(Head) feet.	
(d) T	he nature of the u	vorks by mean	is of which the power is to	be developed
(e) S	uch works to be lo	cated in	(Legal subdivision)	of Sec.
Tp	s, R			
(No N or				
			ream? (Yes or No)	
			nint of return	
		Sec	, Tp (No N or S	, <i>R</i> , , <i>W</i> , <i>W</i> .

*.

Constant and the second of proposed works, \$25,000. 11. Estimated cost of proposed works, \$25,000. 12. Construction work will begin on or before	H. (c) To make the clay	of Comment of the Length Dood	aston, Oregon
(b) If fine demonstic we state number of families to be supplied 30. Santies 11. Estimated soct of proposed works, \$25,000. 12. Construction work will begin on or before	Con	mty, having a greent population of60	families
11. Estimated cost of proposed works, \$\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	na antimoted magnification of	in 18	
11. Estimated cost of proposed works, \$\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	(b) If for domestic s	se state number of families to be supplied	i30 famlies
11. Estimated cost of proposed works, \$			
12. Construction work will be completed on or before Mor. 1, 1953 13. Construction work will be completely applied to the proposed use on or before Dan. 1953 Laurelmood later Users Co-Operative By Mor. 1, 1953 Remarks: TE OF OREGON, ounty of Marion, 21. This is to certify that I have examined the foregoing application, together with the accompanyi and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections and data and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections and data and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections and the same for the same fo	11. Estimated east of none		
13. Construction work will be completely applied to the proposed use on or before Dag. 1953 Laurelwood Water Users Co-Operative By Williams Remarks: TE OF OREGON, ounty of Marion, This is to certify that I have examined the foregoing application, together with the accompanyise and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections and the correction of the state Engineer, with corrections and the correction of the state Engineer, with corrections and the correction of the state Engineer, with corrections are considered to the state Engineer with the accompany of the corrections are considered to the state Engineer, with corrections are considered to the state Engineer with the accompany of the corrections are considered to the state Engineer with the accompany of the corrections are considered to the state Engineer with the accompany of the corrections are considered to the state Engineer with the accompany of the corrections are considered to the state Engineer with the corrections are considered to the state Engineer with the corrections are considered to the state Engineer with the corrections are considered to the state Engineer with the corrections are considered to the state Engineer with the corrections are considered to the state Engineer with the corrections are considered to the state Engineer with the correction are considered to the state Engineer with the correction are considered to the state Engineer with the correction are considered to the state Engineer with the considered to the considered to the considered to the correction	•		
I. The water will be completely applied to the proposed use on or before Dag			
Laurelwood Water Users Co-Operative by Co-Oper			
TE OF OREGON, ounty of Marion, This is to certify that I have examined the foregoing application, together with the accompanyi and data, and return the same for. In order to retain its priority, this application must be returned to the State Engineer, with corrections.	14. The water will be con	pletely applied to the proposed use on or b	efore
Remarks: TE OF OREGON, ounty of Marion, This is to certify that I have examined the foregoing application, together with the accompanying and data, and return the same for			0.00
TE OF OREGON, ounty of Marion, This is to certify that I have examined the foregoing application, together with the accompanying and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections.			
TE OF OREGON, ounty of Marion, This is to certify that I have examined the foregoing application, together with the accompanyi s and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corre		VY, OIP	lojenam
TE OF OREGON, ounty of Marion, This is to certify that I have examined the foregoing application, together with the accompanyis and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections.	Remarks:		
TE OF OREGON, ounty of Marion, This is to certify that I have examined the foregoing application, together with the accompanyis and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corre			
TE OF OREGON, ounty of Marion, This is to certify that I have examined the foregoing application, together with the accompanyis and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections.	•		•••••••••••••••••••••••••••••••••••••••
TE OF OREGON, ounty of Marion, This is to certify that I have examined the foregoing application, together with the accompanyis and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections.	•••••••••••••••••••••••••••••••••••••••		
TE OF OREGON, ounty of Marion, This is to certify that I have examined the foregoing application, together with the accompanyis and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corre			
TE OF OREGON, ounty of Marion, This is to certify that I have examined the foregoing application, together with the accompanyis and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corre			
TE OF OREGON, ounty of Marion, as. This is to certify that I have examined the foregoing application, together with the accompanying and data, and return the same for. In order to retain its priority, this application must be returned to the State Engineer, with corrections.	•••••		······································
TE OF OREGON, ounty of Marion, \text{2ss.} This is to certify that I have examined the foregoing application, together with the accompanyis and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corre			
TE OF OREGON, ounty of Marion, This is to certify that I have examined the foregoing application, together with the accompanyis and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corre			
TE OF OREGON, ounty of Marion, This is to certify that I have examined the foregoing application, together with the accompanyis and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corre	••••		
TE OF OREGON, ounty of Marion, This is to certify that I have examined the foregoing application, together with the accompanyis and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corre			
TE OF OREGON, ounty of Marion, \begin{cases} ss. \\ This is to certify that I have examined the foregoing application, together with the accompanyis and data, and return the same for \\ In order to retain its priority, this application must be returned to the State Engineer, with corre			
TE OF OREGON, ass. ounty of Marion, ass. This is to certify that I have examined the foregoing application, together with the accompanying and data, and return the same for and data, and return the same for and order to retain its priority, this application must be returned to the State Engineer, with corre	•••••••••••••••••••••••••••••••••••••••		
ounty of Marion, This is to certify that I have examined the foregoing application, together with the accompanyis and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corre		······································	
ounty of Marion, This is to certify that I have examined the foregoing application, together with the accompanyis and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corre			
ounty of Marion, This is to certify that I have examined the foregoing application, together with the accompanyis and data, and return the same for	••••		
ounty of Marion, This is to certify that I have examined the foregoing application, together with the accompanyis and data, and return the same for		······································	
ounty of Marion, This is to certify that I have examined the foregoing application, together with the accompanyis and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corre	••••		
ounty of Marion, This is to certify that I have examined the foregoing application, together with the accompanyis and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corre			
ounty of Marion, This is to certify that I have examined the foregoing application, together with the accompanyis and data, and return the same for			
ounty of Marion, This is to certify that I have examined the foregoing application, together with the accompanyis and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corre			
This is to certify that I have examined the foregoing application, together with the accompanying and data, and return the same for	23 .		
In order to retain its priority, this application must be returned to the State Engineer, with corre			
In order to retain its priority, this application must be returned to the State Engineer, with corre	This is to certify that I I	ave examined the foregoing application, t	ogether with the accompanying
	s and data, and return the s	ame for	······································
	In order to retain its pr	ority, this application must be returned to	the State Engineer, with corre
·			

STATE ENGINEER

h .

pe assumined the foregoing application and do hereby grant the same, ISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed. 0.30 cubic feet per second measured at the point of diversion from the stream; or its equivalent in case of rotation with other water users, from ...unnamed .apring and .reserroir to be constructed under Application No. R-28715, Permit No. R-1193 The use to which this water is to be applied is domestic use If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated -----and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The priority date of this permit isAugust 27., 1953. Actual construction work shall begin on or before September 4, 1954 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1955 Complete application of the water to the proposed use shall be made on or before October 1, 19.5%. WITNESS my hand this 4th day of September , 1953.

Corn free of

State Printing 8624

Application No. 287

22.2

Permit No.

PERMIT

TO APPROPRIATE THE WATERS OF THE OF OREGON

This instrument was first

office of the State Engineer at on the 27 day of AU

1953, at 2.45 o'clock

Returned to applicant:

: Approved: September 4, 19

Recorded in book No.

Permits on page

HAS. E. STRICKL