APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

(maxing energes)	···· ········· ··· ··· · · · · · · · ·
State of, do hereby make application for a	s permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXIS	TING RIGHTS:
If the applicant is a corporation, give date and place of incorporation	······································
1. The source of the proposed appropriation is Mill. Crassian is Name of Yamli	el
2. The amount of water which the applicant intends to apply to beneficia	
cubic feet per second. (If water is to be used from more than one source, give qua	ntity from each)
##2 m	
4. The point of diversion is located 3127. The ft. South and 68 ft.	
corner of (Section or subdivision)	
(Section or subdivision)	
(If preferable, give distance and bearing to section corner)	
heing within the Mi 2 of SN2 of SN2 of SN2	
heing within the Mi a of SN of SN of Sec. 27 R. W. M., in the county of Pells	Tp. Orse
(E or W)	
	Anarch
5. The Chain ditch, canal or pipe line) to be 3	CMiles or feet.
5. The Pipe Lene to be 3 (Main ditch, cenal or pipe line) in length, terminating in the Will of SE 1/4 of Sec. 27 (Smallest legal subdivision)	(Miles or feet) Tp. 6 South Notes
5. The (Main ditch, canal or pipe line) in length, terminating in the Wi of SE 1 of Sec. 27 (Smallest legal subdivision) R. (Est W. M., the proposed location being shown throughout on the Extra or W.)	
in length, terminating in the Wi 201 SE 2 of Sec. 27 (Smallest legal subdivision)	
R. (Smallest legal subdivision) R. (Smallest legal subdivision) Of Sec. 27 (Smallest legal subdivision) DESCRIPTION OF WORKS Diversion Works—	Tp. & South Sorts e accompanying map.
In length, terminating in the SE 2 of SE 2 of Sec. 27. (Smallest legal subdivision) R. (Smallest legal subdivision) R. (Smallest legal subdivision) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top	Tp. & South Sorts e accompanying map.
R. (Smallest legal subdivision) R. (Smallest legal subdivision) Of Sec. 27 (Smallest legal subdivision) DESCRIPTION OF WORKS Diversion Works—	Tp. & South Sorts e accompanying map.
In length, terminating in the SE 2 of SE 2 of Sec. 27. (Smallest legal subdivision) R. (Smallest legal subdivision) R. (Smallest legal subdivision) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top	Tp. & South Sorts e accompanying map.
In length, terminating in the SE 2 (Smallest legal subdivision) R. (Smallest legal subdivision) R. (Smallest legal subdivision) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet; material to be used and character of construction (b) Description of headgate	e accompanying map. feet, length of borton.
In length, terminating in the Sec. 27 (Smallast legal subdivision) R. (Sest W. M., the proposed location being shown throughout on the DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet; material to be used and character of construction (b) Description of headgate (Timber concrete etc. number and character etc.	e accompanying map. foot, longify of borton. lange the content but to
In length, terminating in the SE 2 (Smallest legal subdivision) R. (Smallest legal subdivision) R. (Smallest legal subdivision) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet; material to be used and character of construction (b) Description of headgate	e accompanying map. foot, limptly on borton. Limberian content public.

^{*}A rifferent form of application is provided where storage works are contemplated

Head of the above forms may be secured, without cost, together with instructions by addressing the State Engineer Salem and AM

headgate. At headgate: width on top (at water line)	Canal System or	•	anah maina ad a	annet auk en a madanieller akon e	ad to size stating miles from
thousand feet. (b) At miles from hendgate: width on top (at water line) feet; width on bottom feet. feet; width on bottom feet. (c) Length of pipe. I for the thousand feet. (d) Length of pipe. I for the feet fall per one thousand feet. (e) Length of pipe. I for the feet fall per one thousand feet. (e) Length of pipe. I for the feet fall per one thousand feet. (e) Length of pipe. I for the feet fall per one thousand feet. (e) Length of pipe. I for the feet fall per one thousand feet. (f) Length of pipe. I for the feet fall per one thousand feet. (g) Length of pipe. I for the feet fall per one thousand feet. (h) For the fall per one thousand for percer for the developed. (h) For the fall to be willied for the feet. (h) For the fall per to be located in the feet. (h) The nature of the works by means of which the power is to be developed. (h) The nature of the returned to any stream? (f) It water to be returned to any stream? (g) It so, name stream and locate point of return. Sec. TP One North Per or the fall per one to be developed to the fall per one the fall per one the fall per one to be developed to the fall per one thousand the fall per one the				-	
thousand feet. (b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet. (c) Length of pipe, 3 100 ft.; size at intake, in; size at fi. from intake in; size at place of use in, difference in elevation between intake and place of use. 2 7 ft. Is grade uniform? Estimated capacity. 2 3 5 5 10 ft.; 8. Location of area to be irrigated, or place of use Total A DISTICUAL ACCUARGE 6. South 6. West 27 NT 1 of SE 1 5.6 Acres 10.7 Acres 10			• '		
grade feet fall per one thousand feet. (c) Length of pipe, 3 feet fit, size at intake, 6 in; size at fit, from intake in; size at place of use in; difference in elevation between intake and place of use. 27 ft. Is grade uniform? Estimated capacity. 2 3 5 ft. size at place of use. In; difference in elevation between the size of use. 8. Location of area to be irrigated, or place of use. 1	thousand feet.				
(c) Length of pipe, Italy fix size at intake, in , size at the from intake in , size at place of use in, difference in elevation between intake and place of use. 27 ft. Is grade uniform? Estimated capacity. 2 3 5 5 P.M. 1 8. Location of area to be irrigated, or place of use Location of area to be irrigated, or place of use Location of area to be irrigated, or place of use Location of area to be irrigated, or place of use Location of area to be irrigated, or place of use Location of area to be irrigated, or place of use Location of area to be irrigated, or place of use Location of area to be irrigated, or place of use Location of area to be used for power Location of area to be used for power Location of area to be used for power Location of a continued Location of the utilized Location of th	• • • • • • • • • • • • • • • • • • • •	feet; width on be	ottom	feet; depth of u	vater feet:
from intake in, size at place of use. in, difference in clevation between intake and place of use. 2 3 5 2 P.M. 8. Location of area to be irrigated, or place of use. Tornably Selection 6 South 6 West 27 IE 2 of SN 2 Levy Acres 6 South 6 West 27 NN 2 of SE 2 So.6 Acres TOTAL A DITICIAL ACCURACY SELECTION SELECTION SELECTION (a) Character of sail Mulbourna belly Clay Joan (b) Kind of crops vaised First and Burne (b) Quantity of unter to be used for power (c) Total fall to be utilized Selection (d) The nature of the works by means of which the power is to be developed. (e) Such works to be located in Selection of Sec. Tp. (a) It water to be returned to any stream? (b) It water to be returned to any stream? (c) Its one was tream and locate point of return Sec. Tp. (b) The use to which power is to be applied is	grade	feet fall	per one thous	sand feet.	•
intake and place of use. 27 ft. Is grade uniform? Estimated capaciti. 2 3 5 2 P 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	(c) Leng	th of pipe, 3 fo	ft.;	size at intake,	in.; size at fi.
R. Location of area to be irrigated, or place of use Tornew Perturn Section Perturn P	from intake		size at place o	of usein.; di	fference in elevation between
6 South 6 West 27 NW 2 of SE 2 5.6 Acres 6 South 6 West 27 SW2 NE 20.0 Acres 6 South 6 West 27 SW2 NE 20.0 Acres 6 South 6 West 27 SW2 NE 20.0 Acres 13.1 NE SE 2 1.0 NE SE 2 1.0 TOTAL SUPPLEMENTAL ACREAGE 30.0 Acres (a) Character of soil Malbourna Lilly Clay form (b) Kind of crops raised Front and Barrier (b) Kind of crops raised Front and Barrier (c) Total amount of power to be developed theoretical incorporate (c) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized for power is sec. ft. (d) The nature of the works by means of which the power is to be developed (c) Such works to be located in the control of the works to be coated in the country of the works to be returned to any stream? (g) If so, name stream and locate point of return (h) The use to which power is to be applied is	235	BPM.			
6 South 6 West 27 NE 2 of SN 2 Link horres 6 South 6 West 27 NE 2 of SE 2 5.6 Acres TOTAL ADDITIONAL ACREAGE 20.3 Acres 6 South 6 West 27 SN 2 NE 2 9.0 SE 2 NN 2 13.1 NN 2 SN 2 1.9 NN 3 SE 2 1.0 TOTAL SUPPLEMENTAL ACREAGE 30.0 Acres (a) Character of soil Melbourna Lilly Clay Journ (b) Kind of crops raised Front and Berne 9.00 Power or Mining Purposes. 9. (a) Total amount of power to be developed (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized (b) Given (d) The nature of the works by means of which the power is to be developed (c) Such works to be located in (d) The nature of the works by means of which the power is to be developed (c) Such works to be returned to any stream? (g) If so, name stream and locate point of return (h) The use to which power is to be applied is			Section	Forty-acre Tract	Number Acres To Be frigated
TOTAL ADDITIONAL ACREAGE 20.3 Acres. 6 South 6 West 27 SW 184 9.0 SE W 194 19.1 NE SW 195 19.0 NW 2 SE 1 1.0 TOTAL SUPPLIMENTAL ACREAGE 30.0 Acres (a) Character of soil Malbourna sully Clay form (b) Kind of crops raised Front and Burne 19.0 (c) Total amount of power to be developed (horrefied horrefied horrefied for power 19.0) attention of the willized feet. (d) The nature of the works by means of which the power is to be developed (c) Such works to be located in the selection of Sec. (e) Such works to be located in the selection of Sec. (f) Is water to be returned to any stream? (See No. 19.0) (g) If so, name stream and locate point of return (Sec. 7.0) (h) The use to which power is to be applied is	Committee of the Commit		27	NE 3 of SN 3	L. L Acres
6 South 6 Vest 27 SH NE 39.0 SE NT 1 13.1 NE ST 1 1.9 NT 2 SE 1 1.0 TOTAL SUPPLEMENTAL ACREAGE 30.0 Acres (a) Character of soil Malbourna fully Clay from (b) Kind of crops raised Fruit and Burne 1 (c) Total amount of power to be developed theoretical horrogener. (b) Quantity of water to be used for power sec. fi. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed. (e) Such works to be located in the control of which the power is to be developed. (e) Such works to be returned to any stream? (f) Is water to be returned to any stream? (g) If so, name stream and locate point of return. Sec. TD ONE NOTE, R. W. M. (h) The use to which power is to be applied is	6 South	6 West	27	NW 1 of SE 1	5.6 Acres
SEL NML 1.9	FT BET THE COLUMN AND THE UP AND IN MADE I I WAS AND THE		TOTA	L ADDITIONAL ACPEACE	20.0 Acres.
SEL NML 1.9	18 F Commonweal Common				
SEL NML 1.9	6 South	6 West	27	SW NE	9.0
TOTAL SUPPLEMENTAL ACREAGE 30.0 Acres (It more space required stach separate about) (a) Character of soil Melbourne Lilly Clay Joan (b) Kind of crops raised Found a Berne 9. (a) Total amount of power to be developed (theoretical horsepoter) (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized (seed) (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in (seed) (f) Is water to be returned to any stream? (Year' No) (g) If so, name stream and locate point of return Sec. (Tp. (No E or W)) (h) The use to which power is to be applied is	Transport of the control of the cont		The real of the terms and the terms are also as the terms are also	!	13.1
(a) Character of soil Melbourne Lily Clay James (b) Kind of crops raised Final and Berne Lily Clay James (b) Quantity of power to be developed theoretical horsepower. (c) Total amount of power to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed. (e) Such works to be located in form of Sec. (f) Is water to be returned to any stream? (Year No) (g) If so, name stream and locate point of return Sec. Tp. R. No K or W. M. (h) The use to which power is to be applied is				NE 2 SW2	1.9
(a) Character of soil Melbourna Ally Clay Frank (b) Kind of crops raised Frank and Berner 9. (a) Total amount of power to be developed theoretical horsepower. (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed. (e) Such works to be located in of Sec. (e) Such works to be returned to any stream? (f) Is water to be returned to any stream? (g) If so, name stream and locate point of return Sec. Tp. R. No E of W. M. (h) The use to which power is to be applied is	er comment a sum of the			NW 1 SE1	1.0
(a) Character of soil Malbourna hilly Clay from (b) Kind of crops raised Fraul and Burne. 9. (a) Total amount of power to be developed theoretical horsepecture. (b) Quantity of water to be used for power see, ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in (Legal subdivision) of Sec. Tp, R (No E of W.) W. M. (f) Is water to be returned to any stream? (Yes or No) (g) If so, name stream and locate point of return , R			TOTA	L SUPPLEMENTAL ACREAGE	30.0 Acres
(a) Character of soil. Malbourne fully Clay from (b) Kind of crops raised Front and Burne Power or Mining Purposes— 9. (a) Total amount of power to be developed theoretical horsepower. (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed. (e) Such works to be located in the second of Sec. (b) Such works to be returned to any stream? (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed for the works by means of which the power is to be developed for the works to be located in the second of Sec. (e) Such works to be located in the works of the works					
(a) Character of soil. Malbourne fully Clay form. (b) Kind of crops raised Front and Burne. Power or Mining Purposes.— 9. (a) Total amount of power to be developed theoretical horsepower. (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed. (e) Such works to be located in fleet utilized of Sec. (c) Such works to be returned to any stream? (g) If so, name stream and locate point of return Sec. Tp. R. No E or W. (h) The use to which power is to be applied is			; ; ;		
(a) Character of soil. Malbourne fully Clay form. (b) Kind of crops raised Front and Burne. Power or Mining Purposes.— 9. (a) Total amount of power to be developed theoretical horsepower. (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed. (e) Such works to be located in fleet utilized of Sec. (c) Such works to be returned to any stream? (g) If so, name stream and locate point of return Sec. Tp. R. No E or W. (h) The use to which power is to be applied is					
Power or Mining Purposes— 9. (a) Total amount of power to be developed theoretical horsepower. (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed for the works by means of which the power is to be developed for the works to be located in feet. (e) Such works to be located in feet. (e) Such works to be located in feet. (g) Such works to be returned in feet. (h) Example (No E or W) (g) If so, name stream and locate point of return feet. (h) The use to which power is to be applied is	(4) (Obanaston of soil	(If more space	required attach separate sheet)	1
Power or Mining Purposes— 9. (a) Total amount of power to be developed theoretical horsepower. (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed for the works by means of which the power is to be developed for the works to be located in feet. (e) Such works to be located in feet. (e) Such works to be located in feet. (g) Such works to be returned in feet. (h) Example (No E or W) (g) If so, name stream and locate point of return feet. (h) The use to which power is to be applied is	(1)	naracter of sou .	T	t B.	avam.
9. (a) Total amount of power to be developed theoretical horsepower. (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed for sec. (e) Such works to be located in feet. (legal ribdivision) of Sec. (legal ribdivision) (f) Is water to be returned to any stream? (Vero No) (g) If so, name stream and locate point of return Sec. Tp. Re. W. M. (h) The use to which power is to be applied is			d. Firma	and Defend	
(c) Total fall to be utilized		•	ower to be der	veloped	, theoretical horseposies.
(d) The nature of the works by means of which the power is to be developed. (e) Such works to be located in	(b) (Quantity of water	to be used for	power so	ec. jt.
(d) The nature of the works by means of which the power is to be developed. (e) Such works to be located in	(c) 1	Total fall to be ut i	lized	feet.	
(e) Such works to be located in					e developed
Tp. (f) Is water to be returned to any stream? (g) If so, name stream and locate point of return , Sec. , Tp. (No. N or S.) (No. N or S.) (No. E or W.) (No. E or W.) (No. E or W.)		•		,	
Tp. (f) Is water to be returned to any stream? (g) If so, name stream and locate point of return , Sec. , Tp. (No. N or S.) (No. N or S.) (No. E or W.) (No. E or W.) (No. E or W.)	(e) .	Such works to be l	ocated in		of Sec.
(f) Is water to be returned to any stream? (g) If so, name stream and locate point of return , Sec, Tp, R					,
(g) If so, name stream and locate point of return , Sec, Tp, R	(NC N :				
(h) The use to which power is to be applied is				(Yes or No)	
(h) The use to which power is to be applied is	197		·	•	
	(h)				
III THE RATHER OF THE mines to be served					

Book 148 Page 47

Deed Records of Polk County, Oregon

John Rose and Ruth B. Rose, also known as Ruth Rose, husband and wife to Roy H. Frezier and Mary E. Frazier

A tract of land 1.825 chains wide North and South extending Fasterly from the Fast boundary of Highway 12 to Mill creek and described as, beginning at an iron pipe which is 24.74 chains South and 45 links Fast of the North-west corner of the William T. Syron D. L. C. not. No. 4981, Claim No. 54 in Section 67 of Township 6 South Range 6 West of the Willamette Meridien in Polk County, Gregon; thence South 1.885 chains to an iron pipe; thence East 9.10 chains to Mill Creek, from which point an iron pipe is West 50 links for a witness; thence Northerly, down Mill Creek, 1.835 chains to a joint in Will Creek from which an iron pipe is West witness; thence West 9.00 chain: to the place of beginning, containing 1.66 acres.

time of Sighway No. 12 East to Will creek and described as beginning what I " x 10" anchor your set at the Southwest corner of the LLoyd Flair one, anion wint of beginning is 7.74 chains South and 55 links "ast from the Northwest corner of the D.L.C. of William T. Tyron, Not. No. 4381 will Northwest corner of the D.L.C. of William T. Tyron, Not. No. 4381 will No. 14 in Nection 17 of Township & South Range & West of the Miller through the County, Oregon, and running thence South 1.50 will be accepted to the Links Ne there Fast 2.00 chains to Mill Oreek (from the Deal of Northerly Northerly

22421

Page 165

Posk 310 Peed Proord of Pall Costy, Oregon

ED V. ZIELINSKI ET UX

TO

UARLAMTY THER
HERMAN JOHN HINDES ET TY (AIMA H. HUDRES)

MESO: Beginning at a point 30.68 chains North of the Southeast corner of the Tomoship Claim No. 53, Notification O. 4985 of Isasc Gilstra; and wife, in Median Tomoship 6 South, Range 6 West of the Millamette Meridian in Polk County, Trans. The ning thence West 35.80 chains; thence South 18.97 chains; thence West C. Calain to the place of beginning, containing Electric County or less.

Drehards as shown on the recoded plat thereof in the office of the form from the following, xfrance principality and the recoded plat thereof in the office of the form from the following, xfrance principality and the fitter of the form of the following form of the fitter of the fit

TO HOW AND TO POUR the said per int, it their appurentables, will be and here and force and fine E. Force, his wife, their beris and social and the first and social to five and the said herean John Force and fine F. Fidres, his wife, their cair conduction and a light they are the owners in fee simple of said premises; that said apprious are free from encountrances except as to fractions of lots hereinafter described; and the of-ways or eacements given the United States Bonneville Power (drings resource at they will warrant and defend the same from all lawful claims the topics of the South 1/2 of Lot 15 and the North 1/2 of Lot 1, Blook 1, Claim Companies or the South 1/2 of Lot 15 and the North 1/2 of Lot 1, Blook 1, Claim Companies or the South 1/2 of Lot 15 and the North 1/2 of Lot 1, Blook 1, Claim Companies or the South 1/2 of Lot 15 and the North 1/2 of Lot 1, Blook 1, Claim Companies or the South 1/2 of Lot 15 and the North 1/2 of Lot 1/2 and the North 1/2

Tated 14 Tay 1745 Filed May 14, 1345 Book 99 Page 515 Deed Records of Polk County, Oregon

THOMAS E. BLAIR, ET UE
TO
JOSEPH EISELE, ET UX

WARRANTY DEED

Beginning at the Southwest corner of the Domation Land Claim of Isaac Gilstrap and wife, Notification Number 4985, Claim Number 53, in Township 7 South, Range 6 West of the Willamette Meridian, in Polk County, Oregon, and running thence East 20.17 chains to the Northeast corner of the Donation Land Claim of H. W. Fades; thence South 1 chain; thence East 15.72 chains; thence N rth 2.60 chains; thence East 4.18 chains; thence North 180 NO! West 12.95 chains; thence North 780 Sest 28.60 chains; thence South 310 50! West 10.90 chains; thence North 780 .5! West 4.0 chains to the Test line of said Claim No. 58; thence South 40.14 chains to the place of beginning and containing 78.35 acres, more or less.

EXCEPTING from the above lands certain tracts of land heretofore deeded to Polk County, Oregon, and the State of Oregon for road junctoses.

Tated Foth Jugast 1977

Fila 6/00.84

22421

Probate Record No 3510, Polk County, Oregon (File folder not in book)

Inventory of the Real and Personal Property of JOSEPH EISELE

0

Deceased, Made as of the Date of His Death, viz., March 25, 1942

Real Estate, vix.:

Item

1. Reginning at the Southwest corner of the Donation Land Clair of Isaac Gilstre. and wife, Claim no. 53 in Township 6 South, Range 6 East, in Polk County, Oregon, and running thence East 20.17 chains to the Northeast corner of the Henry W. Fads Donation Land Claim; thence South 1 chain; thence Fast 15.76 chairs; thence North 2.80 chains; thence East 4.18 chains; thence North 187 201 ent 1. chains; thence North 60° West 6.775 chains; thence North 80° wast . The chair a state of South 400 East 4.704 chains; thence North (4.718 chains; thence West Chairs) the West boundary line of the Donation Tend Chaim of William Tyror, Claim to. said Township and Range; thence South 18.29 chains to a point 8.29 chairs Ware the Southwest corner of seid Gyron Polation Dand Claim; thence Couth of Color Dand chains; thence South 21 7 30 thest 10.30 chains; thence Morth 72 7 30 the set. The Morth 72 7 30 the set 10.30 chains; to the "est boundary line of said Gilstray Claim; and thence Court of place of beginning, containing 100.00 scres, work or less; containing described lands (A) a trac of . Who reason and (b) a reserve on wide conneged to 8. theoghile Fisele, for last some conservations of and (3) d.1: cores conserved to the γ to γ for γ by γ by since 3.37; γ , γ and γ or less,

10. (a) To supply the city of	•••••••
•	opulation of
d an estimated population of	
(b) If for domestic use state number of far	
	<u> </u>
11. Estimated cost of proposed works, \$45.00	, and 14 in all energy
11. Estimated cost of proposed works, \$	11:0, 1953
12. Construction work will begin on or before	014, 052
'13. Construction work will be completed on or l	pefore 14 1. 1733
14. The water will be completely applied to the p	proposed use on or before feet. 1. 1934
	2 / & 1
	Werman Endres. (Signature of applicant)
Remarks:	
······································	
	· · · · · · · · · · · · · · · · · · ·
	······································
······································	
	······································
	······································
····	· ····································
· · · · · · · · · · · · · · · · · · ·	
· · · · · · · · · · · · · · · · · · ·	······································
·	· · · · · · · · · · · · · · · · · · ·
TATE OF OREGON,	
County of Marion,	
	egoing application, together with the accompany
·	
aps and data, and return the same for completion	
	must be returned to the State Engineer, with cor
	, 1952.
WITNESS my hand this2nd day of	
	CHAS. ESTRICKLIN

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby as

The right herein granted is limited to the conditions and conditions:
The right herein granted is limited to the amount of water which can be applied to beneficial us and shall not exceed 0.625
and shall not exceed 0.625 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from Mill Creek
The use to which this water is to be applied is irrigation and supplemental irrigation
If for irrigation, this appropriation shall be limited to1/80 of one cubic foot per
second or its equivalent for each acre irrigated and shall be further limited to a diversion
of not to exceed 2 acre feet per acre for each acre irrigated during the irrigation
season of each year; provided further that the amount of water allowed herein,
together with the amount secured under any other right existing for the same lands
shall not exceed the limitation allowed herein,
en de la composition de la composition La composition de la
**
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.
The priority date of this permit is June 24, 1952
Actual construction work shall begin on or before November 20, 1951
thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 50
Complete application of the water to the proposed use shall be made on or before October 1, 19 55
WITNESS my hand this 20th day of November 1953
WITNESS my hand this 20th day of November 1953
STATE ENGINEER
in the contraction of of the contraction of of the contraction of other contractions.
PUBLIC ATE reived in M. M.
THE POINT THE POINT THE POINT TRIT TRIT TRIT TRIT TRIT TRIT TRIT T
IND. A. C. A. IRMIT IATE THE OF THE S' OREGON Was first r ugas first r ugas first r r clock. A clock. A clock. A STRICKLIN STRICKLIN STA
No. 2, No
PERM PERM APPROPRIATE WATERS OF TH OF OREG OF OREG Instrument was fi the State Enginee It any of It applicant: It applicant: CHAS. E. STRIC CHAS. E. STRIC State Finus on State Finus on
APPR WATH instrum instrum instrum instrum Nove ed in b ed in b n page.
Permit No. 32421 PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 24 day of LVR. 19.52, at LO.10 o'clock A M. November 20, 1953 Recorded in book No. 57 of ermits on page 2.2.1.21 CHAS. E. STRICKLIN State Finding 6200
of fine of the Perm

Application No. 273