

Permit-

Permit No. 22100

*APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Enos H. Schrack (Name of applicant) of Sheridan, Rt. 1, Box 218 (Mailing address) State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Gooseneck Creek (Name of stream), a tributary of Mill Creek

2. The amount of water which the applicant intends to apply to beneficial use is 3/8 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 120 ft. N and 970 ft. W from the SE corner of NW 1/4 of NE 1/4 of Sec. 31 (Section or subdivision)

Portable pump to be located in SW 1/4 of NE 1/4, SE 1/4 of NW 1/4, NE 1/4 of NW 1/4, & NW 1/4 of NW 1/4 & within property owned by applicant (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SW 1/4 of NE 1/4 of Sec. 31 of Sec. 31 31, Tp. 6 S (Give smallest legal subdivision) (N. or S.)

R. 6 W, W. M., in the county of Polk (E. or W.)

5. The portable pumping from creek to be in length, terminating in the (Miles or feet) of Sec. , Tp. (Smallest legal subdivision) (N. or S.)

R. W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 12 1/2" centrifugal pump with 30 HP. Gasoline engine 5' to 30' Head, Pump intake directly in stream. 14 Sprinklers (Size and type of engine or motor to be used, total head water to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line— *One portable sprinkler main line.*

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
65	6W	31	NW $\frac{1}{4}$ of NW $\frac{1}{4}$	25 8.2
"	"	"	NE $\frac{1}{4}$ of NW $\frac{1}{4}$	250 22.1
"	"	"	SE $\frac{1}{4}$ of NW $\frac{1}{4}$	165 18.9
"	"	"	NW $\frac{1}{4}$ of NE $\frac{1}{4}$	21 1.0
"	"	"	SW $\frac{1}{4}$ of NE $\frac{1}{4}$ SW $\frac{1}{4}$ of NW $\frac{1}{4}$	165 10.8 1.0 16.2 A = 11.8

(If more space required, attach separate sheet)

(a) Character of soil *Clay loam*

(b) Kind of crops raised *Hay, permanent pasture, seed*

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal subdivision)

Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 1100.00

12. Construction work will begin on or before 7/1/52

13. Construction work will be completed on or before 7/10/52

14. The water will be completely applied to the proposed use on or before 7/10/53

x Oros H. Schrock
(Signature of applicant)

Remarks: This application is made for a permit to irrigate 62 acres and is not intended to irrigate in excess of 30 acres in any irrigation year. It is the practice of rotation in cropping the entire 62 acres of land to be irrigated. It is requested that the quantity of water allowed be that required to irrigate 30 acres but made a reservation to the entire 62 acres if it develop that the available supply is not sufficient to irrigate 30 acres then it is desired that the available supply be made a reservation to the entire 62 acres.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Completion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before September 21, 1953...

WITNESS my hand this 21st day of July, 1953..

RECEIVED
9 15
STATE ENGINEER
OREGON

CHAS. E. STRICKLIN
STATE ENGINEER
By Ed Humphrey
Assistant

PERMIT

STATE OF OREGON, }
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.375 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Gooseneck Creek

The use to which this water is to be applied is irrigation of not to exceed 30 acres in any one year

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 1, 1952

Actual construction work shall begin on or before November 20, 1954 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1955

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 20th day of November 1953

Chas. E. Stricklin
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 27406

Permit No. 22422

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 1st day of July 1952, at 9:30 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

November 20, 1953

Recorded in book No. 57 of

Permits on page 22122

CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. 2 Page 9022

Fees Paid \$19.80