

Permit No. 22123

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, H. S. Harding
 of Wilsonville Oregon
 State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Willamette River
 (Name of stream)
 a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.0125
 cubic feet per second. 40 gal per minute
 (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation
 (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 748 ft. W from the SE
 corner of S. The Thomas Baily D.C. No. 45 (mark a large
 "nutcracker tree" and iron pipe) following the
 meander line of the South Bank of the Willamette
 River.
 (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary.)
 being within the N. W. 1/4 of S. E. 1/4 of Sec. 23 Tp. 3-8 S.
 (Give smallest legal subdivision) (N or S)
 R. 1-W, W. M., in the county of Clatsop
 (E. or W.)

5. The pipe to be 300'
 (Main ditch, canal or pipe line) (Miles or feet)
 in length, terminating in the SE 1/4 of Sec. 23 Tp. 3-8 S.
 (Smallest legal subdivision) (N or S)
 R. 1-W, W. M., the proposed location being shown throughout on the accompanying map.
 (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom
 feet; material to be used and character of construction
 (Loose rock, concrete, masonry)

(b) Description of headgate
 (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 3 h.p. - Cent.
 (Size and type of pump)
65' - 2" line
 (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

(b) At miles from headgate: width on top (at water line)
 feet; width on bottom feet; depth of water feet;
 feet fall per one thousand feet.

(c) Length of pipe, 300' ft.; size at intake, 5" in.; size at 2" in. from intake 2" in.; size at place of use 2" in.; difference in elevation between intake and place of use, 65' ft. Is grade uniform? slurp Estimated capacity, _____ sec. ft.

8. Location of area to be irrigated, or place of use

[illegible]

(If more space required, attach separate sheet)

(a) Character of soil clay + loam

(b) Kind of crops raised Lawns + Gardens

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized (Head) feet.

(d) *The nature of the works by means of which the power is to be developed*

(e) Such works to be located in _____ of Sec. _____
(Legal subdivision)

Tp. _____, R. _____, W. M. _____
(No N or S) (No E or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(h) The use to which power is to be applied is

(i) *The nature of the mines to be served*

A parcel of land lying in the Thomas Bailey D.L.C. #15 in Section 34, Twp. 3 South, Range 1 West, Willamette Meridian, Clackamas County, Oregon, and being a portion of the following described property: That tract of land which was conveyed by that certain deed to Charles J. and Betty Frausa, recorded in Book 238 Page 75 of Clackamas County Record of Deeds. The said parcel being described as follows:

Beginning at a stone 20"x12"x10" marked with a cross and set 18 inches in the ground on the West boundary of the County Road to Wilsonville Ferry at the Northeast corner of the Seely Warehouse Lot as described at page 103 of Book 62, Record of Deeds for Clackamas County, Oregon, said beginning point also being approximately 550.7 feet north and 1007.0 feet West of the Southeast corner of said Thomas Bailey D.L.C. #15; thence South 2°50' West along said West boundary of the Wilsonville Ferry Road a distance of 72.9 feet to a point which is 30 feet westerly from (when measured at right angles to) the 1937 relocated center line of said road at Engineer's Station 2+1.7; thence parallel to said center line as follows: on a 124.7 foot radius curve left (the long chord of which curve bears South 32°32' East, 184.77 feet) a distance of 142.7 feet; thence South 60°11' East a distance of 31.1 feet; thence on a 11.62 foot radius curve right (the long chord of which curve bears South 20°05' East 31.09 feet) a distance of 55 feet; thence South 7°12' West a distance of 31.6 feet, more or less, to the mean low water line on the north bank of the Willamette River; thence South 43°11' East along said low water line a distance of 63.1 feet to a point which is 10 feet easterly from (when measured at right angles to) said relocated center line at Engineer's Station 6+4.8; thence North 7°12' East parallel to said center line a distance of 17.6 feet, more or less, to a point opposite station 4+0.8 P.T.; thence North 3°11' West a distance of 100.0 feet to a point which is 10 feet distant northeasterly from (when measured at right angles to) said relocated center line at Engineer's Station 5+6.5; thence North 72°32' West a distance of 52.5 feet to a point which is 15 feet northerly from (when measured at right angles to) said center line at ~~ENGINEER'S~~ Station 5+35.7 P.C.; thence North 11°13' West a distance of 21.2 feet to a point which is 10 feet northerly from (when measured at right angles to) said center line at Station 1+11.6 P.T.; thence North 30°11' West a distance of 70.4 feet to a point which is 10 feet northeasterly from (when measured at right angles to) said center line at Station 3+50; thence North 12°22' East a distance of 17.5 feet to a point on the easterly boundary of the present road to the Wilsonville Ferry, said point being 30 feet from (when measured at right angles to) the said 1937 relocated center line of said road at Engineer's Station 2+1.7; thence North 2°50' East along the east boundary of said present road a distance of 104.5 feet to an iron pipe; thence North 66°00' West a distance of 32.0 feet to a point in the center of said present road; thence South 2°50' West along the center of the present road 55 feet; thence North 76°00' West a distance of 10.1 feet to the point of beginning.

Municipal or Domestic Supply—

10. (a) To supply the city of _____
_____ County, having a present population of _____
(Name of) _____
and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ ~~92~~ 1000 ⁰⁰
12. Construction work will begin on or before Aug 1st
13. Construction work will be completed on or before Aug 15th
14. The water will be completely applied to the proposed use on or before Aug 20

W. Standing
(Signature of applicant)

Remarks:

A portable 3 h.p. Cent. Pump is to
be used and will be moved from
under during winter months—
The intent is to use the water for
lawn and small garden or for
three to five sprinklers.

STATE OF OREGON, {

County of Marion, {ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for completion.

In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before October 5, 1953

WITNESS my hand this 3rd day of September, 1953

CHAS. E. STRICKLIN

By *Chris L. Wheeler*
Chris L. Wheeler, Assistant

STATE ENGINEER

PERMIT

STATE OF OREGON,

County of Marion,

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.013 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Willamette River

The use to which this water is to be applied is irrigation of not to exceed 1 acre

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 10, 1952

Actual construction work shall begin on or before November 20, 1954 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1955.

Complete application of the water to the proposed use shall be made on or before October 1, 1956.

WITNESS my hand this 20th day of November 1953.

Charles E. Stucklin
STATE ENGINEER

Application No. 27452

Permit No. 39423

PERMIT

TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 10th day of July
1952 at 8:00 o'clock A. M.

Returned to applicant:

Approved:

November 20, 1953

Recorded in book No. 57 of

Permits on page 22423

CHAS. E. STUCKLIN
STATE ENGINEER

State Printing 66240

15 00