

*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, John A. Johnson & Son

(Name of applicant)

of Rt. 2, Yamhill, Ore.

(Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation.

1. The source of the proposed appropriation is 2 unnamed streams & reservoirs

(Name of stream)

Sometimes called "Rowland Branch", a tributary of the North Yamhill River

2. The amount of water which the applicant intends to apply to beneficial use is .625 cubic feet per second. .312 and .313

(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation

(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 900' $\frac{1}{2}$ ft. S and 2900' $\frac{1}{2}$ ft. E from the NW corner of Section 1, Twp. 3 S; R 4. W; W.M. and point of diversion # 2 is located 1100' $\frac{1}{2}$

(Section or subdivision)

N and 2130' $\frac{1}{2}$ East of the NW corner of said Section 1, T 3 S, R 4. W; W.M.

(If preferable, give distance and bearing to section corner.)

being within the # 1 NW $\frac{1}{4}$ of the NE $\frac{1}{4}$ of the SE $\frac{1}{4}$ of the SW $\frac{1}{4}$ of the NW $\frac{1}{4}$ (If there is more than one point of diversion, each must be described. Use separate sheet if necessary.)

R. LN, W. M., in the county of Yamhill of Sec. 1, Tp. 3 S, R 4. W.

R. LN, W. M., in the county of Yamhill

5. The _____ to be

Miles or feet

in length, terminating in the _____ of Sec. _____ Tp. _____

(Smallest legal subdivision)

R. LN, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works-- 2 dams

6. (a) Height of dam 9.5 feet, length on top 105

feet, length at bottom

feet; material to be used and character of construction earth fill two

feet thick, remainder rock

with spillway on solid ground around end of dam.
rock and trash timber crib, etc. waste way over or around dam.

(b) Description of headgate

(Timber, concrete, etc. number and size of openings)

(c) If water is to be pumped give general description portable

(Size and type of pump)

will start out with 5 horse engine and will buy a larger one later when more land is irrigated. Water will be lifted about 10 feet 30 - 10 gpm. sprinklers

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-Electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

28425

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe. 2950 ft.; size at intake, 4" in.; size at ft. from intake in.; size at place of use 2 in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E or W of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
2 S	4 W	36	SW $\frac{1}{4}$ of the SW $\frac{1}{4}$	6 acres
2 S	4 W	35	SE $\frac{1}{4}$ of the SW $\frac{1}{4}$	9 acres
3 S	4 W	1	NW $\frac{1}{4}$ of the NW $\frac{1}{4}$	10 acres
3 S	4 W	1	NE $\frac{1}{4}$ of the NW $\frac{1}{4}$	17 acres
Total to be irrigated				52 Acres
Legal description of that portion of the Johnson holdings covered by tract above which are copied from the deeds of record, as shown below				

Line N. 30 ac. of the following: Sections 1 & 2, Township 2 S, Range 4 West. Beg. at a stone set at a pt. N 48° E 18.84 chs. from SE cor of A.H. Roberts D.L.C. 473^c 31' W 4.50 chs; N 24° 45' E 8.50 chs. Th. N 33° E 5.00 chs. Th. S. 47° 45' E 12.48 chs. Th. N 35° 50' E 12.96 chs; N 44° 08' E 27.99 chs; S. 45° 52' E 12.58 chs. to N.E. line of sd D.L.C. Th. S. 48° W 26.96 chs. to corner; th. N 42° W 4.89 chs. Th. S. 37° 24.24 chs. along center of So. road to beginning. Containing 30 acres.

Lot 4 4 $\frac{1}{4}$ of Lot 3: Section 1, Township 3 South, Range 4 West. Containing 30.16 Acres.

(If more space required, attach separate sheet)

(Continued under Remarks)

(a) Character of soil Carlton Clay, Carlton Clay Loam and Marls

(b) Kind of crops raised pasture and vegetables

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)Tp., R., W. M.
LNG. N. or S., (No E or W)(f) Is water to be returned to any stream?
(Yes or No)

(g) If no, name stream and locate point of return

Sec., Tp., R., W. M.
LNG. N. or S., (No E or W)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of

(Name on)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 5000.00

12. Construction work will begin on or before August 1, 1953

13. Construction work will be completed on or before August 1, 1954

14. The water will be completely applied to the proposed use on or before August 1, 1954

John R. Johnson
(Signature of applicant)

John R. Johnson

Remarks: The dam described on the front of this form will be built next year.

A second dam as shown on the map will be built later and may possibly be 10

feet high. The full 50 acres cannot be irrigated until the second dam is built.
Beg. at Nly 1/4 E. cor. of the Henry Roberts D.L.C. Th. S. 48° 20' W. 36.81 Chs. Th. N. 76° 17' E 11.73 Ch. Th. N. 37° 41' 20.20 Chs. to corner containing 100 Acres.

ALSO: Beg. S. 48° 20' W 36.81 Chs. from Nly 1/4 cor. of H.R. D.L.C. Th. S. 41° 40' 40.1 W 4.09 Chs. Th. S. 57° 34' W 41.47 Chs. Th. N. 76° 17' E 11.73 Chs. Th. N. 37° 41' 20.20 Chs. to beginning. containing 4.47 Acres.

Section 3, Township 2 South, Range 5 West. Lat. 43° 47' 40" N. Long. 123° 11' 40" W. NE 1/4 of NE 1/4 of Section 1, Township 2 South, Range 5 West.

Two tracts of land in the Abraham H. Roberts D.L.C. No. 14, in Section 3, Township 2 South, Range 5 West of the Willamette Meridian and No. 16 in Township 2 South, Range 5 West of the Willamette Meridian in Yamhill County, Oregon. Description of Tract No. 14: Beg. at a point on the Northwest corner line and 11.73 rods east 11.73 chains from the Northwest corner of said tract; thence North 48° 20' East 11.73 rods to a stone; thence South 41° 40' West 4.09 rods to a stone; thence South 57° 34' East 11.73 rods to a stone; thence North 37° 41' 20.20 Chs. to a stone; thence South 48° 20' West 11.73 rods; thence North 17° 17' East 11.73 rods; thence South 41° 40' 40.1 rods to a stone; thence North 57° 34' East 11.73 rods to a stone; thence South 37° 41' 20.20 Chs. to a stone; thence North 76° 17' East 11.73 rods to the place of beginning.

Excepting therefrom a 12 foot strip of land convergeable on the center line of the tract to Moran Ranch by deed recorded March 11, 1952, in book 27, page 112.

R.A. 16: Beginning on the East line of said tract at a point 11.73 rods East 11.73 chains from the South East corner of said tract; thence North 48° 20' East 11.73 rods to a stone; thence North 17° 17' East 11.73 rods to a stone; thence South 41° 40' 40.1 rods to a stone; thence South 57° 34' East 11.73 rods to a stone; thence South 37° 41' 20.20 Chs. to a stone; thence North 76° 17' East 11.73 rods to a stone; thence South 48° 20' West 11.73 rods to a stone; thence North 17° 17' West 11.73 rods to a stone; thence South 41° 40' 40.1 rods to a stone; thence South 57° 34' East 11.73 rods to a stone; thence South 37° 41' 20.20 Chs. to a stone; thence North 76° 17' East 11.73 rods to the place of beginning.

A 12 foot strip 12 feet wide in each of the above tracts.

Plat of the tract of land A. H. Roberts D.L.C. No. 14, recorded in book 27, page 112, in the County Clerk's office.

STATE OF OREGON

John R. Johnson

I, John R. Johnson, do hereby certify that I have examined the foregoing application and find it to be correct, and I will defend and return the same for recordation.

In consideration of its potential, this application must be referred to the State Engineer for examination.

September 17 1952

Application number 8,

17th

September

WYNETS reg land this 17th day of October, 1952

RECEIVED

STATE ENGINEER'S OFFICE, PORTLAND,
OREGON

PERMIT

STATE OF OREGON,

County of Marion,

{ss.

This is to certify that I have examined the foregoing application and do hereby grant the same,
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 0.625 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from 2 unnamed streams and
reservoir to be constructed under Application No. R-27783, Permit No. R- 1517,
being 0.312 cfs from one unnamed stream and 0.313 cfs from other unnamed streams.

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 acre foot per
second or its equivalent for each acre irrigated from direct flow and shall be further
limited to a diversion of not to exceed $2\frac{1}{2}$ acre feet per acre for each acre irrigated
during the irrigation season of each year from direct flow and storage from reservoir
to be constructed under Permit No. R- 1517.

and shall be subject to such reasonable rotation system as may be ordered by the propertor and/or
the State Engineer.

The priority date of this permit is October 30, 1952

Actual construction work shall begin on or before November 20, 1954

hereafter be prosecuted with reasonable diligence and be completed on or before December 1, 1956

Complete application of the water to the proposed use shall be made on or before December 1, 1956

WITNESS, on this 20th day of November,

1952, at 11:45 o'clock A.M.

Charles E. Schrock

PERMIT

THE APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the

office of the State Engineer at Salem, Oregon,

on the 30 th day of October

1952, at 11:45 o'clock A.M.

Returned to applicant

November 6, 1952

Approved

November 6, 1952

Received in book No. 57

November 6, 1952

Permit issued to

M. A. E. SCHROCK

State Engineer