

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, JOHN SUNDQUIST (Name of applicant)

of 3744 N. Overlook Blvd., Portland (Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Tualatin River (Name of stream)

a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is .5 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 3670 ft. N. and 2310 ft. W. from the SE corner of Section 25, T. 1 S., R. 4 W., W. M. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 NE 1/4 of Sec. 25, T. 1 S., R. 4 W., W. M. (Give smallest legal subdivision)

R. 4 W., W. M., in the county of

5. The main pipe to be 2100' (Main ditch, canal or pipe line) (Miles or feet)

in length, terminating in the SE 1/4 NE 1/4 of Sec. 25, T. 1 S., R. 4 W., W. M. (Smallest legal subdivision)

R. 4 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works--

a. Height of dam feet, length at top feet, length at bottom feet; material to be used and character of construction

(If dam is to be built, give location, etc., waste way over or around dam)

b. Description of headgate

(If dam is to be built, give location, etc., number and size of gates)

c. If water is to be pumped give general description 15 HP 3 phase electric motor (Size and type of pump)

306 gpm Rain Flo

(Size and type of engine or motor to be used, total head water is to be listed, etc.)

1. This permit is not valid unless accompanied by plans where storage works are contemplated

2. No person shall appropriate water for the generation of electricity, with the exception of municipalities, must be made to the State Engineer, Salem, Oregon

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, 2400 ft.; size at intake, 6" in.; size at _____ 100 ft. from intake 6" in.; size at place of use 6" in.; difference in elevation between intake and place of use, 18 ft. Is grade uniform? **yes** Estimated capacity, .68 sec. ft.

8. Location of area to be irrigated, or place of use _____

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
1S	4W	25	SE 1/4 NE 1/4	12.3
			SW 1/4 NE 1/4	4.6
			NE 1/4 NE 1/4	6.0
1S	3W	30	NW 1/4 NW 1/4	7.0

Property on which water is to be used is a part of that more explicitly described by applicant as follows:

Parcel 1: Beginning at a point on the East line of Lot 8 of said Spring Hill Farm, a plat of record on file in the office of the County Recorder for Washington County, Oregon, said beginning point bears north 12° 26' east 138.1 feet from the southeast corner of said Lot 8; and running thence south 12° 26' west 138.1 feet to the southeast corner of said Lot 8; thence along the east line of Lot 13 of said Spring Hill Farm south 25° 40' west 510.5 feet to the southeast corner of said Lot 13; thence along the south line of Lots 13, 12 and 11 of said Spring Hill Farm north 89° 36' west 2613.1 feet to a stake on a line 5 feet easterly from the Wapato Lake Drainage Ditch; thence following a line 5 feet easterly from and parallel to said drainage ditch north 4° 20' east 173.4 feet to a stake; thence north 6° 11' west 311.0 feet to a stake; thence north 16° 25' west 120.4 feet to a point on the line running

(If more space required, attach separate sheet)

(CONTINUED UNDER REMARKS)

(a) Character of soil Chehalis silt loam

(b) Kind of crops raised pasture, cannery crops

Power or Mining Purposes—

(a) Total amount of power to be developed _____

(b) Quantity of water to be used for power _____

(c) Total fall to be utilized _____ feet.

(d) Name of the works by means of which the power is to be developed _____

(e) Such works to be located in _____ of Sec. _____

(Legal subdivision)

Tp. _____, R. _____, W. M. _____

(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return _____

Sec. _____, Tp. _____, R. _____, W. M. _____

(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is _____

(i) The nature of the mines to be served _____

Municipal or Domestic Supply—

20437

10. (a) To supply the city of _____

_____ County, having a present population of _____

(Name of)

and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ Original cost \$4500 - additional \$100

12. Construction work will begin on or before June 30, 1953

13. Construction work will be completed on or before July 30, 1953

14. The water will be completely applied to the proposed use on or before August 1, 1953

John Sundquist
(Signature of applicant)

Remarks: (Cont. from Item 8) parallel to and 5 feet easterly from said drainage ditch; thence south 89° 36' east 2918.4 feet to the place of beginning, and being a part of Lots 8, 9, 10, 11, 12 and 13 of Spring Hill Farm in sections 19 and 30, Township 1 South of Range 3 West and Section 24 and 25, Township 1 South of Range 4 West of the Willamette Meridian. Parcel 2: All of Lots 14, 15, and 16 of and in Spring Hill Farm as shown on the duly recorded map and plat thereof on file and of record in the office of the Recorder of Conveyances of Washington County, Oregon, excepting therefrom a strip of land 30 feet in width measured 15 feet on each side of the center line of the drainage canal of the Gaston Gun Club as now located over and across said premises. Parcel 3: The west 2.57 acres of Lot 11 of Spring Hill Farm. Subject to County Road along the east line of Lots 8, 13, 14 and 16 and dedicated road along the south line of lots 12 and 13 and the north line of lot 14 and a portion of the north line lot 15.

STATE OF OREGON }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

STATE ENGINEER

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.374 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Tualatin River

The use to which this water is to be applied is irrigation of not to exceed 29.9 acres

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer

The priority date of this permit is February 18, 1953

Actual construction work shall begin on or before November 20, 1954 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1955.

Complete application of the water to the proposed use shall be made on or before October 1, 1956

WITNESS my hand this 20th day of November 1953

Charles E. Stricklin
STATE ENGINEER

Application No. 28121

Permit No. 3422

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 18th day of February 1953, at 8:00 o'clock A.M.

Return to applicant:

Approved:

November 20, 1953

Recorded in book No. 57 of 23132
Permits on page

CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No.

State Printing Plant