

Permit-

Permit No. 22471

*Amended*  
\*APPLICATION FOR PERMIT

# To appropriate the Public Waters of the State of Oregon

I, R. T. Renner (Name of applicant)  
of Route 6, Lakeview, Oregon (Mailing address),  
State of Oregon, do hereby make/amended application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

- The source of the proposed appropriation is Drews Creek and Drews Creek Slough (Name of stream), a tributary of Goose Lake.
- The amount of water which the applicant intends to apply to beneficial use is 17.3 cubic feet per second. Being 10.0 cfs from Drews Creek and 7.3 cfs from Drews Creek Slough. (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is irrigation

4. Diversion Point Number 1. This headgate is North 28°36' East 3654.3 feet from the Southwest corner of Section 20, Township 40 South, Range 19 East of the Willamette Meridian. The height of this dam is 20 feet, the length at the top is 100 feet, the length at the bottom 100 feet. It is constructed of earth and rocks and has placed therein a four foot pipe, being within the SE 1/4 NW 1/4 Section 20.

Diversion Point Number 2 is the Drews Creek Slough Headgate, and it is North 35°41'30" East 4803 feet from the Southwest corner of Section 20, Township 40 South, Range 19 East of the Willamette Meridian. The height of this dam is seven feet, the length at the top of the dam is 80 feet, and the length at the bottom of the dam is 50 feet. There will be a two foot pipe used for diverting water and the dam will be constructed of rock and earth, being within the SW 1/4 NE 1/4 of Section 20.

Drews Creek Headgate Number 2, designated in the original filing as diversion Number 3, is North 16°31' West 1931.9 feet from the Southeast corner of Section 20, Township 40 South, Range 19 East of the Willamette Meridian. In addition to this, there is a diversion into a slough which is North 5°12' East 148.5 feet from Drews Creek Headgate Number 2, said diversion to be used for spreading water, being within the NE 1/4 SE 1/4 of Section 20.

On Diversion Number 3 will be installed a 30 inch pipe, which contends to use existing sloughs as shown on the attached map, no material point in width or depth is apparent.

### DESCRIPTION OF WORKS

#### Diversion Works—

6. (a) Height of dam ..... feet, length on top ..... feet, length at bottom ..... feet; material to be used and character of construction ..... (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate ..... (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description ..... (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; size at ..... ft.

8. Location of area to be irrigated, or place of use \_\_\_\_\_

Township	Range	Section	Forty-acre Tract	Number Acres Irrigated
40 S	19 E. W. M.	20	NE 1/4 NW 1/4	2 ✓
40	19	20	SE 1/4 NW 1/4	21 ✓
40	19	20	SW 1/4 NE 1/4	29 ✓
40	19	20	NE 1/4 SW 1/4	30 ✓
40	19	20	NW 1/4 SE 1/4	34 ✓
40	19	20	SE 1/4 NE 1/4	30 ✓
40	19	20	NE 1/4 SE 1/4	20 ✓
40	19	20	SE 1/4 SE 1/4	34 ✓
40	19	20	SW 1/4 SE 1/4	33 ✓
40	19	20	SE 1/4 SW 1/4	18 ✓
40	19	21	SW 1/4 NW 1/4	34 ✓
40	19	21	SE 1/4 NW 1/4	38 ✓
40	19	21	NW 1/4 SW 1/4	32 ✓
40	19	21	NE 1/4 SW 1/4	36 ✓
40	19	21	SW 1/4 SW 1/4	32 ✓
40	19	21	SE 1/4 SW 1/4	28 ✓
40	19	21	NW 1/4 SE 1/4	40 ✓
40	19	21	NE 1/4 SE 1/4	38 ✓
40	19	21	SW 1/4 SE 1/4	27 ✓
40	19	21	SE 1/4 SE 1/4	30 ✓
40	19	28	NW 1/4 NE 1/4	30 ✓
40	19	28	NE 1/4 NE 1/4	40 ✓
40	19	28	SW 1/4 NE 1/4	11 ✓
40	19	28	SE 1/4 NE 1/4	28 ✓
40	19	20	NE 1/4 NE 1/4	25 ✓
				251
				335
				109
				695 ✓
				25
				720

(a) Character of soil ..... Loam

(b) Kind of crops raised ..... Hay, Grain, and Grass

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.  
(Head)

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....  
(Legal subdivision)

Tp. ...., R. ...., W. M. ....  
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? .....  
(Yes or No)

(g) If so, name stream and locate point of return .....

....., Sec. ...., Tp. ...., R. ...., W. M. ....  
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

RECEIVED  
DEC 3 1952  
STATE ENGINEER  
SALEM, OREGON

STIPULATION

WHEREAS R. T. Renner of Lakeview, Oregon, Route 6, has heretofore made Application No. 19503 to divert certain waters of Drews Creek, a tributary of Goose Lake, for irrigation of lands located in Sections 20, 21, 22, 27, and 28 of Township 40, South Range 19, East of the Willamette Meridian, and

WHEREAS Lakeview Water Users Inc. has heretofore protested the application of said R. T. Renner No. 19503, and

WHEREAS a valid bona fide dispute now exists between the parties, and the parties hereto wish to settle such dispute by stipulation; it is hereby stipulated and agreed by and between R. T. Renner and the said Lakeview Water Users Inc. as follows:

I.

That the terms and provisions of this stipulation by and between the parties hereto shall be made a part of any permit which may hereafter be issued by the State Engineer of the State of Oregon to the said R. T. Renner pursuant to said Application 19503.

II.

That said application of said R. T. Renner and any permit issued thereon shall be construed to apply only to the waters of Drews Creek fugitive from the existing or future storage and distribution system of the Lakeview Water Users Inc.

III.

That the permit which may hereafter be issued to said R. T. Renner based upon said Application No. 19503 shall in no wise be construed to require the said Lakeview Water Users Inc. to permit any quantity of water to become fugitive from their reservoir located upon Drews Creek or from any diversion system of the waters from Drews Creek or from their distribution system of the waters of Drews Reservoir.

IV.

That the said Lakeview Water Users Inc. shall have the right to take any and all steps necessary, convenient or proper to prevent the loss of water

from their reservoir located on Drews Creek in the South half of Section 5, Township 40, South Range 18, East of the Willamette Meridian, or from or over their Diversion Dam located in the North half of Section 11, Township 40, South Range 18, East of the Willamette Meridian, or from any other part of their storage or distribution system near the properties of the said R. T. Renner.

V.

That the said Lakeview Water Users Inc. shall have the right to use the channel and bed of Drews Creek for the purpose of conveying waters to any of its member users, and any permit which may be hereafter granted to the said R. T. Renner shall in no wise impair or interfere with the use of the channel of said Drews Creek for the purpose of transporting or conveying waters to the Lakeview Water Users Inc. or any of its members or to other persons.

VI.

That in consideration of the foregoing stipulations, the Lakeview Water Users Inc. does hereby withdraw its protest heretofore filed herein to the Application of the said R. T. Renner No. 19503.

IN WITNESS WHEREOF the parties hereto have hereunto set their hands and seals in triplicate this *1st* day of *Dec*, 1952.

*R. T. Renner*  
\_\_\_\_\_  
R. T. Renner

LAKEVIEW WATER USERS INC.

By *Jess Roberts*  
\_\_\_\_\_  
President

By *C. G. Farrell*  
\_\_\_\_\_  
Secretary

Municipal or Domestic Supply—

10. (a) To supply the city of .....  
..... County, having a present population of .....  
(Name of)  
and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 10,000.00.....
- 12. Construction work will begin on or before January 1, 1942.....
- 13. Construction work will be completed on or before January 1, 1943.....
- 14. The water will be completely applied to the proposed use on or before July 1, 1943.....

*R. V. Remmer*  
(Signature of applicant)

Remarks: This is an amendment of that certain application filed with the  
State Engineer of Oregon at one p.m. on September 8, 1941, and shall not  
prejudice the right of priority acquired by such original filing.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying  
maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with correc-  
tions on or before ....., 19 .....

WITNESS my hand this ..... day of ....., 19 .....

STATE ENGINEER

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 17.30 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Draws Creek and Draws Creek Slough, being 10 cfs from Draws Creek and 7.3 cfs from Draws Creek Slough.

The use to which this water is to be applied is irrigation (supplemental)

If for irrigation, this appropriation shall be limited to 1/10 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year and shall be still further limited to a diversion of not to exceed 17.30 cfs; this permit is issued subject to the terms and conditions of the stipulation, a copy of which is attached and made a part hereof; provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 8, 1911 for 13.05 cfs  
May 20, 1953 for 4.25 cfs

Actual construction work shall begin on or before November 20, 1954 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1955

Complete application of the water to the proposed use shall be made on or before October 1, 1956

WITNESS my hand this 20th day of November, 1953.

*Chas. E. Stricklin*

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 19503

Permit No. 2410

PERMIT  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 8th day of September, 1954, at 1:00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

November 20, 1953

Recorded in book No. 57 of

Permits on page 2241

CHAS. E. STRICKLIN  
STATE ENGINEER

Drainage Basin No. 13 Page 19 of 21

Fees Paid \$ 56.50