

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, C. B. Norton
(Name of applicant)
 of Rt. 1, Box 98, Otis
(Mailing address)
 State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation.

1. The source of the proposed appropriation is Morton Creek
(Name of stream)
 a tributary of Bear Creek

2. The amount of water which the applicant intends to apply to beneficial use is 224 gpm
 cubic feet per second. (1/2 cubic foot per second)
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation and stock
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located _____ ft. _____ and _____ ft. _____ from the
(N. or S.) (E. or W.)
 corner of _____
(Section or subdivision)
South 49° East 660 ft. from the NW corner, Section 3, Township 7 South,
Range 10 West, W. M.

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
 being within the NW 1/4 NW 1/4 of Sec. 3, Tp. 7 South
(Give smallest legal subdivision) (N. or S.)
 R. 10 West, W. M., in the county of Lincoln
(E. or W.)

5. The pipe line to be 500 ft.
(Main ditch, canal or pipe line) (Miles or feet)
 in length, terminating in the NW 1/4 NW 1/4 of Sec. 3, Tp. 7 South
(Smallest legal subdivision) (N. or S.)
 R. 10 West, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 18" ~~feet~~, length on top 10 feet, length at bottom
10 feet; material to be used and character of construction lumber and
loose rock
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1-1/2" x 1" centrifugal pump
(Size and type of pump)
5 HP, gas engine, 110 to 224 gpm
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply—

10. (a) To supply the city of _____
 _____ County, having a present population of _____
 and an estimated population of _____ in 19____.

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 500.00
- 12. Construction work will begin on or before commenced
- 13. Construction work will be completed on or before completed
- 14. The water will be completely applied to the proposed use on or before completed

C. B. Norton
 (Signature of applicant)

Remarks:

Abstract of Title
to
Lot 4 of section 3, T. 7 S. R. 10 W. 11. N.
in the County of Lincoln and State of Oregon

STATE OF OREGON }
 County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19____.

WITNESS my hand this _____ day of _____, 19____.

STATE ENGINEER

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.15 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Morton Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 21, 1952

Actual construction work shall begin on or before December 24, 1954 and shall thereafter be prosecuted with reasonable diligence and be completed or or before October 1, 1955.

Complete application of the water to the proposed use shall be made on or before October 1, 1956.

WITNESS my hand this 24th day of December, 19 53.

STATE ENGINEER

Application No. 27459

Permit No. 22479

PERMIT

TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 21st day of July,
1952, at 8:00 o'clock A.M.

Return to applicant:

Approved:

December 24, 1953

Recorded in book No. 57 of

Permits on page 2119

CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. 1500