ASSIGNED, See Misc. Rec., Vil.

ASSISTANT SAN MILL HAR VOL.

Permit No. 22481

PARTIE ANALYSIS FOR PERSON

Revised Copy

To Appropriate the Public Waters of the State of Oregon

3, 2, ERREFISHER	
1 St. 4 Ber 231 Sherwood CRC	
State of OREGON do hereby make application for a permit to appropriate to	
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation	
, a tributary of WiLLAMeTte River	
2. The amount of water which the applicant intends to apply to beneficial use is	
cubic feet per second	
**3. The use to which the water is to be applied is	
4. The point of diversion is located 2145 ft. M. and 53 ft. W. from the SE. corner of SECTION 10 - XUNCTURE MARKETY E'LY (E. SEL)	
(If preferable, give distance and bearing to section corner)	
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) NESE being within the SELAND LIVE SECOND OF Sec. 10. Tp. 25. (Oive smallest legal subdivision)	
R. 2. W., W. M., in the county of WAShington	
5. The Predict to be 200 for (Miles or feet)	
in length, terminating in the	
R	
DESCRIPTION OF WORKS Diversion Works— PORTUGATION OF WORKS	
6. (a) Height of dam feet, length on top feet, length at botto	
feet; material to be used and character of construction (Loose rock concrete mason	
reck and brush, timber crib, etc., westeway over er around dam)	
(b) Description of headgate	
(c) If water is to be pumped give general description 1/4 by [1/2]	
9HP 41 5 C 2 N S X 19 TT R 9 PS) (Since and type of origine or motor to be used, total hand water is to be lifted, etc.)	
Total heap 135 total GPN CO	

"Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Engineeris Commission. Bither of the shove forms may be secured, without cost, together with instructions by addressing the State Engineer. Salem, Gregon.

(i) The nature of the mines to be served

of Weshington, State of Gregor, to-wit:

Section 36. Formally 1 South Acies 5 West of Willamotte Meridian hoses in with a righted way 30 feet wide over the road now owned and used by the grantest in the concern of the Southeast quarter of the Southeast quarter of the Southeast country of the editating section 21 said randway thus leading into the Country and but with over the afore described and granted premises to the owner and marks half of the south half of said guarter section this warded and search this day by the granters to John Fischer and Firstern bears of the north half of said southwest quarter section granted the surface of the southeast quarter and also to the owner of the surface quarter of the Southeast quarter of the adjoining section 21.22 and quarter of the Southeast quarter of the adjoining section 21.22 and quarter of the Southeast quarter of the adjoining section 21.22 and quarter of the Southeast quarter of the adjoining section 21.22 and quarter of the Southeast quarter of the adjoining section 21.22 and quarter of the Southeast quarter of the adjoining section 21.22 and quarter of the Southeast quarter of the sounty road, saving and empaying however the following described piece or parcel of land, to-wit:

ķ. (j

A strip of land 20 feet in width, lying north of and a line which commences at the southwest corner of Section 15.

W. M., (which corner is also the center of a county road); which corner is also the center of a county road); which corner is also the center of a county road); which can along the southerly boundary line of said section of 1550 feet to a point. Saving and reserving, however, the south half of the acuthwest quarter the south half of the acuthwest quarter for a roadway over aforesaid twenty foot strip hereby county and along the page 505 records of said county and above.

Also: The S.E. of the S.E. and lots 1, 2, 3 and 10. T. 2 S. of R. 2 W. of W. M., excepting the following trace: at the S.E. cor. of Sec 10, running thence 14.63 ohs, 1; the cha. to Tunish River; Thence down said Miver to line to the chair and 11, in said T. & R.; thence S. 25.50 ohs, to mixed Mixer

Being a portion of S.E. of Sec. 10 T 2

described as follows: Beginning at a point 30.3 links
of said Section 10. and running thence North peralial
of said Section 10. 12.07 ohs. to a post; thence N. 28, to a post; thence N. 28, 15' W. 2.15 ohs; thence N. 71' 40'
thence N. 89° 20' W. 3.05 ohs. to a post which is 14.44
line of said Sec. 10; thence b. 9 ohs. To H. W. demon of conveyed by Emil Stark to Fred & Smoot Stark by dood section for Book 71. Deed Records of Mach. Co. Cie. Absorb A. 20'
thence N. 61° 32' h. 2.34 ohs. to a post; these decided a post; thence S. 67° 07' W. 3.66 ohs. to a post; these decided section 10; these decided to place of beginning, containing 18.51 sames.

Hadraton et the c.E. deman of first term on an account to the control of the cont

HO. S. DESD. WARRANTY AGAINST GRANTOR

State of Oregon, has a bargained and sold, and by these presents do-

of said Section IO, 12.07 chs. to a post; thence N. 39 30 3.36 as to a post; thence N. 28 15 W. 2.15 chs; thence N. 71 45 8.0.97 5 thence N. 88 20 W. 3.05 chs; to a post which is 14.44 chs. N. of the line of said Sec. 10; thence S. 9 chs. to N. W. corner of tract of large conveyed by Mail Stark to Fred & Rama Stark by deed resorded on gazes of Book 71. Deed Records of Wash. Co. Ore, thence N. 52 42 2. 1.33 thence N. 61 38 R. 2.34 chs. to a post; thence S. 15 N. 7.00 310.

a post; thence S. 67 07 W. 3.66 chs. to a post; thence S. 13.50 chs. North or less to S. line of said Section 10; thence E. 13.50 chs. North or

to place of beginning, containing 18.31 acres.

Being part of a 40 agre tract conveyed by Christian classes.

Emil G. & Fred Stark, by deed recorded at page 462 of Book 60 Reserved deeds for Washington County, Oregon, and being part of Section 10, S. R. 2 W. of W. M. the tract herein conveyed being described as Beginning at a stone at the S. E. corner of said 40 agree tract at the S. E. corner of said Section 10 running thence W. 60. The section 10, 12.07 chains to a parallel to the E. line of said Section 10, 12.07 chains to a post; thence N. 89 30' W. 9.36 chs. to a post; thence N. 28" 15' to a post; thence N. 71 45' W. 0.97 chs. to a post; thence E. 3.05 chs. to a post; which is 14.44 chs. W. of the S.W. corner thence tract; Wence N. 24.19 chs. to the center of the Tuality thence down center of said River to E. line of said Section 10; thence on said Section line 21.50 chs. to place of beginning, a suitable agree, more or less.

containing 1.03 acres.

STATE ENGINEER

Theeler, Assistant

dream, or its equivalent in case of rotation with other water users, fromthnTua	latin River	
	stream, or its equivalent in one of rotation with other water users, fromtha Tualatin River	

The use to which this water is to be applied is _irrigation.		
If for irrigation, this appropriation shall be limited to	. of one cubic foot per	
second or its equivalent for each acre irrigatedand shall be further limited	to a diversion of	
not to exceed 22 acre feet per acre for each acre irrigated during	the irrigation	
season of each year.	<u></u>	
1		
and shall be subject to such reasonable rotation system as may be ordered by the pro		
The priority date of this permit is January 6, 1953.		
Actual construction work shall begin on or before December 24, 1954	and shal	
thereafter be prosecuted with reasonable diligence and be completed on or before C	October 1, 19. 55.	
Complete application of the water to the proposed use shall be made on or be	fore October 1, 1956.	
WITNESS my hand this 24th day of December	19 53	

office of the State Engineer at Salem, Oregon, on the Lite day of Adviding

19.53, at 8.00 o'clock A. M.

Returned to applicant:

This instrument was first received in the

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

PERMIT

STRICKLIN STATE ENGINEER CHAS , B. Jun gard 15.00

December 24, 1953

Approved:

Recorded in book No. 22.18

Permits on page

State Printing 66340

Application No. 2.79

Permit No. 22484