c Waters of the State of Oregon

State of Oregon , do hereby make application following described public waters of the State of Oregon, SUBJECT TO E If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is unnamed stream, a tributary of Salt Creek , a tributary of the Yamhill	EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is unnamed stream,	EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is unnamed stream,	
1. The source of the proposed appropriation is unnamed stream,	n
(N	
tributary of Salt Creek , a tributary of the Yamhill	and reservoir
	l Piver.
2. The amount of water which the applicant intends to apply to bene	ficial use is 0.5 cfs
ubic feet per second.	·
(If water is to be used from more than one source, gt	ve quantity from each)
	ng. manufacturing, domestic supplies, etc.)
4 The point of diversion is located 337 to S. and 2196	
4. The point of diversion is located 337 ft. S. and 2196	(2. or W)
orner of Section 18 (Section or subdivision)	en e
(M preferable, give distance and bearing to section corner)	•
(If there is more than one point of diversion, each must be described. Use separate a	
eing within the N.E. 2 of the N.W. 2 of Sec. 16 (Give smallest legal subdivision)	, T p.
No. W. M., in the county of Polk.	7 7 or 3 i
5. The main pipeline to be	1.000 feet +
(Main ditch, canal or pipe line)	(Miles or feet)
n length, terminating in the (Varies - see map) of Sec. (Smallest legal subdivision)	, T p
DESCRIPTION OF WORKS	
Diversion Works—	(ď:
6. (a) Height of dam feet, length on top	•
20 feet; material to be used and character of construction	illed earth fill as th
wasteway around dam	thouse form, concrete masons
(b) Description of headgate 12" "Calco" horel 20-10c Cast-I (Timber, concrete, etc., number of	TOY. Heading to
(c) If water is to be pumped give general description 200 gpm ce	entrifugal pump with 5 h
for total head of about 70 feet	(Size and type of pump)

estion for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the sendence. Bither of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem.

22489				
Canal Systian or				
and the second s	,		f canal where meterially chan	
	t	••	r line)	
thousand feet.	. feet; depth of u			feet fall per one
(b) At	ys Ann Standard o erhiddonithia figen a adage age i v f d	miles from i	headgate: width on top (at wat	er line)
	. feet; width on b	ottom	feet; depth of	water feet;
grade	feet fall	per one tho	rusand feet.	
(c) Lengt	th of pipe, 1,0	100 ft	.; size at intake,	in.; size at 1,000
from intake	6 in.;	size at place	of use 2 in.; d	ifference in elevation between
•				Estimated capacity.
0.5	aaa #4			
8. Location	on of area to be i	rrigated, or j	place of use See deeds a	attached and below.
Township Horth or South	Range E. or W. of Whitemette Meridian	-Bertlen	Purty-acre Truct	Number Acres To Be Irrigated
6 South	5 West	7	S.W. 2 of S.W. 2	15.7
	•	•	5.E. 7 of S.W. 7	26.1
/ %		*	S.W. 2 of S.E. 2	32.0
	, e	*	N.W. 2 of S.E. 2	2.3
	•	18	N.W. 2 of N.W. 2	11.4
•	*	18	W.E. 2 of W.W. 2	38.0
		18	N.W. 2 of W.E. 2	37-0
			Total:	162.5 acres
		•		
		63	on required, attach separate sheet)	
	haracter of soil			
(b) K Power or Minin		d Ulasi	s, clower and alfalfa	
	•	wer to be de	eveloped	
			r power	-
		-	feet,	,
			(Read) ans of which the power is to b	a day lonad
(-/ -		works og hee	and of which the power a to o	e developed
(e) S	such works to be l	ocated in		nd Sac
			(redut empdiamou)	
	, R. (No. 1			
(f) I	s water to be retu	rned to any	stream? (Yes or No)	

(g) If so, name stream and locate point of return

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

DESCRIPTION NO. 1

DAN O. QUICK AND ETHEL QUICK TO JACOB AND CAROL A. DZ JONG, bushand and wife, of Pallston

Beginning at the Northeast corner of the Donation Land Claim of William Conner, Notification No. 1932, Claims Nos. 73 and 57, in Section 15, in Township 6 South, Range 5 West of the Willamette Meridian, in Polk Courty, Oregon, and running thence South 89° 50' West 31.58 chains along the North boundary of said Claims Nos. 73 and 57, in Township 6 South, Range 6 West of the Willamette Meridian to the rock at the Southeast corner of the John Jackson Donation Land Claim, Claim No. 78; thence North 45.28 chains along the East line of said Claim No. 78 to the anchor post at the Northeast corner of said Claim No. 78; thence East 26.25 chains along the South Foundary of the Mathan Conner Donation Land Claim No. 59 to the Scutheaut corner of said Claim No. 59 on the range line between Ranges 5 and 6 West at a point first chains North of the corner of Sections 7 and 18 of Township 6 South, Range 5 West, and Sections 12 and 13 of Township 6 South, Range 6 West of the Willamette Meridian; thence South on the range line 11.06 chains to a point 23.72 chains North of the Southwest corner of the Daniel Rowell Inchtion Land Claim No. 72; thence North 89° 30' hast 58.00 chains to an appropriese on the West side of a 20-foot lane; thence North 00° 30' West 8.50 chains to a point 30.00 links West of the Southwest corner of the Isaac all Donation Land Claim No. 38; thence East 30.00 links to the Southwest warm r of said Ball Donation Land Claim; thence South 00 30 hast 10.60 chairs along the fence to a stake in the fence line; thence West 10. That the character of the stake in the fence line; iron pipe halfway between three rows of prune orchard; thence South . The contract of the cont chains along fence to an anchor post; thence West 1.50 chains along fence an anchor post at the Northwest corner of the prune orchard; seenes as the 8.38 chains along the fence to an anchor post at the Se thwes corner orchard; thence North 89° 10° West 7.68 chains along the fence begins well and barn lot to an anchor post; thouse North 10.55 chains again. pipe in the lane on the line of the South fered of the one; the 88° 25' West 30.51 chains to an archor post of the point o containing 328.67 acres +.

the D. L. C. of Daniel Powell No. 72, in Township 6 South, know 5 with Willamette Meridian in Polk County, Oregon, thence running South 39° 30° E 33.25 chains to a king bolt; thence North 10.47 chains to a sing bolt; thence North 10.47 chains to a sing bolt; the formaty road; togram 10° 0° 0° chains to a pipe set at the intersection of the two county was single South 20.84 chains to the Southwest or man of the Isaac all the thence Yest 20 feet thence South 20 lains to the north line; thence North 11.40 all the formation of the south south 18.40 all the North line; thence North 11.40 all the formation of the south south 18.40 all the Rowell.

reginning at a pipe in the center of the County road at a point 61..2 chains South and 19.12 chains South 89. 30. East from the Northwest corner of the Daniel Rowell D.L.C. no. 72 in T. 6 S. of T. 7 was any the Willamette Meridian, Polk County, Oregon; thence Morto la mairo to an iron pipe; thence South 39 30 East 17.3 because the antipon; thence South 10.83 chains to a pipe in the center of the bount, rece; thence South 70° West 3.40 chains to a pipe at the arthreshold by South road; thence South 10.37 chains to a Kin roll; then a North 10.37 chains to a pipe; thence North 10.37 chains to a road. center of the Fill Greek County Rose; thence in an lasterly along the centur of said county read h.72 chairs now or 16: lace of beginning. Save and except the billering to go at a point 73.79 chains south and M. L. coning a metal go sor Northwest corner of the w.L.G. of aniol crell and div. The in Township 6 South, Lance 3 Test of the Illamette 1 roll Oregon; thence south 89 304 East 16.01 grates to the policy Lot No. 2 of the Birk Partition; theree North Sa lines; thence Borre 600 30' West 18.31 chains; thence South & links to be place for mirring.

mi or Domestic f

In V. There

22489

STATE OF OREGOE,

ng application and do hereby grant the same,

The and shall	right herein gran	ited is limited to the solution cubic feet p	mount of we	ser which can	be applied	iversion	from the
40 10 101 1200 0000 180		ncted under Applic	-	•••••••••••••••••••••••••••••••••••••••			
		water is to be applied					98
	-	sppropriation shall be l		•	•		•
•		each acre irrigated .Lr .to_exceed_23_acre					
_	_	season of each ye		rect flow a	nd storag	e from	reservçir
***************************************					***************************************		••
The Act thereafter Cor	e priority date of the ual construction uses the prosecuted with the prosecuted with the profession application.	reasonable rotation sy his permit isMay pork shall begin on or th reasonable diligence of the water to the pro hisday	before December	ember 24, 10 upleted on or boall be made or	954 efore Octob i or before	er 1, 19 5 October	and shall
Application No. 28495 Permit No. 22489	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 20th day of May 19.53, at 8:000°clock A M.	Returned to applicant:	Approved: December 24, 1953	Recorded in book No. 57 Permits on page	CHAS. E. STRICKLIN STATE ENGINEER	State Printing 60000

steer fresh to