SHOE FOR PRINCIP

Waters of the State of Oregon

THE STATE OF THE S	
A STATE OF THE STA	
	.,
, do hereby make application for	
to the state of the State of Oregon, SUBJECT TO EXI	STING RIGHTS:
If this emplement is a corporation, give date and place of incorporation.	

Will district of the proposed appropriation is KILCH	is RIVER
, a tributary of	of stream)
The amount of water which the applicant intends to apply to benefici	al use is 0.34
easing fast per second. After sufferly from two our (If wells to be used from more than one source, give o	
(If water is to be used from more than one source, give of	Martity from each)
The use to which the water is to be applied is (Drigston, power, Mining, m	anufacturing, domestic supplies etc.
3 / 5/3 6 0/6/	
4. The point of diversion is located 7/3: ft. 5 and 965.9	tfrom the /4
corner of Jacken 7 T. 15 Rq WWM and Lec (Bottom or subdivision) Composition # 2 South 1043.	tron 12 TIS. K. 1511.
Lange States #2 South 1043.5	and East 1255
from same 1/4 Carner	
(If profurable, give distanogund bearing to section corner-	
(If there is more then one point of diversion, each must be described. Use separate sheet	If necessary:
being within the NWI/U SWI/U of Sec. 7	$Tp_{i,j} = \frac{1}{\sqrt{N}} \sum_{i \in S} \frac{S}{N}$
R. 9 W., W. M., in the county of TILLAMORE	,
5. The Claim dies, canal or pine line)	1295 form
5. The PRELIMB to be (Moth dish, canal or pipe line) in length, terminating in the NW/SN/L NEW SW/H of Sec. (Bookliest legal subdivision)	7 , Tp 2
R	Nors) the accompanying map
	e e e e e e e e e e e e e e e e e e e
DESCRIPTION OF WORKS	
Diversion Works—	
6. (a) Height of dam feet, length on top	teet. Tempth at hottem
feet; material to be used and character of construction	
rock and brush, timber orb, etc., wasteway over or around dam)	Commercials, abstrict temporary,
·	
(b) Description of headgate	size of openings
	.
(c) If water is to be pumped give general description (Sime 5 the Mater) (Sime 15 the	and type of pure
5the Mater 1900 at engine or motor to be used, total head water of to be lifted, a	er e

[&]quot;A different form of application to provided where storage works are contemplated

^{*}Ageliation for parasits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Everedossic Commission. Since of the above forms may be secured, without cost, together with instructions by addressing the state Engineer, Salem,

·			256 34.4	feet fall pe
			and the width on top (at we	ter line)
			feet; depth of	water
	建 数层设置 支充 的复数与毛数 2	per one the		,
	, , , , , , , , , , , , , , , , , , , ,	*** * **	; also at intelio,	
A CANADA CAN			of use	
		ft.	Is grade uniform?	Estimated cap
	4.3	•	•	
A CONTRACTOR OF THE PERSON AND ADDRESS OF THE PERSON ADDRESS OF THE PERSON AND ADDRESS OF THE PERSON ADDRESS OF TH		rrigated, or s	Perty-sers Treet	Number Acres To Be Irrigate
				Number New To be direct
F. 1.5.	Rgw.	7	24	_
	1470.	7	31/2 NW/45W/4	18.5
		7	31/2 NEIN SWIN	11.0
			South 3465 ft. 2	
			NIL NWINSWIN	
			for a 1258 ft. East	
roperty on w	hich water is	to be app	distance.	more expliciting seco
		o do co ap		
he emlicent	1 32 TOT TOMES			
the Si of the	e N2 of the		tion 7 in T. 1 S., R. 9	i
The Se of the Beginning Se R. 9	w N2 of the outh 313.5 ft. and Section	from the	Section Corner commo	n to Section 7 in I.
The Se of the Beginning Se R. 9	w N2 of the outh 313.5 ft. and Section	from the	tion 7 in T. 1 S., R. 9 2 Section Corner commo 1 S., R. 10 W. W.W. th 21 rods, (346.5 ft.) th	n to Section 7 in I.
The Se of the Beginning Se R. 9	w N2 of the outh 313.5 ft. and Section	from the	Section Corner commo	n to Section 7 in I.
Beginning S. R. 9 W. W. L. i thence	w N2 of the outh 313.5 ft and Section of the North 21 roll	from the m 12 in T. character South is to the P	Section Corner commo S. R. 10 W. W. H. th 21 rods, (346.5 ft.) th .0.B.	n to Section 7 in I.
Beginning S. R. 9 W. W. L.; thence	outh 313.5 ft. and Section of the North 21 roll of	from the m 12 in T. ince South is to the P	Section Corner commo S. R. 10 W. W. ". th 21 rods, (346.5 ft.) th .0.B.	n to Section 7 in I.
Beginning S. R. 9 W. W. L.; thence	w N2 of the outh 313.5 ft and Section of the North 21 roll	from the m 12 in T. ince South is to the P	Section Corner commo S. R. 10 W. W. ". th 21 rods, (346.5 ft.) th .0.B.	n to Section 7 in I.
Beginning Son R. 9 W. W. L.	outh 313.5 ft	from the m 12 in T. ince South is to the P	Section Corner commo S. R. 10 W. W. !! th 21 rods, (346.5 ft.) th .0.B.	n to Section 7 in I.
Beginning Son R. 9 W. W. L.	outh 313.5 ft	from the m 12 in T. ince South is to the P	Section Corner commo S. R. 10 W. W. !! th 21 rods, (346.5 ft.) th .0.B.	n to Section 7 in I.
Beginning Son to the Sign of the Beginning Son to the Sign of the Beginning Son to the Beginning Son to the Sign of the Sign of the Sign of the Beginning Son to the Beginning So	ter of soil	from the m 12 in T. Ince South is to the P. Razz	Section Corner commo S. R. 10 W. W. !! th 21 rods, (346.5 ft.) th .0.B.	n to Section 7 in 1. erce East 72 role an erce West 76 role an theoretical horsep
Beginning Son to the Sol of to Beginning Son to the Sol of to Beginning Son to the Sol of the Sol o	of the N2 of the outh 313.5 ft. and Section of the North 21 roll of crops raised. Purposes—al amount of positive of water to the contract of	from the m 12 in T. ince South is to the P. Residual and the P. Re	Section Corner commo S. R. 10 W. W. U. th 21 rods, (346.5 ft.) th .0.B.	n to Section 7 in 1. erce East 72 role an erce West 76 role an theoretical horsep
Beginning Son to the State of the State of the Beginning Son to the State of the St	outh 313.5 ft	rom the m 12 in T. Ince South is to the P Representation of the P Rep	Section Corner commo S. R. 10 W. W. U. th 21 rods, (346.5 ft.) th	n to Section ? in I. erce East 70 role are erce West 70 role are theoretical horsep sec. ft.
Beginning Son to the State of the State of the Beginning Son to the State of the St	outh 313.5 ft	rom the m 12 in T. Ince South is to the P Representation of the P Rep	Section Corner commo S. R. 10 W. W. U. th 21 rods, (346.5 ft.) th D.B. required attach separate sheet) peloped power (Read)	n to Section ? in I. erce East 70 role are erce West 70 role are theoretical horsep sec. ft.
Beginning Son to the Son of the Son of the Beginning Son to the Son of the So	outh 313.5 ft	rom the m 12 in T. Ince South is to the P Representation of the P Rep	Section Corner commo S. R. 10 W. W. U. th 21 rods, (346.5 ft.) th 2. D.B. required attach separate sheet) veloped power (Head) ns of which the power is to be	n to Section ? in I. erce East 71 role an erce West 76 role an theoretical horsep sec. ft.
(a) Charace (b) Kind of (c) Tot (d) The (e) Suc	outh 313.5 ft. and Section of the and Section of the North 21 roll of crops raised. Purposes—al amount of positive of water to tal fall to be utilized and the works to be loss to be loss.	wer to be described by mean accordance of the property of the	Section Corner commo S., R. 10 W. W. U. th 21 rods, (346.5 ft.) th 20.B. required stack separate sheet) veloped power (Head) ns of which the power is to be	n to Section ? in I. erce East 71 role an erce West 76 role an theoretical horsep sec. ft.
le applicant The Si of the Beginning So R. 9 W. W. L. 1280.0 It (1280.0 It.: thence (a) Charac (b) Kind of ower or Mining 9. (a) Tot (b) Que (c) Tot (d) The (e) Suc	cter of soil Purposes al amount of posentity of water to the utilization of the works to be love.	wer to be detected in the process of	Section Corner commo S. R. 10 W. W. U. th 21 rods, (346.5 ft.) th 20. B. required attach separate sheet) reloped reloped reloped feet. (Head) ms of which the power is to be described	n to Section ? in I. erce East 71 role an erce West 76 role an theoretical horsep sec. ft.
Beginning Son to the Sign of t	ter of soil cter of soil cte	wer to be described by mean cated in	Section Corner common S. R. 10 W. W. U. the 21 rods, (346.5 ft.) the 21 rods, (346.5 ft.) the required attach separate sheet) veloped power (Head) ns of which the power is to be considered to be considered attach separate sheet) (Head) M. (Test or No)	theoretical horsepsec. ft. of Sec
Beginning Son to the Sign of the Sign of the Beginning Son to the Sign of the	ter of soil care of water to the utility of water to be returned, name stream	wer to be decorded in cated in cated in cated in cated only s and locate p	Section Corner common S. R. 10 W. W. U. the 21 rods, (346.5 ft.) the 21 rods, (346.5 ft.) the 21 rods, (346.5 ft.) the 22 rods, (146.5 ft.) the 22	theoretical horsepsec. ft. of Sec
(a) Charace (b) Kind of the Cover or Mining 9. (a) Tot (b) Que (c) Tot (d) The (e) Suc p. (g) If a	ter of soil care of the water to be active of the water to be returned, name stream	wer to be described in the management of the P The more specially and the points by mean order to any search of the points of t	Section Corner common S. R. 10 W. W. U. the 21 rods, (346.5 ft.) the 21 rods, (346.5 ft.) the required attach separate sheet) veloped power (Head) ns of which the power is to be considered to be considered attach separate sheet) (Head) M. (Test or No)	theoretical horsep sec. ft. of Sec.

	17.0
22. Construction work will begin on 23. Construction work will be completely ap	tested on or before _ Zeely S. 1953 piled to the proposed use on or before _ Zeely 14,1753 **Murtha: 1. 4500 a
Remarks:	
STATE OF OREGON, County of Marion, - ss. This is to certify that I have example to the state of the state	mined the foregoing application, together with the accompany
maps and data, and return the same for .	is application must be returned to the State Engineer, with corr
tions on or before	,19

						g applications and	tion and I conduit vich can	Ma:	iby grant ied to ben	
end shell stream, o	not exceed r its equivalent	in case o	y i i					-	f diversion River	from the
Th	e use to which t	his roster	is to be	applied (•	irrigati	on of n	at to	exceed 2	9.5 acres
second	for irrigation, th	lent for	r each	acre ir	ri gate	d and sh	all be	furthe	r limite	i to a
irrigati	on of not to	each y								
not to	exceed 0.34 c	fs,	••••••	••••••••••••		•••••••••••••••••••••••••••••••••••••••				
		••••••	······································	•••••		•••••				
Th	l be subject to so ne priority date (ctual construction	of this per	mit is	······································	,_,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	June	5, 195	3		
thereafte	er be prosecuted	with rea	sonable (diligence	and be	completed	i on or b	eforeº	etober 1	, 1955
w	ITNESS my har	nd this	24th	day (-	→	
/ Per	rmits for power develo	pment are su	bject to the	payment of		s as provided	•		STATE	ENGINEER FOR LAWS 1983.
	BLIC		wed in the m, Oregon,	. M .				fo	LIN	6 4.
Application No. 28525 Permit No. 22501	PERMIT TO APPROPRIATE THE PL WATERS OF THE STAT		This instrument was first received in the ice of the State Engineer at Salem, Oregon	on the SAL day of AURE. 1968, at Lill o'clock P	Returned to applicant:	Corrected application received:	i:	Recorded in book No. 58	Permits on page CH.S. E. STRICKLIN	Drainage Basin No. / Page Fees Paid (5 33
A ₁	or I	Division No.	This instrument office of the State I	on the .S 196.Z., at	Returned	Corrected	Approved	Record	Permits c	Drainage Fees Paid