

Department of the State of Oregon

I, [Name], of the State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Calapeoda Creek, a tributary of Umpqua River

2. The amount of water which the applicant intends to apply to beneficial use is 356 cubic feet per second.

3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located [distance] ft. from the corner of [Section] to the S.E. corner of D. L. C. #55

being within the [Section] of Sec. [Section] Tp. 25 S R. 5 W, W. M., in the county of Douglas

5. The pipeline to be 1020 ft. in length, terminating in the [Section] of Sec. [Section] Tp. 25 S R. 5 W, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

6. (a) Height of dam [feet], length on top [feet], length at bottom [feet]; material to be used and character of construction

(b) Description of headgate [Description]

(c) If water is to be pumped give general description 5 Hp., 4" Intake 3" Outlet

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission

... from headgate at such point of canal where materially changed in size, stating miles from headgate, ... feet; width on bottom ... feet; depth of water ... feet; grade ... feet fall per one thousand feet.

(b) ... miles from headgate: width on top (at water line) ... feet; width on bottom ... feet; depth of water ... feet; grade ... feet fall per one thousand feet.

(c) Length of pipe, 1000 ft.; size at intake, 4" in.; size at ... ft. from intake ... in.; size at place of use ... in.; difference in elevation between intake and place of use, 30 ft. Is grade uniform? ... Estimated capacity, ... sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Wisconsin Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
25 S	5 W	7	NE $\frac{1}{4}$ of the NE $\frac{1}{4}$	15.8
"	"	"	SE $\frac{1}{4}$ of the NE $\frac{1}{4}$	1.1
	2 nd	8	NE $\frac{1}{4}$ of the NE $\frac{1}{4}$	5.0
	"	"	SE $\frac{1}{4}$ of the NE $\frac{1}{4}$	6.6

(If more space required, attach separate sheet)

(a) Character of soil RIVER BOTTOM

(b) Kind of crops raised Forage

Power or Mining Purposes—

9. (a) Total amount of power to be developed ... theoretical horsepower

(b) Quantity of water to be used for power ... sec. ft.

(c) Total fall to be utilized ... feet. (Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in ... of Sec. (Legal subdivision)

Tp. ... R. ... W. M. (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

Sec. ... Tp. ... R. ... W. M. (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of _____
_____ County, having a present population of _____
and an estimated population of _____ in 19____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 3000
- 12. Construction work will begin on or before June 1, 1953
- 13. Construction work will be completed on or before June 1, 1957
- 14. The water will be completely applied to the proposed use on or before June 1, 1957

Sign → X Chas. E. Stricklin
(Signature of applicant)

Remarks: **DEED DESCRIPTION**

Beginning at the SE corner, a 5/8 X 30" iron rod set in the ground on the southerly line of Solomon Williamson D. L. C. #55 bears N 75°30' E, 803.22 ft. and an 18" $\text{Ely S 21}^{\circ}09' \text{W, 11.5 ft. from the S.E. Cor. Of Cl. 55}$

Thence N 13°04' W 1799.5 ft. to a 5/8 X 30" iron rod witness cor. set in the ground on the southerly bank of Calapecia Creek and on the same Bearing continued to 1894.5 ft. to the N. E. cor. of the Tract & the approx. centerline of said creek;

Thence downstream along the approximate centerline of said creek N 73°44' W, 479.85 ft. to a point at the easterly side of County Road bridge and N 78°05' W, 401.0 ft. to a point and S 61°20' W, 89.0 ft. to a point & S 35°30' W, 191.0 ft. to a point & S 72°30' W, 90.0 ft. to a point & N 58°19' W, 470.0 ft. to a point & S 74°30' W, 120.0' to a point & S 33°00' W, 153.0 ft. to the N. W. corner of the Tract;

Thence leaving the centerline of said Creek S 14°13' E, 14 ft. to a 5/8 X 30" iron rod set in the ground for a witness Corner from which a nail in 19" ash blazed & scribed Wit. Cor. to N.W. Cor. B. T. bears N 30°40' E, 30.2ft;

Thence continuing with the same bearing of S 14°13' E, along a line fence from said witness cor. 2299.4 ft. to 5/8 X 30" iron rod set in the ground on the southerly of said D. L. C. #55 from which a 10" oak Stump bears N 84° 30' W 17.16 ft. (OBT) a 44" black oak bears N 25° E 56.1 ft. and a 26" B. O. used for a fence post bears S 8°05' E 10.2'

Thence N 75°30' E along the Southerly Boundary of Cl. 55 1607.5 ft. To Beginning containing 81.34 acres + or -

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____ signature

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____ September 28 _____ 19 53.

WITNESS my hand this 27th day of July 19 53.

RECEIVED
STATE ENGINEER
SALMON CREEK

CHAS. E. STRICKLIN
STATE ENGINEER
By Robert D. Best, Assistant
eh

PERMIT

STATE OF OREGON,
Department of Water

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.356 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Calapooia Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 10, 1953

Actual construction work shall begin on or before December 24, 1954 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1955

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 24th day of December, 1953

STATE ENGINEER

Application No. 28520

Permit No. 22503

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 10th day of June, 1953, at 8:00 o'clock A. M.

Returned to applicant:

July 27, 1953

Approved:

December 24, 1953

Recorded in book No. 58 of

Permits on page 2211

CHAS. E. STRICKLIN
STATE ENGINEER

State Printing 62360