

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Warren H Bailey, of 39 1/2 South 7th Street, St. Helens, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is unnamed branch, a tributary of Panther Creek

2. The amount of water which the applicant intends to apply to beneficial use is Irrigation and Domestic and Resort purposes 0.02 cfs. 0.025 cfs. cubic feet per second. purposes 0.025 cfs.

**3. The use to which the water is to be applied is Irrigation and Domestic and Resort purposes

4. The point of diversion is located 934 1/2 ft. S. and 401 ft. E. from the corner of on North line of Section 20; Twp. 3 S., R. 5 W.; N. 1/4.

being within the NW 1/4 of NE 1/4 of Sec. 20, Tp. 3S, R. 5W, W. M., in the county of Yamhill

5. The pipe line to be 800 feet in length, terminating in the SW 1/4 of NE 1/4 of Sec. 20, Tp. 3S, R. 5W, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

6. (a) Height of dam 2 1/2 feet, length on top 4 feet, length at bottom 2 feet; material to be used and character of construction concrete. SEE REMARKS

(b) Description of headgate

(c) If water is to be pumped give general description Gravity System

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

22508

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ... feet; width on bottom ... feet; depth of water ... feet; grade ... feet fall per one thousand feet.

(b) At ... miles from headgate: width on top (at water line) ... feet; width on bottom ... feet; depth of water ... feet; grade ... feet fall per one thousand feet.

(c) Length of pipe, 800' (Plastic); size at intake, 1 1/2" in.; size at ... ft. from intake ... in.; size at place of use 1 1/2" in.; difference in elevation between intake and place of use, 40' ft. Is grade uniform? Yes Estimated capacity, ... sec. ft.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township North or South, Range E. or W. of Willamette Meridian, Section, Forty-acre Tract, Number Acres To Be Irrigated. Row 1: 3 S, 5 W, 20, SW 1/4 of NE 1/4, 2. Includes handwritten 'Dorm. Resort'.

Vol. 159, P 256 Yamhill Co. Deeds

A parcel of land in Section 20, Twp. 3 South, Range 5 West: M.M. ... Beginning at the point of intersection of the County road and the North ... center line of Section 20; South along said center line 35 rods; East at right angles to said course 50 rods; North 25 rods; West 10 rods; North 5 rods; East ... 10 rods to the point of beginning.

Also Vol 155, Page 504 Yamhill Co. Deeds:

Beginning at the SE corner of the above described tract, Thence East ... rods and 85' to the Co. road now there; thence West 10 rods and ... South 85'; East 10 rods and South 25 rods to beginning;

(If more space required, attach separate sheet)

(a) Character of soil Chehalis Silty Clay Loam

(b) Kind of crops raised Garden and berries

Power or Mining Purposes—

9. (a) Total amount of power to be developed ... theoretical horsepower.

(b) Quantity of water to be used for power ... sec. ft.

(c) Total fall to be utilized ... feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in ... of Sec. ... (Legal subdivision)

Tp. ... R. ... W. M. (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

... Sec. ... Tp. ... R. ... W. M. (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

- Population of _____
- Use of water for _____ of facilities to be supplied Resort Purposes at Mineral Springs
- Estimated cost of proposed work, \$ 500
12. Commencement work will begin on or before July 1953
13. Construction work will be completed on or before August 1953
14. The water will be completely applied to the proposed use on or before July 1954

W. H. Bailey

(Signature of applicant)

by M. H. Kraft (As Request)

Remarks: The dam shown in this application is in no wise intended as a storage dam. Its function is to funnel the flow into the 1 1/2" pipe for delivery to place of use.

The domestic use shown is for one family plus the use of such trancients as come for the mineral baths and the fishing.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Completing and correcting

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before August 3, 19 53.

WITNESS my hand this 2nd day of July, 1953.

RECEIVED
1953
STATE ENGINEER

CHAS. E. STRICKLIN

STATE ENGINEER

By Chris L. Wheeler
Chris L. Wheeler, Assistant

PERMIT

I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.055 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from unnamed stream

The use to which this water is to be applied is domestic and irrigation and resort purposes, being 0.01 cfs for domestic, 0.025 cfs for irrigation and 0.02 cfs for resort purposes.

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 17, 1953

Actual construction work shall begin on or before December 24, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954.

Complete application of the water to the proposed use shall be made on or before October 1, 1954.

WITNESS my hand this 24th day of December, 1953.

STATE ENGINEER

Application No. 28543

Permit No. 22508

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 17th day of June, 1953, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

December 24, 1953

Recorded in book No. 58 of

Permits on page 211

CHAS. E. STRICKLIN STATE ENGINEER

State Printing 66340

Fees paid