

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Lern D. Petke and Marguerite L. Petke, husband and wife
(Name of applicant)
of 1711 S. E. Oak Shore Lane, Portland, 22, Oregon
(Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation --

1. The source of the proposed appropriation is Willamette River
(Name of stream)
a tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is 0.0157
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Irrigation - Lawn and Garden
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 500± ft. N and 135± ft. W from the
(N. or S.) (E. or W.)
corner of Most Southerly Corner of S. Risley P. L. C.
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the S.E. 1/4 S.E. 1/4 of Sec. 11, Tp. 2 S
(Give smallest legal subdivision) (N. or S.)
R. 1 E, W. M., in the county of Clackamas
(E. or W.)

5. The 2" Pipe Line to be 440 ft.
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the _____ of Sec. _____, Tp. _____
(Smallest legal subdivision) (N. or S.)
R. _____, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1½" Suction - 1" Discharge Centrifugal Pump - 3 H.P. Electric Motor - Total Elevation 36 ft. from intake at M. L. W.
(Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.
1-22-24

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgats. At headgats: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 440 ft.; size at intake, 2 in.; size at 440 ft. from intake 2" in.; size at place of use 3/4 in.; difference in elevation between intake and place of use, 36' MLW ft. Is grade uniform? Reasonably Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use Total area - 1.2155 Acres

Township North or South	Range E. or W. of Willamette Meridian	Section	Part-also Tract	Number Acres To Be Irrigated
28	1E	11		1.2155
Part of the DLC of Jacob S. Risley and wife in T. 2 S., R. 1 E. of the W. M., bounded and described as follows, to-wit: Beginning at an iron pipe driven at the most Northerly corner of tract No. 3 (unrecorded plat of the Subdivision of the John F. Risley tract in T. 2 S., R. 1 E. of the W. M., which point is North 53° 43' West 1009.60 feet distant and North 66° 12' West 401.50 feet distant and South 36° 09' West 547.80 feet distant and South 53° 51' East 100.00 feet distant from the intersection of the center line of the Rinearson and Milwaukie Road (Commonly known as the River Road) with the Southeasterly boundary of the Jacob S. Risley D.L.C. No. 51 in T. 2 S., R. 1 E. of the W. M. (said intersection point being North 66° 33' East 1594.40 feet distant from the most Southerly corner of said claim; running thence South 36° 09' West 455.60 feet to a point on the meander line of the right bank of the Willamette River at low water stage; thence tracing the meander line of the right bank of the Willamette River at low water upstream South 53° 51' East 77.90 feet; thence North 47° 29' East 44.27 feet to an iron pipe; thence North 53° 51' West 165.20 feet to the place of beginning, together with a perpetual easement for road purposes, to be used in common with others over the following described Roadway. Beginning at an iron pipe at the most northerly corner of the above described tract running thence North 53° 58' West 100.00 feet to an iron pipe; thence North 36° 09' East 547.80 feet to an iron bolt driven in the pavement in the center of the Rinearson and Milwaukie Road (Commonly known as the River Road) thence along the center of said road South 66° 12' East 30.71 feet; thence South 36° 09' West 524.37 feet to an iron pipe; thence South 53° 51' East 100.00 feet to an iron pipe; thence South 36° 09' West 30.00 feet to an iron pipe; thence North 53° 51' West 30.00 feet to the place of beginning.				

(If more space required, attach separate sheet)

(a) Character of soil River Silt and Sandy Loam

(b) Kind of crops raised Lawn and Family Garden

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No N. or S.) (No E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No N. or S.) (No E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

PERMIT

STATE OF OREGON,

County of Washington

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.016 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Willamette River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 13, 1953 1953

Actual construction work shall begin on or before December 24, 1954 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1955

Complete application of the water to the proposed use shall be made on or before October 1, 1956

WITNESS my hand this 24th day of December, 19 53

STATE ENGINEER

Application No. 20593

Permit No. 22529

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 15th day of July, 1953, at 7.02 o'clock P. M.

Returned to applicant:

Approved:

December 24, 1953

Recorded in book No. 58 of

Permits on page 22529

CHAS. E. STRICKLIN
STATE ENGINEER

State Printing 2040

2

5 15.00 paid