y

SAMPLICATION FOR PERSON

	1	7.4.4.2				"			W	ters	of	the	State	of	Oregon
*	1 0		e de la companya de l	-	រួម• _្ េត		• 47	.+17i	* - ', - '	•					J

After the marginal of the beat and the second

ate of do here	by make application for a permit to appropriate the
•	·
Howing described public waters of the State of Ores	
If the applicant is a corporation, give date and p	place of incorporation
1. The source of the proposed appropriation is	Harmer Creek
	(Name of stream) 1ry of Maddy Greek
	ends to apply to beneficial use is
ubic feet per second	
(M water is to be used :	from more than one source, give quantity from each)
••3. The use to which the water is to be applied is	(Errigation, power, mining, manufacturing, domestic supplies, etc.)
4. The point of diversion is located ft	and ft from the
	(N. or s.) and ft. from the (E or W.)
(If preferable, give distance and	bearing to section corner)
(If there is more than one point of diversion, each must sing within the EE 1 of SE 2 of Sec. 26, and I	t be described. Use separate sheet if necessary) M. 2. of Sh Secol Sect 25, Typp, 14 S. (N. or S.)
(If there is more than one point of diversion, each musi	t be described. Use separate sheet if necessary) M. 2. of Sh Secol Sect 25, Typp, 14 S. (N. or S.)
(If there is more than one point of diversion, each must sing within the ME 1 of SE 2 of Sac. 26, and M (Give smallest legal subdivision) 6	t be described. Use separate sheet if necessary) 1. 2. of Sij Secof Sect 25, Tupp. 14 S. (N. or S.)
(If there is more than one point of diversion, each must sing within the EE 1 of SE 2 of Sec. 26, and M (Give smallest legal subdivision) . 6 L , W. M., in the county of Banton (E. er W.) 5. The	t be described. Use separate sheet if necessary) M. 2. of Se Sect. 25, Typp. 14 S. (N. or S.)
(If there is more than one point of diversion, each must sing within the ME 1 of SE 2 of Sac. 26, and M (Give smallest legal subdivision) 6	t be described. Use separate sheet if necessary) L of Se Sect 25, Tupp. 14 S. (N. or S.) to be (Miles or feet) of Sec. , Tp. (N. or S.)
(If there is more than one point of diversion, each must ring within the IE 1 of SE 2 of Sec. 26, and II (Give smallest legal subdivision) . 6	t be described. Use separate sheet if necessary) L of Se Sect 25, Tupp. 14 S. (N. or S.) to be (Miles or feet) of Sec. , Tp. (N. or S.)
(If there is more than one point of diversion, each must ring within the IE 1 of SE 2 of Sec. 26, and I (Give smallest legal subdivision) . 6	to be
(If there is more than one point of diversion, each must sing within the IE 1 of SE 2 of Sac. 26, and I (Give smallest legal subdivision) 6. V., W. M., in the county of	to be
(If there is more than one point of diversion, each must ring within the IE 1 of SE 2 of Sec. 26, and II (Give smallest legal subdivision) . 6. U, W. M., in the county of Benton (R. er W.) 5. The (Main ditch, canal or pipe line) i length, terminating in the (Smallest legal subdivision W. M., the proposed location being (R. er W.) DESCRIPTION iversion Works— 6. (a) Height of dam feet, ler feet; material to be used and characte	to be
(If there is more than one point of diversion, each must ring within the IE 1 of SE 2 of Sec. 26, and I (dive smallest legal subdivision) . 6. V., W. M., in the county of Benton (E er W.) 5. The (Main ditch, canal or pipe line) s length, terminating in the (Emallest legal subdivision W. M., the proposed location being (E or W.) DESCRIPTION iversion Works— 6. (a) Height of dam feet, ler feet; material to be used and characte	to be (Miles or feet) of Sec
(If there is more than one point of diversion, each must ring within the EE 2 of Sec. 26, and F (Give smallest legal subdivision) 6 Ve., W. M., in the county of Benton (E. er W.) 5. The (Main ditch, canal or pipe line) 1 length, terminating in the (Smallest legal subdivision W. M., the proposed location being (E. er W.) DESCRIPTION iversion Works— 6. (a) Height of dam feet, ler feet; material to be used and characte the and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate	to be
(If there is more than one point of diversion, each must ring within the EE 2 of Sec. 26, and F (Give smallest legal subdivision) 6 Ve., W. M., in the county of Benton (E. er W.) 5. The (Main ditch, canal or pipe line) 1 length, terminating in the (Smallest legal subdivision W. M., the proposed location being (E. er W.) DESCRIPTION iversion Works— 6. (a) Height of dam feet, ler feet; material to be used and characte the and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate	to be

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Engineer Science. Bither of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, 3-15-65.

			r lise)	
Arrama Land	feet; depth of w	oeser	feet; grade	feet fall per o
vmpany 1664.	* *		headgate: width on top (at wat	
			feet; depth of	
ade	and the second second			
			.; size at intake, lin - Same si	les st. sll madet.
			of use in.; di	
		ft.	Is grade uniform?	Estimated capaci
	sec. ft. I of area to be i	rrioated or s	place of use	
Township	Range		pace of use	
North or South	R. er W. of Willemette Meridian	Gortica	Forty-sere Tract	Number Acres To Be Irrigated
14 S	6 W	25	W 1 of SV 1	15.85
			SW 2 of SW 2	0.66
		26	NE 1 of SE 1	10.1
			SE 2 of SE 2	0.23
South line a described in thence north the center 15 West 3.6 west line at thence north of the North iron bar the 89° 17 East	Willamette m 5. 89° 32 West a Book 86, Pa a along the edine of said 35 chains and ad 4.123 chain a 0° 01, West a neast corner ence North 0° 15.012 chair	meridian, Post 24.624 case 28 of deast line county rosed north 71° ins north case 24.341 che of Jacob Pool West 5.00 to a three to a	of Chatman Hawley claim Benton County, Oregon, are chains to the southeast of the records of deeds for of said property 1.318 chain the following said 10 W 10.98 chains to a of the southwest corner of the southwest corner of the southwest corner	nd running along the corner of the property Benton County, Oregon mains to an iron in center line south 310 leaf spring on the of said Hawley claim # mains south 00 Ol east east 22,763 chains to a pipe; thence South 200 Ol west
South line and thence north the center of the North iron bar the 89° 17 East 10.62 Chains a three-quant on the East the place of	Willamette m 5. 89° 32 West a Book 86, Pa a along the edine of said 35 chains and a d 4.123 chain a 0° 01, West neast corner ence North 0° 15.012 chairs a to the cent of the cent of the pip libe of said beginning,	meridian, I st 24.624 of age 28 of the east line of county rosed in north of t 24.341 ch of Jacob F Ol West 5. as to a threfor the of Thence I d Hawley cl containing	chains to the southeast of the records of deeds for of said property 1.318 chains to a few theorem of the southwest corner of the southwest corner chains to a point 16.25 chammer claim #48 thence 6.282 chains to a 3/4 inchese, which point is .3 East .50 of a chain to a laim thence South 0°01 kg 114.16 acres of land mostilty Clay Loam	nd running along the corner of the property Benton County, Oregon mains to an iron in center line south 810 leaf spring on the of said Hawley claim #mains south 00 01 east east 22,763 chains to a pipe; thence South ence South 00 01 West 32 of a chain south of three-quarter inch mixest 23,107 chains to ore or less.
west of the South line is described in thence north the center in 15 West 3.6; west line as thence north of the North iron bar the 89° 17 East 10.62 Chains a three-quant on the East the place of (a) Chains a characteristic of the south the place of (a) Chains a characteristic of the place of (a) Chains a characteristic of the place of (a) Chains a characteristic of the place of (b) Chains a characteristic of the place of (a) Chains a characteristic of the place of (b) Chains a characteristic of the place of	Willamette mag and the self of said self of	meridian, I st 24.624 of age 28 of the east line of county road in north 71 ins north of t 24.341 ch of Jacob F Ol West 5. ns to a thr ter of the be Thence I d Hawley cl containing	chains to the southeast of the records of deeds for of said property 1.318 chains to a chains to a confirmation of the southwest corner of the southwest corner chains to a point 16.25 chains to a point 16.25 chains to a 3/4 incharacter inch pipe the chreek which point is .3 East .50 of a chain to a laim thence South 0°01 a chain to a laim thence South 0°01 a chain to a chain to a laim thence South 0°01 a chain to a chain to a laim thence South 0°01 a chain to a chain t	nd running along the corner of the property Benton County, Oregon mains to an iron in center line south 21° leaf spring on the of said Hawley claim #mains south 0° 01 east east 22,763 chains to a pipe; thence South ence South 0° 01 West 32 of a chain south of three-quarter inch mixes 23.107 chains to ore or less.
west of the South line is described in thence north the center in 15 West 3.6; west line as thence north of the North iron bar the 89° 17 East 10.62 Chains a three-quasion the East the place of (a) Chains (b) Kin	Willamette mag and the self of said self of self of self of self of said self of s	meridian, I st 24.624 of age 28 of the east line of county road in north 71 ins north of t 24.341 ch of Jacob F Ol West 5. ns to a thr ter of the be Thence I d Hawley cl containing	chains to the southeast of the records of deeds for of said property 1.318 chains to a few theorem of the southwest corner of the southwest corner chains to a point 16.25 chammer claim #48 thence 6.282 chains to a 3/4 inchese, which point is .3 East .50 of a chain to a laim thence South 0°01 kg 114.16 acres of land mostilty Clay Loam	nd running along the corner of the property Benton County, Oregon mains to an iron in center line south 21° leaf spring on the of said Hawley claim #mains south 0° 01 east east 22,763 chains to a pipe; thence South ence South 0° 01 West 32 of a chain south of three-quarter inch mixes 23.107 chains to ore or less.
south line is described in thence north the center in 15 West 3.6; west line as thence north of the North iron bar the 89° 17 East 10.62 Chains a three-quasion the East the place of (a) Chains a three for the place of (b) Kin ower or Mining	Willamette mage 18 of 89° 32 West along the eline of said 35 chains and heli23 chain of 00° 01, West neast corner ence North 0° 15.012 chairs to the cent of the cent of the cent of the cent of said along the corner of soil dof crops raised Purposes—	meridian, I st 24.624 of age 28 of the east line of county ros d north 71 ins north of t 24.341 ch of Jacob F Ol West 5. ns to a thr ter of the be Thence I d Hawley cl containing Wanato S	chains to the southeast of the records of deeds for of said property 1.318 chains to a low 10.98 chains to a low 10.98 chains to a low 10.98 chains to a low 16.25 chains to a point 16.25 chains to a point 16.25 chains to a low 16.25 chains to	nd running along the corner of the property Benton County, Oregon mains to an iron in center line south 21° leaf spring on the of said Hawley claim #mains south 0° 01 east east 22,763 chains to a pipe; thence South ence South 0° 01 West 32 of a chain south of three-quarter inch mixes 23.107 chains to ore or less.
south line is described in thence north the center in 15 West 3.6; west line as thence north of the North iron bar the iron bar the 10.62 Chains a three-quant on the East the place of (a) Chairs on the iron bar the place of (b) Kin ower or Mining 9. (a) Total	Willamette man and the self of said and the least corner ence North of 15.012 chairs to the cent of the inch pipe libe of said the self of said and the said and the self of said	meridian, I st 24.624 of age 28 of the east line of county rose d north 71 ins north of t 24.341 ch of Jacob F Ol West 5. ns to a thr ter of the ce Thence I d Hawley cl containing Wanato S	chains to the southeast of the records of deeds for of said property 1.318 chains to a low the southwest corner of the southwest to a 3/4 incharge chains to a 3/4 incharge chreek which point is .3 East .50 of a chain to a laim thence South 0° 01 is 114.16 acres of land not silty Clay Loam Hay Silage, Corn, Seed of the southwest corner of t	and running along the corner of the property Benton County, Oregon mains to an iron in center line south 21° leaf spring on the of said Hawley claim #mains south 0° 01 east east 22,763 chains to a pipe; thence South ence South 0° 01 West 32 of a chain south of three-quarter inch pipest 23.107 chains to ore or less. Trans theoretical horsepout
west of the South line is described in thence north the center is 15 West 3.6; west line as thence north of the North iron bar the 89° 17 East 10.62 Chains a three-quant on the East the place of (a) Chairs (b) Kin ower or Mining 9. (a) Total (b) Quantitative for the place of (b) Quantitative for the place of (c) Chairs (d) Chair	Willamette man to the second sold west corner ence North of 15.012 chairs to the central beginning, water of soil	meridian, I st 24.624 of age 28 of the east line of county rosed in north 71 ins north of t 24.341 ch of Jacob F Ol West 5. as to a threfore Thence I ter of the containing Wanato S d Pasture,	chains to the southeast of the records of deeds for of said property 1.318 chains to a low the southwest corner of the southwest corner of the southwest corner chains to a point 16.25 chammer claim #48 thence 6.282 chains to a 3/4 incharce-quarter inch pipe the chreek which point is .3 East .50 of a chain to a laim thence South 0° 01 and a laim thence South 0° 01 and a laim theory of the south of the chreek which point is .3 East .50 of a chain to a laim thence South 0° 01 and a laim theory of the south of	and running along the corner of the property Benton County, Oregon mains to an iron in center line south 21° leaf spring on the of said Hawley claim #mains south 0° 01 east east 22,763 chains to a pipe; thence South ence South 0° 01 West 32 of a chain south of three-quarter inch pipest 23.107 chains to ore or less. Trans theoretical horsepout
west of the South line is described in thence north the center in 15 West 3.6; west line as thence north of the North iron bar the 89° 17 East 10.62 Chains a three-quasion the East the place of (a) Chairs on the East the place of (b) Kin ower or Mining 9. (a) Total (b) Quantity (c) Total (c) Total (d) Chairs (d) Quantity (d) Quantity (e) Total (f) Quantity (f) Total (f) Total (f) Quantity (f) Total (f) Total (f) Quantity (f) Total (f) Quantity (f) Total (f) Quantity (f) Total (f) Quantity (f) Quantity (f) Total (f) Quantity (f) Quan	Williamette man to the series of said along the series of said and helical chairs and helical chairs to the center inch pipe libe of said to the center inch pipe libe of said to the center inch pipe and of crops raised Purposes—al amount of positive of water in the series of said amount of positive of water in the series of said amount of positive of water in the series of said amount of positive of water in the series of said amount of positive of water in the series of said to be utilized.	meridian, I st 24.624 cage 28 of the ast line of county road north 71 ins north of Jacob Followest 5. as to a three of the containing Wanato State of the de Thence I de Thenc	chains to the southeast of the records of deeds for of said property 1.318 chains to a low the southwest corner of the southwest to a 3/4 incharge chains to a 3/4 incharge chreek which point is .3 East .50 of a chain to a laim thence South 0° 01 is 114.16 acres of land not silty Clay Loam Hay Silage, Corn, Seed of the southwest corner of t	and running along the corner of the property Benton County, Oregon mains to an iron in center line south 21° leaf spring on the of said Hawley claim #mains south 0° 01 east east 22,763 chains to a pipe; thence South ence South 0° 01 West 32 of a chain south of three-quarter inch mixes 23.107 chains to ore or less. Trans theoretical horsepouted. ft.
west of the South line is described in thence north the center in 15 West 3.6; west line as thence north of the North iron bar the 89° 17 East 10.62 Chains a three-quasion the East the place of (a) Chairs a three for the place of (b) Kin ower or Mining 9. (a) Total (b) Quality (c) Total (d) The	Williamette mage 18 89° 32 West and Book 86, Par along the eline of said 35 chains and delia chairs and delia corner ence North 0° 15.012 chairs to the centrer inch pip libe of said to beginning, racter of soil dof crops raised Purposes—al amount of positive of water to the delia contity of water to the delia contity of water to the delia contity of the delia	meridian, ist 24.624 of age 28 of the ast line of county road north 71 ins north of Jacob Follwest 5. Ins to a three of the containing Wanato State of the containing wanato State of the containing wars of t	chains to the southeast of the records of deeds for of said property 1.318 chains to a feet the southwest corner of the southe	and running along the corner of the property Benton County, Oregon mains to an iron in center line south 21° leaf spring on the of said Hawley claim # mains south 0° 01 east east 22,763 chains to a pipe; thence South ence South 0° 01 West 32 of a chain south of three-quarter inch mixes 23.107 chains to bre or less. Trans theoretical horsepoured.
west of the South line is described in thence north the center in 15 West 3.6; west line as thence north of the North iron bar the 89° 17 East 10.62 Chains a three-quasion the East the place of (a) Chairs on the East the place of (b) Kindower or Mining 9. (a) Total (b) Quality (c) Total (d) The (e) Suc	Williamette mage to the content of said and the list corner ence North of 15.012 chairs to the center inch pip libe of said the center inch pip libe of said the center of soil and of crops raised Purposes—al amount of positive of water the list of the util the nature of the util the nature of the util the works to be least to the center inch pip libe of said the list of the util the nature of the util the nature of the util the works to be least to the center inches the util the nature of the util the nature of the util the works to be least to the util the	meridian, I st 24.624 cage 28 of the ast line of county road north 71 ins north of Jacob FOI West 5.0 as to a three of the containing Wanato State of the containing works by meaning works by works by meaning works by works by works by works by works by works by meaning works by wor	chains to the southeast of the records of deeds for of said property 1.318 chains to a said property 1.318 chains to a soft the southwest corner of the south of the chreek which point is a seast .50 of a chain to a laim thence South of the southwest of	and running along the corner of the property Benton County, Oregon mains to an iron in center line south 21° leaf spring on the of said Hawley claim # mains south 0° 01 east east 22,763 chains to a pipe; thence South ence South 0° 01 West 32 of a chain south of three-quarter inch mixes 23.107 chains to ore or less. Trans theoretical horsepoured.
west of the South line is described in thence north the center is 15 West 3.6; west line as thence north of the North iron bar the 89° 17 East 10.62 Chains a three-quant on the East the place of (a) Chairs on the East the place of (b) Kin ower or Mining 9. (a) Total (b) Quant (c) Total (d) The (e) Suc	Williamette man to the series of said so that is a corner ence North of 15.012 chairs to the centrer inch pip libe of said seginning, racter of soil	meridian, I st 24.624 cage 28 of the ast line of county road north 71 ins north of Jacob Followest 5. Ins to a three of the containing Wanato State of the containing works by medicated in the containing works by m	chains to the southeast of the records of deeds for of said property 1.318 chains to a feet the southwest corner of the south of the chains to a 3/4 incharge chains to a 3/4 incharge chains to a 3/4 incharge chains to a stain to a laim thence South of the south	and running along the corner of the property Benton County, Oregon mains to an iron in center line south 21° leaf spring on the of said Hawley claim # mains south 0° 01 east east 22,763 chains to a pipe; thence South ence South 0° 01 West 32 of a chain south of three-quarter inch mixes 23.107 chains to bre or less. Trans theoretical horsepoured.
west of the South line is described in thence north the center in 15 West 3.6; west line as thence north of the North iron bar the 89° 17 East 10.62 Chains a three-quasion the East the place of (a) Chains on the East the place of (b) Kin ower or Mining 9. (a) Total (b) Qual (c) Total (d) The (e) Successive (e) Successive (f) Is use of the place of (a) Chains (b) Qual (c) Total (d) The (e) Successive (e) Successive (f) Is use of the south of th	Williamette mage to 89° 32 West a Book 86, Para Book 86, P	meridian, I st 24.624 cage 28 of the ast line of county road north 71 ins north of Jacob Foll West 5.0 as to a three of the ce Thence I de	chains to the southeast of the records of deeds for of said property 1.318 chains to a feet the southwest corner of the southwest of the so	and running along the corner of the property Benton County, Oregon mains to an iron in center line south 21° leaf spring on the of said Hawley claim #mains south 0° 01 east east 22,763 chains to a pipe; thence South ence South 0° 01 West 32 of a chain south of three-quarter inch mixes 23.107 chains to ore or less. Trans theoretical horsepoured.
west of the South line is described in thence north the center is 15 West 3.6; west line at thence north of the North iron bar the 89° 17 East 10.62 Chains a three-quant on the East the place of (a) Chains on the East the place of (b) Kin ower or Mining 9. (a) Total (b) Quant (c) Total (d) The (e) Suc (e) Suc (f) Is u (g) If suc	Williamette mage to the series of said along the series of said and helical chairs and helical chairs and helical chairs are to the center inch pipelibe of said to the center inch pipelibe intity of water to be util to the util to the center inch pipelibe in the center inch pipelibe inch pipelibe in the center inch pipelibe in t	meridian, I st 24.624 cage 28 of the ast line of county road north 71 ins north of Jacob Followest 5. as to a three of the containing Wanato State of the c	chains to the southeast of the records of deeds for of said property 1.318 chains to a feet the southwest corner of the south of the chains to a 3/4 incharge chains to a 3/4 incharge chains to a 3/4 incharge chains to a stain to a laim thence South of the south	definition along the corner of the property Benton County, Oregon mains to an iron in center line south 21° leaf spring on the of said Hawley claim # mains south 0° 01 east east 22,763 chains to a pipe; thence South ence South 0° 01 West 32 of a chain south of three-quarter inch pipest 23.107 chains to ore or less. Trans theoretical horsepower. It is developed the developed the contract of Sec.

n, or its populations in case of rotation with other water users, from Hammer Creek

second or its equivalent for each acre irrigated and shall be further limited to a diversion of

not to exceed 21 acre feet per acre for each acre irrigated during the irrigation

ng emplication and do hereby grant the same,

and shall

1, 1959.

ENGINEER

State Printing 8634

one and conditions:

ted to the amount of water which can be applied to beneficial use

cubic feet per second measured at the point of diversion from the

Application No. 28. Permit No. 22

PERMIT

र्पुरुष्टि रहे हैं र जिस

		reasonable rotation sy				
thereafter Con	be prosecuted wi	vork shall begin on or ith reasonable diligent of the water to the pr	ce and be co	mpleted o	n or before Octo	ober 1, 19 🎫 . e October 1, 19
Application No. 28641. Permit No. 22551	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 22 — day of July 1953, at 3:40 o'clock P. M.	Returned to applicant:	Approved:	Recorded in book No. 25.5.51	CHAS. E. STRICKLIN STATE ENGINEER