Permit No. 22621

	Waters of the State of Oregon
7	
State of Designer.	do hereby make application for a permit to appropriate the
following described public	waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a	corporation, give date and place of incorporation
1. The source of the	proposed appropriation is manamed small stream (Name of stream)
***************************************	, a tributary of Chatgo River
	ater which the applicant intends to apply to beneficial use is
cubic feet per second	(R water is to be used from more than one source, give quantity from each)
**3. The use to which	the water is to be applied is
	ersion is located 1240 ft. H and 1400 ft. H from the SE (N. or S.) Township 41 South, Range 13 Heat (Section or subdivision)
(If there is m	(If preferable, give distance and bearing to section corner) serve than one point of diversion, each must be described. Use separate sheet if necessary)
	Of the SE of Sec. 5. Tp. 41 8. (Give smallest legal subdivision)
	the county of
5. Thepipe	Miles or feet (Miles or feet)
	he
	the proposed location being shown throughout on the accompanying map.
	DESCRIPTION OF WORKS
Diversion Works—	
	m feet, length on top feet, length at bottom
feet; mat	terial to be used and character of construction
	of the stream from which water will be pumped
	headgate
(c) If water is to be	e pumped give general description Household type pump and
pressure t	ank (electric) line and type of engine or motor to be used, total head water is to be lifted etc.)
VIII	

1-41-01

^{*}A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities must be made to the electric Commission. Bither of the above forms may be secured, without cost, together with instructions by addressing the State Engineer. Salen

			•	
iond feet.	fout; daysh of u	piter	feet; grade	feet fall per
	so the east one by request, are east, as p	miles from h	eadgate: width on top (at	water line)
	feet; width on b	otiom	feet; dep:1	h of water .
de	feet fall	l per one thou	isand feet.	
(c) Lengt	h of pipe, 70	jt.	; size at intake.	in.; size at 19
m intake	3/4 in.;	. size at place	of use 3/4 in	n.; difference in elevation bet u
ake and place	of use. 30	ft.	Is grade uniform? RO	Estimated capuc
* *	sec. ft.			
8. Location	m of area to be i	irrigat ed , or p	lace of use	•••
Township North or South	Range B. or W. of Will-motte Meridian	Section	Forty-acre Tract	Number Acres To Be Irrusted
ALS BOCK	13V	on of lan	NW of SE	pplication for water
7 . 7 . 4.2	it. Taken	from dood	record.	
والأراد فستستر المسترا		not of la		
13 W Begi U. 4 1960	to gotthens est, V. K., ming at a . Highway 1 .4 Soot Syo	t Quarter Ourry Co point; on Ol, said m the See	of Section 5, To ounty, Oregon; the Easterly rig point being North tion corner commo	waship 41 South, Rangett of way boundary of 1928.8 feet and Weston to Sections 4, 5,
13 W Begi U. 4 1960	be gotthens est, V. H., wring at a . Highway l .4 feet fro B. said for	t Quarter Curry Co points on Cl. said a the See makin and	of Section 5, To ounty, Oregon; the Easterly rig point being North tion corner common Range;	waship 41 South, Ranget of way boundary of 1928.8 feet and West at to Sections 4, 5,
13 W Begi U. & 1060 and Then Then	be gotthens est, V. H., ming at a . Highway 1 .4 feet fre 0, said for 00 South 67 00 South 47	Guarter Gurry Co points on Ol, said m the See makin and deg. CO deg. 17	of Section 5, To unty, Oregon; the Easterly rig point being North tion corner common Range; min. East 137.8 if min. East 53.5 fe min. West 140.7 if	waship 41 South, Range of way boundary of 1938.8 feet and Weston to Sections 4, 5, 8 set; set; set; set. more or bhan to
13 W Begi U. & 1060 and Then Then	be gotthens est, V. H., ming at a . Highway 1 .4 feet fre 0, said for 00 South 67 00 South 47	Guarter Gurry Co points on Ol, said m the See makin and deg. CO deg. 17	of Section 5, To unty, Oregon; the Easterly rig point being North tion corner common Range; min. East 137.8 if min. East 53.5 fe min. West 140.7 if	waship 41 South, Range of way boundary of 1938.8 feet and Weston to Sections 4, 5, 8 set; set; set; set. more or bhan to
13 W Begi U. & 1966 and Then Then Then poin	be gotthens est, V. M., ming at a . Highway l .4 feet fro b, said for be Nepth 50 ce South 47 ce South 48 t en the Ra	Ourry Co points on Cl. said a the See makin and deg. CO deg. 17 deg. 43 aterly ri	of Section 5, To unty, Oregon; the Easterly rig point being North tion corner common Range; min. East 137.8 f min. East 137.8 f min. East 140.7 f aght of way bounds where boundary Ho	waship 41 South, Ranget of way boundary of 1928.8 feet and West and West to Sections 4, 5, 20 et; set, more or bass, to ary of U. S. Highway orth 44 dec. ~2 min.
Pegi U. & 1960 and Then Then Then 71.2 8AVE	be gotthens est, W. M., uning at a . Highway 1 .4 feet fre 6, said for 60 North 50 60 South 47 60 South 48 8 on the Ba 60 fellowing feet, more AND EXCEPT	Curry Co points on Ol, said a the See mahip and deg. CO deg. 17 deg. 43 sterly ri g said hi or less, TRU there	of Section 5, To unty, Oregon; the Easterly rig point being North tion corner common Range; min. East 137.8 f min. East 53.5 fe min. West 140.7 f ght of way bounds ghway boundary No to the point of efrom existing ros	waship 41 South, Ranget of way boundary of 1928.8 feet and West and West to Sections 4, 5, 20 et; set, more or bass, to ary of U. S. Highway orth 44 dec. ~2 min.
Pegi U. & 1960 and Then Then Then 71.2 8AVE	be gotthens est, W. M., uning at a . Highway 1 .4 feet fre 6, said for 60 North 50 60 South 47 60 South 48 8 on the Ba 60 fellowing feet, more AND EXCEPT	Quarter Ourry Constitute on the See Mahip and deg. CO deg. 17 deg. 43 deg. 45	of Section 5, To unty, Oregon; the Easterly rig point being North tion corner common Range; min. East 137.8 f min. East 137.8 f min. East 140.7 f aght of way bounds where boundary Ho	waship 41 South, Ranget of way boundary of 1928.8 feet and West and West to Sections 4, 5, 20 et; set, more or bass, to ary of U. S. Highway orth 44 dec. ~2 min.
Beging Park Park Park Park Park Park Park Park	be gotthens est, W. M., uning at a . Highway 1 .4 feet fre 6, said for 60 North 50 60 South 47 60 South 48 8 on the Ba 60 fellowing feet, more AND EXCEPT	Ourry Co points on Ol, maid a the See Mahip and deg. CO deg. 17 deg. 43 sterly ri g said hi Or less, ING there	of Section 5, To waty, Oregon; the Easterly rig point being North tion corner common Range; min. East 137.8 f min. East 137.8 f min. East 137.8 f min. West 140.7 f ght of way bounds ghway boundary Ho from existing ros ore or less.	waship 41 South, Ranget of way boundary of 1928.8 feet and West and West to Sections 4, 5, 20 et; set, more or bass, to ary of U. S. Highway orth 44 dec. ~2 min.
Beging U. & 1960 and Then Then point Then 71.3 SAVE Cont	be gotthene est, W. M., ming at a Highway 14 feet from the form the form the form the form the form the fact, more AND EXCEPT aining 0.30	Guarter Gurry Co points on Ol, said m the See mahip and deg. CO deg. 17 deg. 43 aterly ri g said hi or less, ING there aere, mo	of Section 5, To unty, Oregon; the Easterly rig point being North tion corner common Range; min. East 137.8 f min. East 53.5 fe min. West 140.7 f ght of way boundary No to the point of from existing rose ore or less.	waship 41 South, Ranget of way boundary of 1928.8 feet and West and West to Sections 4, 5, 20 et; set, more or bass, to ary of U. S. Highway orth 44 dec. ~2 min.
la William Registration of the Registration of	be gotthens est, W. M., ming at a . Highway 1 .4 feet from b, said for be South 47 be South 48 t en the Ra ce fellowin feet, more AND EXCEPT airing 9.30 haracter of soil ind of crops raise	Guarter Gurry Co points on Ol, said m the See mahip and deg. CO deg. 17 deg. 43 aterly ri g said hi or less, ING there aere, mo	of Section 5, To unty, Oregon; the Easterly rig point being North tion corner common Range; min. East 137.8 f min. East 53.5 fe min. West 140.7 f ght of way boundary No to the point of from existing rose ore or less.	waship 41 South, Ranget of way boundary of 1928.8 feet and West and West to Sections 4, 5, 20 et; set, more or bass, to ary of U. S. Highway orth 44 dec. ~2 min.
la William I was a second of the continuous of t	be gotthens est, W. M., ming at a . Highway 1 .4 feet fre b, said for be South 47 be South 48 a the Ra ce fellowin feet, more AND EXCEPT alaing 9.30 haracter of soil ind of crops raise g Purposes—	Curry Co points on Cl. maid a the See mahip and deg. CO deg. 17 deg. 43 sterly ri g said hi cr less, ING there acre, mo	of Section 5, To unty, Oregon; the Easterly rig point being North tion corner common Range; min. East 137.8 f min. East 53.5 fe min. West 140.7 f ght of way boundary No to the point of from existing rose ore or less.	waship 41 South, Ranget of way boundary of 1928.8 feet and West and West to Sections 4, 5, 20 et; set, more or bass, to ary of U. S. Highway orth 44 dec. ~2 min.
Then Then Then Then Then Then Then Then	be gotthens est, W. M., ming at a . Highway 1 .4 feet free b, anid for be South 47 es South 48 t en the Ha es fellowin feet, more AND EXCEPT aining 0, 20 haracter of soil ind of crops raise g Purposes— otal amount of pe	Ourry Co points on Ol, maid m the See mahip and deg. CO deg. 17 deg. 43 aterly ri g said hi or less, INO there ed.	of Section 5, To unty, Oregon; the Easterly rig point being North tion corner common Range; min. East 137.8 if min. East 53.5 fe min. West 140.7 if ght of way boundary No to the point of of or less. Prequired, attach separate sheet)	t of way boundary of 1928.8 feet and West in to Sections 4, 5, set; set; set, more or bass, to ary of U. S. Highway orth 44 deg. ~2 min. beginning.
la William I was a second of the second of t	ming at a lighway 1 .4 feet free for for the form of feet and feet	Ourry Co points on Oi, said a the See mahip and deg. CO deg. 17 deg. 43 aterly ri g said hi or less, ING there currents ed ower to be de	of Section 5, To waty, Oregon; the Easterly rig point being North tion corner common Range; min. East 137.8 if min. East 53.5 fe min. West 140.7 if ght of way boundary No to the point of offon existing ros ore or less.	the reteal horses see ft.
la William I was a second of the second of t	ming at a lighway 1 .4 feet from 1 .	Ourry Co yours on Ourry Co yours on Ol, said a the See makip and deg. CO deg. 17 deg. 43 aterly ri g said hi Or less, ING there ower to be de to be used for ilized	of Section 5, To waty, Oregon; the Easterly rig point being North tion corner common Range; min. East 137.8 f min. East 53.5 fe min. West 140.7 f ght of way bounds ghway boundary Ho to the point of from existing ros ore or less.	the retail becomes the retail becomes
la We lead in the late of the	ming at a lighway 1 .4 feet from 1 .	Ourry Co yours on Ourry Co yours on Ol, said a the See makip and deg. CO deg. 17 deg. 43 aterly ri g said hi Or less, ING there ower to be de to be used for ilized	of Section 5, To waty, Oregon; the Easterly rig point being North tion corner common Range; min. East 137.8 femin. East 137.8 femin. West 140.7 femin. West 140.7 femin. West 140.7 femin. West 140.7 femin. To the point of from existing rose or less. The required, attach separate sheet) The power femines of the power femin	the retail becomes the retail becomes
la We lead to the late of the	ming at a lighway 1 . 4 feet from 1 . 4 feet from 1 . 5 ce	Ourry Co points on Ol, maid a the See makip and deg. CO deg. 17 deg. 43 aterly ri g said hi or less, ING there ed ower to be de to be used for ilized works by med	of Section 5, To waty, Oregon; the Easterly rig point being North tion corner common Range; min. East 137.8 femin. East 53.5 femin. West 140.7 femin. West 140.7 femin. West 140.7 femin. To the point of from existing rose or less. **required, attach separate sheet) **weloped** **mus of which the power is	the retail heren to be developed
la We lead to the late of the	ming at a lighway 1 . Seet from 1 . Seet from 1 . Seet from 1 . See forth 47 . See forth 48 . See following feet, more 1 . See following 9 . See following 9 . See following 9 . See following 1 . See following 1 . See following 9 . See following 1	Ourry Co points on Oirry Co points on Oi, maid a the See makip and deg. CO deg. 17 deg. 43 aterly ri g said hi Or less, ING there ower to be de to be used for dilized works by med located in	of Section 5, To waty, Oregon; the Easterly rig point being North tion corner commo Range; min. East 137.8 f min. East 137.8 f min. West 140.7 f ght of way boundary No to the point of from existing ros ore or less. The required, attach separate sheet) weloped the power (Less subdivision)	the retail becomes the retail becomes
la William I was a second of the second of t	ming at a lighway 1 . Seek from 1 . Seek fro	Ourry Co points on Oirry Co points on Oi, said a the See makip and deg. CO deg. 17 deg. 43 aterly ri g said hi or less, ING there ower to be de to be used for ilized works by med located in z or w)	of Section 5, To waty, Oregon; the Easterly rig point being North tion corner common Range; min. East 137.8 f min. East 137.8 f min. West 140.7 f ght of way boundary No to the point of from existing ros ore or less. Prequired, attach separate sheet) weloped The the control of which the power is (Legal subdivision) M.	the retail heren to be developed
la William I was a second of the second of t	ming at a ming at a ming at a ming at a more for soil and of crops raise g Purposes—otal amount of punantity of water otal fall to be util the nature of the mature of the ming a	Ourry Co points on Oirry Co points on Oi, maid a the See makip and deg. CO deg. 17 deg. 43 aterly ri g said hi or less, ING there ded. (If more speciallized works by med located in """ "" "" "" "" "" "" "" "" "" "" ""	of Section 5, To waty, Oregon; the Easterly rig point being North tion corner commo Range; min. East 137.8 f min. East 137.8 f min. West 140.7 f ght of way boundary No to the point of from existing ros ore or less. The required, attach separate sheet) weloped the power (Less subdivision)	the retail heren to be developed

(i) The nature of the mines to be served

STATE ENGINEER

	A plantile to be supplied One Like this is and Optional 1/1983 Med on or before October 1, 1954 Rad to the proposed use on or before databer 1, 1954
	Quarell O. meso:
This vater will	be sused to supply domestic nesses of a
small equipreial garm	e located on U. S. Highway 101
e e distribuir e a comment de la commentación de la	

the second control of	
•	
	
	•
-	
STATE OF OREGON,	
County of Marion,	
	•
This is to certify that I have examin	ed the foregoing application, together with the accompanyi
maps and data, and return the same for	
	pplication must be returned to the State Engineer, with corre
•	
None on or before	, 19
WITNESS met hand this	day of, 19

Application No. 2226.0....

Permit No. 22621

1	2		
1	į		
1	î	•	

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 3rd day of September.

••
c applicant:
yg Selici
c at
ed t
Returned to
Ret

January 22, 1954

Approved:

State Printing 66340

CHAS. E. STRICKLIN STATE ENGINEER Recorded in book No. 58. Permits on page

m and do hereby grant the same, conditions:

can be applied to beneficial use

The state of the s	Bers, from
The use to which this water is to be applied isdomest.	ic and use in a repair shop
If for irrigation, this appropriation shall be limited to	•
second or its equivalent for each acre irrigated	

•	
***************************************	·
and shall be subject to such reasonable rotation system as may	
The priority date of this permit isS	eptember 3, 1953
Actual construction work shall begin on or before	January 22, 1955 and shall
thereafter be prosecuted with reasonable diligence and be con	npleted on or before October 1, 19 55.
Complete application of the water to the proposed use sh	nall be made on or before October 1, 1950
WITNESS my hand this 22nd day of	January 19 54
	STATE FORDER