and the second

## Public Waters of the State of Oregon

Character and an	
	make application for a permit to appropriate the
Mounting described public weters of the State of Oregon	, Subject to existing rights:
If the applicant is a corporation, give date and place	ce of incorporation
	A. 33 . A . 4
1. The source of the proposed appropriation is	Manne of stream)
	of Willamette River
2. The amount of water which the applicant intend	
ubic feet per second	a more than one source, give quantity from each)
**3. The use to which the water is to be applied is	_
4. The point of diversion is located ft.	and ft. from the
orner of Portable pump on any point on a	• • • • • • • • • • • • • • • • • • • •
escribed herein. Momment in central location	r subdivision)
ngle corner on west line of Henry Hoble D.L.	C. MO. DZ. AND. CAS. R. D.N. N. M.
	ve 200
(If preferable, give distance and be	aring to section corner)
(If preferable, give distance and be  (If there is more than one point of diversion, each must be eing within the S.E. 2 of the M.W. 2  (Give smallest legal subdivision)	aring to section corner)  e described. Use separate sheet if necessary)
(If there is more than one point of diversion, each must be	of Sec. 17, Tp. 14 S.,
(If there is more than one point of diversion, each must be eing within the S.E. tof the M.V. to (Give smallest legal subdivision)  1. 5 W.s. , W. M., in the county of Benton (E. er W.)	e described. Use separate sheet if necessary)  of Sec. 17 , Tp. 14 S., (N or S.)
(If there is more than one point of diversion, each must be seing within the S.E. 2 of the M.V. 2  (Give smallest legal subdivision)  2. 5 We 9, W. M., in the county of Benton  (E. er W.)  5. The	aring to section corner)  o described. Use separate sheet if necessary)  of Sec. 17., Tp. 14. S., (N or S.)
(If there is more than one point of diversion, each must be seing within the S.E. Of the M.V. 1  (Give smallest legal subdivision)  2. 5 W., W. M., in the county of Benton (E. er W.)  5. The (Main ditch, canal or pipe line)  n length, terminating in the (Smallest legal subdivision)	aring to section corner)  described. Use separate sheet if necessary)  of Sec. 17 , Tp. 14 S., (N or S.)  to be  (Miles or feet)  of Sec. , Tp (N or S.)
(If there is more than one point of diversion, each must be eing within the S.E. Of the M.V. 1  (Give smallest legal subdivision)  2. 5 W., W. M., in the county of Benton (E. er W.)  5. The (Main ditch, canal or pipe line)  n length, terminating in the (Smallest legal subdivision)	aring to section corner)  a described. Use separate sheet if necessary)  of Sec. 17 , Tp. 14 S., (N or S.)  to be  (Miles or feet)  of Sec. , Tp
(If there is more than one point of diversion, each must be seing within the S.E. Of the M.V. 1  (Give smallest legal subdivision)  2. 5 W., W. M., in the county of Benton (E. er W.)  5. The (Main ditch, canal or pipe line)  n length, terminating in the (Smallest legal subdivision)	aring to section corner)  described. Use separate sheet if necessary)  of Sec. 17 , Tp. 14 S., (N or S.)  to be  (Miles or feet)  of Sec. , Tp. , N or S.
(If there is more than one point of diversion, each must be eing within the S.E. of the M.V. 1  (Give smallest legal subdivision)  L. 5 W., W. M., in the county of Benton (E. er W.)  5. The (Main ditch, canal or pipe line)  In length, terminating in the (Smallest legal subdivision)  R, W. M., the proposed location being so (E. er W.)  DESCRIPTION (Diversion Works—	aring to section corner)  described. Use separate sheet if necessary)  of Sec. 17 , Tp. 14 S., (N or S.)  to be  (Mules or feet)  of Sec. , Tp  N or S.  chown throughout on the accompanying map.
(If there is more than one point of diversion, each must be eing within the S.E. Of the M.V. 2  (Give smallest legal subdivision)  2. 5 W.s. , W. M., in the county of Benton  (E. er W.)  5. The (Main ditch, canal or pipe line)  In length, terminating in the (Smallest legal subdivision)  2 , W. M., the proposed location being so (E. er W.)	aring to section corner)  described. Use separate sheet if necessary)  of Sec. 17 , Tp. 14 S., (N or S.)  to be  (Mules or feet)  of Sec. , Tp  N or S.  chown throughout on the accompanying map.
(If there is more than one point of diversion, each must be eing within the S.E. of the M.V. 1  (Give smallest legal subdivision)  L. 5 W., W. M., in the county of Benton (E. er W.)  5. The (Main ditch, canal or pipe line)  In length, terminating in the (Smallest legal subdivision)  R, W. M., the proposed location being so (E. er W.)  DESCRIPTION (Diversion Works—	aring to section corner)  a described. Use separate sheet if necessary)  of Sec. 17 , Tp. 14 S., (N or S.)  to be (Miles or feet)  of Sec. , Tp. (N or S.)  shown throughout on the accompanying map.  OF WORKS  th on top feet, length at bottom of construction
(If there is more than one point of diversion, each must be eing within the S.E. of the M.V. 1  (Give smallest legal subdivision)  2. 5 W., W. M., in the county of Benton (E. er W.)  5. The (Main ditch, canal or pipe line)  In length, terminating in the (Smallest legal subdivision)  2	aring to section corner)  a described. Use separate sheet if necessary)  of Sec. 17 , Tp. 14 S., (N or S.)  to be (Miles or feet)  of Sec. , Tp. (N or S.)  shown throughout on the accompanying map.  OF WORKS  th on top feet, length at bottom of construction
(If there is more than one point of diversion, each must be eing within the S.E. of the M.V. 1  (Give smallest legal subdivision)  L. 5. W. 9	aring to section corner)  described. Use separate sheet if necessary)  of Sec. 17 , Tp. 14 S., (N or S.)  to be  (Miles or feet)  of Sec. , Tp. (N or S.)  shown throughout on the accompanying map.  OF WORKS  th on top feet, length at bottom of construction (Loose rock, concrete masons)
(If there is more than one point of diversion, each must be eing within the S.E. of the M.V. 1  (Give smallest legal subdivision)  L. 5. W.,	aring to section corner)  described. Use separate sheet if necessary)  of Sec. 17 , Tp. 14 S., (N or S.)  to be (Miles or feet)  of Sec. , Tp. (N or S.)  shown throughout on the accompanying map.  OF WORKS  th on top feet, length at bottor of construction (Loose rock, concrete masons)
(If there is more than one point of diversion, each must be eing within the S.E. of the M.V. 1  (Give smallest legal subdivision)  L. 5. W.,	aring to section corner)  a described. Use separate sheet if necessary)  of Sec. 17 , Tp. 14 S., (N or S)  to be  (Miles or feet)  of Sec. , Tp. (N or S)  shown throughout on the accompanying map.  OF WORKS  th on top feet, length at bottom of construction (Loose rock, concrete masons)  ber, concrete, etc., number and size of openings)

<sup>\*</sup>A different form of application is provided where storage works are contemplated.

	William Co.	mp fat wat	97 Rine)	feet; width on bo
			feet; grade	feet fall per
(h) #===		miles from	headgate: width on top (at.wate	r line)
	feet; width on b	ottom	feet; depth of w	oater
-	foot fall			
			t.; size at intake, 4"	:
		•	of usein.; dif	
		7t.	Is grade uniform? Les	Estimated capa
8. Location		rrigated, or	place of use	
Township	Range B. er V. ef	Section	Furty-acre Tract	!
North or South	Willemette Muridian		Pury-see Tries	Number Acres To Be Irrigate
14 S.	5 V.	17	N.W. 1 of N.W. 1	2.4
			N.E. + of N.W. +	0.5
***************************************			S.W. ± of N.W. ±	14.1
			S.E. 1 of N.W. 1	8.0
,				
operty on a		s to be a	oplied is that more explic	itly described by
		Warner Nati	har and Wife Tond Carin N	ر مار در المار
uth, Range	5 West, Will	amette Me	ble and Wife Land Claim No ridian lying West of the m	ain channel of
ddy oreek				
		(If more spec	ce required, attach separate sheet)	
(a) Cha	racter of soil		and Carlton Silty Clay Los	<u></u>
(b) Kin	d of crops raised	Pastur	re, Siluge	
er or Mining	Purposes—			
9. (a) Tota	al amount of por	wer to be de	veloped	theoretical horsepo
(b) Qua	intity of water t	o be used for	r powersec	. ft.
(c) Tota	ıl fall to be utili	zed	feet.	
			ins of which the power is to be o	leveloped
***************************************	*******************************	**************		•
(e) Suc	h works to be lo	cated in		of Con
	R	. 100	(Legal subdivision)	of sec
	, R	-		
			(Yes or No)	
			oint of return	
*****************		Sec	, Tp(No. N. or S.)	, R, W

Resolution  Resolu		
Remotive will be completely applied to the proposed use on or before September 1, 199		
Remotive will be completely applied to the proposed use on or before September 1, 199		September 200
Remotive will be completely applied to the proposed use on or before September 1, 199		Action delicated has Ann. Lan. manuscript and
Remotive will be completely applied to the proposed use on or before September 1, 199		Second to be suppass
Remotive will be completely applied to the proposed use on or before September 1, 199		
Remotive will be completely applied to the proposed use on or before September 1, 199		
Remotive will be completely applied to the proposed use on or before September 1, 199		pjone
Remotive will be completely applied to the proposed use on or before September 1, 199		on or before Shittamber 1, 1955
Short Faikin		•
	Ave the busy will be conquery approx :	the proposed use on or before Septamour 1,
	<b>\</b>	
		Harold Larkin
		(getregns & abigment)
		<del></del>
	ACTION AND ADDRESS OF THE PARTY	100 to day (no no set se no
		>>++++++++++++++++++++++++++++++++++++
	g grande de la companya de la compa	
	***************************************	······································
	1944 - M. GAMES	
		•••••••••••••••••••••••••••••••••••••••
		······································
•		
•		
•		
•		
•	TATE OF OREGON,	
•	County of Marion,	
•		he foregoing application to sell as suite 49
TTE OF OREGON, County of Marion,		
•	aps and data, and return the same for	
TTE OF OREGON, County of Marion,	In order to retain its priority, this applie	cation must be returned to the State Engineer, with a
TE OF OREGON, as.  County of Marion,  This is to certify that I have examined the foregoing application, together with the accompany and data, and return the same for		
This is to certify that I have examined the foregoing application, together with the accompany and data, and return the same for	one on or before	, 19

STATE ENGINEER

is in ease of rotation with other water users, from Minddy Crock

The use to which this water is to be applied is \_\_\_\_\_irrigation

If for irrigation, this appropriation shall be limited to \_\_\_\_\_\_\_ of one cubic foot per

second or its equivalent for each acre irrigated and shall be further limited to a diversion of

not to exceed 22 acre feet per acre for each acre irrigated during the irrigation

poing application and do hereby grant the same,

and shall

Fire prid 15.00

State Printing 86340

the amount of water which can be applied to beneficial use

cubic fast per second measured at the point of diversion from the

Application No. 281

	of each year.						
The Act	priority date of the	reasonable rotation sys	Sept before Jar	tember 11,	<b>1953</b> 955	a	nd shal
Con	nplete application	th reasonable diligence of the water to the pro his	posed use sha				
Application No. 28776 Permit No. 22625	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 11 the day of September, 1953, at 4.22 o'clock M.	Returned to applicant:	Approved: January 22, 1954,	Recorded in book No. 58 of Permits on page	CHAS. E. STRICKLIN STATE ENGINEER	