

To appropriate the Public Waters of the State of Oregon

I, Richard A. ... and ...
of Rte. 1 Box 124, Harbort, Oregon
State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation.

1. The source of the proposed appropriation is Unnamed spring on my own property and undammed, a tributary of Chehalis Creek
(Name of stream)

2. The amount of water which the applicant intends to apply to beneficial use is 0.31 C.F.S.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation and domestic use. .02 C.F.S. for domestic use. 0.29 C.F.S. for irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 45 ft. SW and -ft- from the NE
(N. or S.) (E. or W.)
corner of SE 1/4 of SE 1/4 of Section 36 Twp. 28, Range 3W, WM
(Section or subdivision)
Domestic Use 1290± N and 1350± W of SE Cor. Sec. 36 T28 R3W
Irrigation Use 320± N and 1100± W of SE Cor. Sec. 36 T28 R3W

(If preferable, give distance and bearing to section corner)

being within the NE 1/4 of SE 1/4 of SE 1/4 of SE 1/4 of Sec. 36 Twp. 28
(Give smallest legal subdivision) (N. or S.) (E. or W.)
R. 3W, W. M., in the county of Yamhill
(E. or W.)

5. The Pipeline to two houses 200 ft. and 800 ft.
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the SE 1/4 of SE 1/4 of SE 1/4 of SE 1/4 of Sec. 36 Twp. 28
(Smallest legal subdivision) (N. or S.)
R. 3W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 17 feet, length on top 130 feet, length at bottom 22 feet; material to be used and character of construction earth fill, with sod and rubble masonry wasteway
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate 8" gate valve set in concrete
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description One 5 hp. electric centrifugal portable. 50 gpm. 10 five gpm sprinklers for irrigation. For domestic use 1/2 hp. electric centrifugal.
(Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

1. (a) ~~Headgate~~ ~~is~~ ~~the~~ ~~same~~ ~~as~~ ~~the~~ ~~one~~ ~~at~~ ~~the~~ ~~headgate~~; ~~materially~~ ~~changed~~ ~~in~~ ~~size~~, ~~stating~~ ~~miles~~ ~~from~~ ~~headgate~~. ~~At~~ ~~headgate~~: width ~~on~~ ~~top~~ (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe _____ ^{to house} ~~to house~~ _____ ft. at intake, 1 1/2 in.; size at 1 inch _____ ft. rest of the way from intake _____ in.; size at place of use 1 in.; difference in elevation between intake and place of use, 91 ft. Is grade uniform? fairly Estimated capacity, _____ sec. ft.

8. Location of area to be irrigated, or place of use 25 acres

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
2S	3W	36	SE 1/4 of SE 1/4	5.5
			SE 1/4 of SE 1/4	0.5
			NW 1/4 of SE 1/4	0.0

(If more space required, attach separate sheet)

(a) Character of soil Olympic

(b) Kind of crops raised Fruit and berries

Power or Mining Purposes—

9. (a) Total amount of power to be developed _____ theoretical horsepower.

(b) Quantity of water to be used for power _____ sec. ft.

(c) Total fall to be utilized _____ feet.
(Head)

(d) The nature of the works by means of which the power is to be developed _____

(e) Such works to be located in _____ of Sec. _____,
(Legal subdivision)

Tp. _____, R. _____, W. M. _____
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? _____
(Yes or No)

(g) If so, name stream and locate point of return _____

_____, Sec. _____, Tp. _____, R. _____, W. M. _____
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is _____

(i) The nature of the mines to be served _____

10. (a) To supply the city of _____
_____ County, having a present population of _____
and an estimated population of _____ in 19____

(b) If for domestic use state number of families to be supplied _____ 2

11. Estimated cost of proposed works, \$ 800.00

12. Construction work will begin on or before Nov. 1, 1953

13. Construction work will be completed on or before Nov. 1, 1954

14. The water will be completely applied to the proposed use on or before July 31, 1955

Stephen A. Bristol
(Signature of applicant)
Jan P. ...

Remarks: This application is to supersede the original one
made by me.

Beginning at a point on the township line 10 chains west of the Southeast corner of Section 36, Township 2 South, Range 3 West of Willamette Meridian in Yamhill County, Oregon; thence running North 20 chains; thence West 10 chains; thence North 5.40 chains to a point on the South boundary of the County Road; thence North 60° West along the South boundary of said road 2.80 chains; thence North 47° 35' West along the South boundary of said road 4.27 chains to a point; thence North 80 degrees West along the South boundary of said road 3.43 chains to a point; thence South 52 degrees West along the South boundary line of County Road 14.74 chains to a point; thence South 8 degrees West along the East boundary of County Road 0.65 of a chain to a point; thence South along the East boundary of County Road 5.54 chains to a point; thence East 20 chains to a point; thence South 15.50 chains to a point on the township line; thence East 10 chains to the place of beginning, Subject, however, to a right of way now owned by the City of Newberg for a pipe line over and across a portion of said premises Excepting therefrom the property conveyed by B. A. Snider to Will E. Purdy by deed recorded at Page 264, of Book 46, Deed records of Yamhill County, Oregon

STATE OF OREGON }
County of Marion. } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before January 29, 1954

WITNESS my hand this 29th day of December, 1953

CHAS. E. STRICKLIN
STATE ENGINEER
by *Chris L. Wheeler*
Chris L. Wheeler, Assistant

STATE OF OREGON

County of Washington

The undersigned State Engineer, having reviewed the foregoing application and do hereby grant the same, **SUBJECT TO EXISTING RIGHTS** and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.288 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from a spring, unnamed stream and reservoir to be constructed under Application No. R-28193, Permit No. R-1568

The use to which this water is to be applied is irrigation and domestic, being 0.288 cfs from unnamed stream for irrigation and 0.02 cfs from spring for domestic.

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated from direct flow and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year from direct flow and storage from reservoir to be constructed under Permit No. R-1568,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 2, 1953

Actual construction work shall begin on or before March 12, 1955 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1955.

Complete application of the water to the proposed use shall be made on or before October 1, 1956.

WITNESS my hand this 12th day of March, 1954.

Chas. E. Stricklin
STATE ENGINEER

Application No. 28051
Permit No. 22640

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 2nd day of February,
1953, at 10:10 o'clock A. M.

Return to applicant:

Approved:

March 12, 1954

Recorded in book No. 58 of
Permits on page 22640

CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. _____

State Printing 66097

Fees paid 25.00