## To be the state of trogen

of Detroit Ra Box 155 Marion Co.	
Contract of the second of the	·····
State of Ore 9 a. 72 , do hereby make spelication for a permit to app	ropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING	GRIGHTS:
If the applicant is a corporation, give date and place of incorporation	**************************************
1. The source of the proposed appropriation is Un na 111 ed Species (Manual stream)	
, a tributary of Breitenbush	
2. The amount of water which the applicant intends to apply to beneficial use is	1/5
cubic feet per second(If water is to be used from more than one source, give quantity from each)	
**3. The use to which the water is to be applied is	supplies etc.)
lisaluding irrig. of met to exceed to ourse leven & garden	
4. The point of diversion is locatedftftftfrom  (N. or S.)  (E. or W.)	n the KE
corner of LaT No. 31 - Black 12 Harri 1710 rids add. Ta T.  (Section or subdivision)	ha Cite
of DeTraiT. Oragan	
(If preferable, give distance and bearing to section corner)	·- · · · · · · · · · · · · · · · · · ·
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)	
being within the S MW. /4 of The N-W. 4 of Sec. 1, Tp. (Give smallest legal-subdivision)	/ 0 - 5 (N. or S.)
R. S-E., W. M., in the county of Marion	
5. The CMain ditch conal or pipe line)  (Main ditch conal or pipe line)  Lot No. 3 Block - 11 Harnsonds and To Departs feet)  in length, terminating in the N.W. 4 of Sec. 1, Tp. 1.  (Smallest legal subdivision)	Toro
in length, terminating in the A.W. 4 of Sec. 1, Tp. 1. (Smallest legal subdivision)	(N. or S.)
R. J-E., W. M., the proposed location being shown throughout on the accompanies of W.)	
DESCRIPTION OF WORKS	
Diversion Works—	
6. (a) Height of dam feet, length on top feet, length	h at bottom
feet; material to be used and character of construction Care rock	Concrete, masonry.
2 FT. High by 4 FT. X 4 FT.	
(Loose rock, 2 FT. High by 4 FT. X 4 FT.  rock and brush, timber of ib, etc., wasterfay over or around dam)  (b) Description of headgate 2" Galr. Pife -  (Timber, concrete, etc., number and size of openings)	******
(c) If water is to be pumped give general description(Size and type of jump)	
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)	

<sup>\*</sup>A different form of application is provided where storage works are contemplated.

<sup>\*\*</sup>Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

				juged in size, stating mile.
rom heedgate.		e Sageria de la companya de la comp	(p By)	
IROMSAMA TEET.			headgate: width on top (at	
	•	7	feet; depth of	
	feet fall		,	•
		•	sise at intake,	in.; size at f
		•	of usein.; diffe	
			's grade uniform? 485:	
8. Locatio	on of area to be i	rrigated, or	place of use Domes	tic & Lawn
Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-sore Treet	Number Acres To Be Irrigated
16-5	&-£.		# - # 4 N. W 1/4 Lots 1, 2, 3 # 53	Less Then /2
			4010 51 832 Black 12	
			the med Addition	h Petrait
			ce required, attach separate sheet)	
(b) F	Kind of crops ra	ised	None	
	ng Purposes—	harver to be	developed	theoretical horsebox
	a	er to be use	a for power	sec. j
(b) (	Quantity of wate			
(b) (c) 1	Total fall to be u	tilized	GHead) feet.	
(b) (c) 1	Total fall to be u	tilized		
(b) ( (c) 1 (d) 1	Total fall to be u	e works by	(Head) means of which the power is t	o be developed
(b) ( (c) 1 (d) 1	Total fall to be u	e works by	GHead) feet.	o be developed
(b) (c) 1 (d) 1 (e) 3	Total fall to be u	e works by	(Legal subdivision)	o be developed
(b) (c) T (d) (d) (e) S Tp. (No. N. or	Total fall to be un The nature of th  Such works to be, R	e works by located in, V	(Legal subdivision)	o be developed
(b) (c) T (d) (d) (e) S Tp. (No. N. or (f) I	Total fall to be un The nature of th Such works to be, R	e works by located in Law.)	(Head)  means of which the power is t  (Legal subdivision)  V. M.	o be developed of Sec.
(b) (c) 1 (d) (e) 5 Tp. (No. N. or (f) 1 (g)	Total fall to be un The nature of th Such works to be, R	e works by located in tww.) rurned to an	(Head)  means of which the power is to the second s	o be developed of Sec.

The use to which this water is to be applied is demostic including irrigation of not to exceed } acre lawn and garden If for irrigation, this appropriation shall be limited to \_\_\_\_\_ of one cubic foot per second or its equivalent for each acre irrigated\_\_\_\_\_ and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

19.56

Permit No. 226

Application No. D. R. L.

office of the State Engineer at

on the 25th day of wheth

Return to applicant:

March 12, 1954

Recorded in book No.

Permits on page ......226.

CHAS. E. STRICKLI

Drainage Basin No.

Tu H. 20.00

TO APPROPRIATE THE WATERS OF THE SOF OREGON This instrument was first PERMIT

WITNESS my hand this 12th

1953., at 8.00 o'clock . A

The priority date of this permit is September 25, 1953

Actual construction work shall begin on or before March 12, 1955 and shall

Complete application of the water to the proposed use shall be made on or before October 1,

thereafter be prosecuted with reasonable diligence and be completed or or before October 1, 1955.

day of ....

Approved:

r which can be applied to beneficial

emble feet per second measured at the point of diversion from

n case of rotation with other water users, from an unnamed spring

State Printing 66097