3 Sprinklers at 7.5 G.P.M.

^{*}A different form of application is provided where storage works are contemplated.

recipies. At 2000				feet: width on hottom
	1 100	Mar. 18 19 19 19 19 19 19 19 19 19 19 19 19 19		
iousend feet.		• • •		
(b) At	ima me madalaga add	milits from he	adgute: width on top (at water	· line)
***************************************	feet; width on t	ottom	feet; depth of w	ater feet;
rede	feet fal	I per one thou	and feet.	
(c) Length	of pipe,2	00! #.;	size at intake,	in.; size at ft.
rom intake	in.,	size at place o	f use in.; dif	ference in elevation between
ntake and place	of use,	ft. Is	grade uniform?	Estimated capacity,
	sec. ft.			
8. Location	of area to be	irrigate d , or pla	ace of use	······································
Township North or South	Range E. er V. ef Willemette Meridian	Sortion	Porty-age Treet	Number Acres To Be Irrigated
3\$	3 W	24	SEZ of NEZ	2 Acres
		_	3 Yamhill County Deed R	
			North 10 Acres of the fo	
		_		
			d Ramqey D.L.C. thence	
Lu.54 chains;	North 35.55	chains; Eas	t 14.64 chains to beginn	ing; Except sold as re-
corded in Vol.	147, Page '	79 and Vol	157, Page 163 of Yamhill	County Deed Records.
These exc	eptions are	platted in	on accompanying map.	
· · · · · · · · · · · · · · · · · · ·				
		_	required, attach separate sheet)	
(a) Cho	racter of soil.	Willamette	e Silt Loam	•••••••••••••••••••••••••••••••••••••••
	id of crops raise	ed Garden	Truck	
Power or Mining	_	4. 1. 3	-1- · · · 1	
			eloped	·
			90wetse	c. ft.
(c) Tot	tal fall to be ut	ilized	feet.	
(d) Th	e nature of the	works by mean	s of which the power is to be	developed
(e) Su	ch works to be	located in	(Legal subdivision)	of Sec
Tp				
(0.0.0.00	(410)		ream?	
			(Yes or No)	•
(9) 1)	oo, mane siteat		int of return	
		~		
	······································	, Sec	rpplied is	, R, W. h.

Application No. 28 F

Permit No.

PERMIT

TO APPROPRIATE THE WATERS OF THE S OF OREGON eceived in the office of the State Engineer at Salem, Oregon This instrument was first r

Returned to applicant:

March 12, 1954

.....

m be applied to beneficial use

able feet per second measured at the point of diversion from the

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to _____1/80_____ of one cubic foot per

second or its equivalent for each acre irrigated and shall be further limited to a diversion of

not to exceed 22 acre feet per acre for each acre irrigated during the irrigation

season of each year, and shall be still further limited to a diversion of not to

exceed 0.013 cfs,

.....

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 55...

WITNESS my hand this 12th day of March 19 54.

The priority date of this permit is October 2, 1953

Actual construction work shall begin on or before March 12, 1955 and shall

Complete application of the water to the proposed use shall be made on or before October 1, 1956

.

State Printing \$4360

on the Lind day of Link 19 2 3 at . . . S. o'clock

Approved:

Recorded in book No.

Permits on page 221 CHAS. E. STRICKLIN