

# To appropriate the Public Waters of the State of Oregon

I, Henry H. Turner (Name of applicant)

of Clatsop

State of OREGON, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Quines Creek (Name of stream)

, a tributary of COW CREEK

2. The amount of water which the applicant intends to apply to beneficial use is 0.61 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 800 ft. N and 300 ft. W from the SE corner of Section 22 being a portable pumping unit and the diversion to extend downstream 2000 feet (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 SE 1/4 and NE 1/4 SE 1/4 of Sec. 22 Tp. 32 S (Give smallest legal subdivision)

R. 5 W, W. M., in the county of Douglas (E. or W.)

5. The pipe line to be 1200 feet (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the NE 1/4 SE 1/4 of Sec. 22 Tp. 32 S (Smallest legal subdivision)

R. 5 W W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

## DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam None feet, length on top          feet length at bottom          feet; material to be used and character of construction          (Loose rock, concrete, masonry)

sump in creek (rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Valve in 4" pipe. One opening (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 2 inch centrifugal pump (Size and type of pump) 15 H.P. John Deere tractor. Maximum 50 foot lift (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated.  
\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.  
1-53-4M

22695

7. (a) Class description of each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 2022 feet; width on bottom

feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1200 ft.; size at intake, 4 in.; size at 800 ft. from intake 3 in.; size at place of use in.; difference in elevation between intake and place of use, 20 to 50 ft. Is grade uniform? No Estimated capacity, 0.7 sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Party-acre Tract	Number Acres to Be Irrigated
32 S	5 W	22	NE 1/4 SE 1/4	31
32 S	5 W	22	SE 1/4 SE 1/4	12
				43

If more space required, attach separate sheet

(a) Character of soil Loam

(b) Kind of crops raised Clover, pasture and garden

Power or Mining Purposes—

(a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet. (Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec. (Legal subdivision)

Tp. R. W. M. (No E or W)

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

Sec. Tp. R. W. M. (No N or S) (No E or W)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of \_\_\_\_\_  
\_\_\_\_\_ County, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

11. Estimated cost of proposed works, \$ 2000.00 \_\_\_\_\_

12. Construction work will begin on or before Oct. 9, 1954 \_\_\_\_\_

13. Construction work will be completed on or before Oct. 9, 1955 \_\_\_\_\_

14. The water will be completely applied to the proposed use on or before Oct. 9, 1956 \_\_\_\_\_

Henry C. Tanner  
(Signature of applicant)  
Glen Dale Oregon

Remarks: \_\_\_\_\_

The following described property in Douglas County, Oregon:

Beginning at a point 295 feet West of the Quarter Section Corner between Sections 22 and 23 in Township 32 South, Range 5 West of the Willamette Meridian, and run West along the North line of the Southeast Quarter of said Section 22 to the Westerly bank of the Southeast Quarter of said Section 22 to the Westerly bank of Quines Creek (at the top of the bank); then Southerly along the top of the Westerly bank of Quines Creek to a point marked with an iron stake, which is 105 rods North of the South line of said Section 22 (measured at right angles from said South Section line); then from said iron stake run West to the Easterly right of way line of the county road (Quines Creek Road) as presently established; then Southerly along the Easterly right of way line of said County Road to the South line of said Section 22; then East along the South line of said Section 22 to the Southeast Corner of said Section 22; then North along the East line of said Section 22 to a point 295 feet South of the Quarter Section Corner between said Section 22 and Section 23, said Township and Range; then West 295 feet; then North 295 feet to the point of beginning, containing 43 acres, more or less.

Reserving unto the Grantors an easement on the above described tract for the maintenance of a diversion dam for irrigation waters, together with the irrigation laterals leading therefrom, with the right of ingress and egress to and along said laterals and diversion dam for the purpose of use and maintenance thereof, with the right of total reconstruction of said dam and laterals in the event of total destruction.

Beginning at the quarter corner between sections 22 and 23, Township Thirty-two (32) South, Range Five (5) West of Willamette Meridian, which is marked by an iron pin; running thence west 295 feet to a 1" iron pipe; thence south 295 feet to a 1" inch iron pipe; thence east 295 feet to an iron pipe; thence north 295 feet to the place of beginning, containing two acres, more or less.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 19\_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_\_

STATE OF OREGON

Department of Geology

The State Engineer has reviewed the foregoing application and do hereby grant the same, **SUBJECT TO THE PERMITS HEREIN** and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.610 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Quinas Creek

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/70 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 12, 1953

Actual construction work shall begin on or before March 12, 1955 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1955.

Complete application of the water to the proposed use shall be made on or before October 1, 1956.

WITNESS my hand this 12th day of March, 1954

*Chas. E. Stricklin*  
STATE ENGINEER

Application No. 28849

Permit No. 22695

**PERMIT**  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 12th day of October, 1954, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

March 12, 1954

Recorded in book No. 58 of

Permits on page 22695

**CHAS. E. STRICKLIN**  
STATE ENGINEER

16  
State Printing 8000

Fee paid 16.95