

To appropriate the Public Waters of the State of Oregon

I, Loren L. Stewart
(Name of applicant)

of Culp Creek, Oregon
(Location of source)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation _____

1. The source of the proposed appropriation is Cat Creek
(Name of stream)
draining into Odell Lake, a tributary of _____

2. The amount of water which the applicant intends to apply to beneficial use is .01
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is domestic supplies
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 290 ft. N and 1140 ft. E from the NW
(N. or S.) (E. or W.)
corner of Lot E1-3 Odell Lake Summer Home Tract
(Section or subdivision)
in unsurveyed Sec. 15. T23S, R6E Diversion point is further
described as being 152 feet South and 1500 feet East of mile post 65 on State
Highway 58
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the N¹/₄ NW¹/₄ NW¹/₄ of Sec. 15, T p. 23S
(Give smallest legal subdivision) (N. or S.)
R. 6E, W. M., in the county of Klamath
(E. or W.)

5. The pipe line to be 1150 feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the NW¹/₄ NW¹/₄ E of Sec. 15, T p. 23S
(Smallest legal subdivision) (N. or S.)
R. 6E, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 2 feet, length on top 3 feet, length at bottom
4 feet; material to be used and character of construction timber crib
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Timber
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Gravity System
(Size and type of jump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of _____
_____ County, having a present population of _____
and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____ two

(Number of families to be supplied)

11. Estimated cost of proposed works, \$ 975

12. Construction work will begin on or before _____ see # 11

13. Construction work will be completed on or before _____

14. The water will be completely applied to the proposed use on or before _____

Water now applied

Lowan P. Stewart
(Signature of applicant)
Culp Creek, Ore.

Remarks: _____

STATE OF OREGON }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____.

WITNESS my hand this _____ day of _____, 19_____.

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Cat Creek

The use to which this water is to be applied is domestic

If for irrigation, this appropriation shall be limited to - - of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 27, 1953

Actual construction work shall begin on or before March 12, 1955 and shall thereafter be prosecuted with reasonable diligence and be completed or or before October 1, 1955.

Complete application of the water to the proposed use shall be made on or before October 1, 1956

WITNESS my hand this 12th day of March, 1954

Chas. E. Stricklin STATE ENGINEER

Application No. 22276

Permit No. 22707

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 27th day of October, 1953, at 8:00 o'clock A.M.

Return to applicant:

Approved:

March 12, 1954

Recorded in book No. 58 of

Permits on page 22707

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2

State Printing 66097

20.00

J. H. H.