

26857

Permit No. 22717

To Appropriate the Public Waters of the State of Oregon

I, PRINEVILLE CHAPTER, ISAAC WALTON LEAGUE OF AMERICA
(Name of applicant)
of PRINEVILLE
(Mailing address)
State of OREGON, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is UN-NAMED STREAM & King
(Name of stream)
RESERVOIR, a tributary of OGHOCCO CREEK

2. The amount of water which the applicant intends to apply to beneficial use is STORAGE, ONLY,
cubic feet per second FROM SPRING FLOOD WATER OF 219.8 A.C.F.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is RECREATION (PROVISION OF WATER
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
FROM SPRING FLOOD WATER TO CREATE A LAKE FOR PUBLIC PICNIC, CAMPING, & SUMMER HOME SITE AREA WITHIN U.S. FORESTRY BOUNDARY)

4. The point of diversion is located 364 ft. SOUTH and 36 ft. WEST from the NORTH 1/4
(N. or S.) (E. or W.)
corner of SECTION 21, T12S, R20E (TIE IS MADE TO HEADGATE ON UPSTREAM END OF OUTLET PIPE)
(Section or subdivision)
(If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 NW 1/4 of Sec. 21, Tp. 13S
(Give smallest legal subdivision) (N. or S.)
R. 20E, W. M., in the county of CROOK
(E. or W.)

5. The STORAGE, ONLY to be
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the _____ of Sec. _____, Tp. _____
(Smallest legal subdivision) (N. or S.)
R. _____ W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 28 feet, length on top 345 feet, length at bottom 350 ± feet; material to be used and character of construction ROLLED EARTH FILL WITH COARSE RASH AND GRAVEL
WASTE WAY AROUND NORTH END AND 12 IN. ASPHALT DIPPED CORRUGATED STEEL PIPE INTERMIXED WITH AND UNDERLAIN BY IMPERVIOUS, BENE GLAY
(Large rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate 12 IN. MOD. 101, CASED SLIDE HEADGATE MOUNTED ON CONCRETE
(Timber, concrete, etc., number and size of openings)
FOUNDATION ON UPSTREAM END OF 12" ASPHALT DIPPED CORRUGATED STEEL PIPE WHICH PASSES THROUGH DAM AT STA. 2+14

(c) If water is to be pumped give general description _____
(Size and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or District Engineer


No. for reference

City of _____

and an estimated population of _____ in _____

(b) If for domestic use state number of gallons to be supplied _____

- 11. Estimated cost of proposed works, \$ 7000.00
- 12. Construction work will begin on or before DEC. 1, 1953
- 13. Construction work will be completed on or before July 1, 1954
- 14. The water will be completely applied to the proposed use on or before JUNE 1, 1954

*Prineville Chapter
Isaac Walton League of America*

 (Signature of applicant)
 JOE MASON, PRESIDENT

Remarks: THIS PROJECT, AS STATED ABOVE, IS TO PROVIDE A LAKE FOR A RECREATIONAL AREA WITHIN THE OCHOCO NAT'L FOREST BOUNDARY. THE PRINEVILLE CHAPTER OF THE ISAAC WALTON LEAGUE HAS UNDERTAKEN THE TASK OF FINANCING THE CONSTRUCTION OF THE DAM, PROPER. THE U.S. FOREST SERVICE WILL HAVE THE RESPONSIBILITY OF LAYING OUT THE AREA INsofar AS DESIGNATION AND IMPROVEMENT OF PUBLIC CAMP AND PICNIC GROUNDS AND SUMMER HOME SITES IS CONCERNED. MAINTENANCE WILL BE A FOREST SERVICE FUNCTION INASMUCH AS THE FOREST SERVICE HAS NO BUDGET SET UP FOR THE ACTUAL CONSTRUCTION THE REGIONAL OFFICE RECOMMENDED OR REQUISITED THE PRINEVILLE CHAPTER TO TAKE CARE OF THE ~~FORM~~ APPLICATIONS AND ANY NECESSARY FEES.

STATE OF OREGON, }
 County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19 _____

WITNESS my hand this _____ day of _____, 19 _____

STATE OF OREGON

THE STATE ENGINEER HAS REVIEWED THE PROPOSED APPLICATION AND DO HEREBY GRANT THE SAME, SUBJECT TO THE FOLLOWING LIMITATIONS AND CONDITIONS:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 118.9 acre feet of stored water only ~~underdevelopment~~ measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from King Reservoir to be constructed under Application No. R-28612, Permit No. R-1575.

The use to which this water is to be applied is public recreation

If for irrigation, this appropriation shall be limited to - - of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is November 12, 1953

Actual construction work shall begin on or before March 12, 1955 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1955

Complete application of the water to the proposed use shall be made on or before October 1, 1956

WITNESS my hand this 12th day of March, 19 54.

Chas. E. Stricklin
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 28095
Permit No. 22717

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. _____ District No. _____
This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 12th day of November,
1954, at 1:00 o'clock P. M.

Returned to applicant: _____

Corrected application received: _____

Approved: _____

March 12, 1954 of

Recorded in book No. 58

Permits on page 22717

CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. 5 Page 26A

Fees Paid 20.00