

*Permit No. 2272

CERTIFICATE NO. 1822

APPLICATION FOR A PERMIT

Superseded by Cert. No. 32199

To appropriate the Public Waters of the State of Oregon

M. Abplanalp

I, (Name of Applicant)

Tillamook

Tillamook

of (Postoffice), County of

Oregon

State of, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation.

1. The source of the proposed appropriation is Green Chance Creek (Name of stream)

Trank River

, tributary of

2. The amount of water which the applicant intends to apply to beneficial use is

One cubic feet per second.

3. The use to which the water is to be applied is

Irrigation, Power and Domestic Supplies

(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 7.96 chains East, N 42° E 13.82 chs. & N 25° (Give distance and bearing to section corner)

E. 6.00 chains from the 1/4 Section corner on the West line of Section 35

being within the SW 1/4 of the NW 1/4 of Sec. 35, Tp. 1 S (Give smallest legal subdivision) (No. N. or S.)

9 W

Tillamook

R. (No. E. or W.), W. M., in the county of

5. The main pipe line to be 31.02 chains in length, terminating in the NW of the SW 1/4 of Sec. 35, Tp. 1 S, R. 9 W (Smallest legal subdivision) (No. N. or S.) (No. E. or W.)

W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the ditch, canal or other works is

M Abplanalp Water Ditch

DESCRIPTION OF WORKS.

DIVERSION WORKS—

7. (a) Height of dam 5 feet, length on top 75 feet, length at bottom

65 feet; material to be used and character of construction (Loose rock, concrete,

Loose rock & Clay with wasteway over dam

masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate is the valve commonly used in 8" pipe. (Timber, concrete, etc., number and size of openings)

*A different form of application is provided where an appropriation is to be made by the enlargement of existing works, or where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM—

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: Width on top (at water line).....feet; width on bottom.....feet; depth of water.....feet; grade.....feet fall per one thousand feet.

(b) At.....miles from headgate. Width on top (at water line).....feet; width on bottom.....feet; depth of water.....feet; grade.....feet fall per one thousand feet.

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR:

IRRIGATION—

9. The land to be irrigated has a total area of 20 acres, located in each smallest legal subdivision, as follows:

N 1/2 of NW 1/4 of SW 1/4 Sec. 35 Tp. 1 South of Range 9 West of the Willamette Meridian (Give area of land in each smallest legal subdivision which you intend to irrigate)

(If more space required, attach separate sheet)

POWER, MINING, MANUFACTURING, OR TRANSPORTATION PURPOSES—

10. (a) Total amount of power to be developed 3.5 theoretical horsepower.

(b) Total fall to be utilized 100 feet. (Head)

(c) The nature of the works by means of which the power is to be developed is an 8 inch pipe line & Pelton wheel

(d) Such works to be located in NW 1/4 of the SW 1/4 of Sec. 35 (Legal subdivision)

Tp. 1 S, R. 9 W, W. M. (No. N. or S.) (No. E. or W.)

(e) Is water to be returned to any stream? No (Yes or No)

(f) If so, name stream and locate point of return Sec. Tp. R. W. M. (No. N. or S.) (No. E. or W.)

(g) The use to which power is to be applied is General domestic use.

(h) The nature of the mines to be served.

MUNICIPAL SUPPLY—

11. To supply the city of _____
_____ County, having a present population of _____, and an
(Name of) _____, and an
estimated population of _____ in 191....

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$ 1,000.00
- 13. Construction work will begin on or before January 1st, 1915
- 14. Construction work will be completed on or before January 1st, 1917
- 15. The water will be completely applied to the proposed use on or before January 1st, 1917

Duplicate maps of the proposed ditch or other works, prepared in accordance with the rules of the State Water Board, accompany this application.

M. Abplanalp
(Name of applicant)

Signed in the presence of us as witnesses:

- (1) A H Gaylord, Tillamook, Ore.
(Name) (Address of witness)
- (2) A A Rogers, Tillamook, Ore.
(Name) (Address of witness)

Remarks: _____

STATE OF OREGON, }
County of Marion } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows: _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before _____, 191....

WITNESS my hand this _____ day of _____, 191....

State Engineer.

1

Application No. 3978
Permit No. 2272

PERMIT
TO APPROPRIATE
THE PUBLIC WATERS OF
THE STATE OF OREGON

Division No. 1 District No.

This instrument was first received
in the office of the State Engineer at
Salem, Oregon, on the 13
day of November, 1914,
at 8:30 o'clock A. M.

Returned to applicant for correction

Corrected application received

Approved:
Feb. 15, 1915

Recorded in Book No. 9 of
Permits, on Page 2272

John H Lewis
State Engineer.
McC 1 map 12.00

STATE OF OREGON, }
County of Marion } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited to one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject to such reasonable rotation system as may be ordered by the proper State officer.

The use of the water hereunder is limited to irrigation, the development of 4 horse power and domestic purposes.

The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed 1.0 cubic feet per second, or its equivalent in case of rotation. The priority date of this permit is November 13, 1914.

Actual construction work shall begin on or before February 15, 1916 and shall thereafter be prosecuted with reasonable diligence and be completed on or before June 1, 1917

Complete application of the water to the proposed use shall be made on or before October 1, 1918

WITNESS my hand this 15th day of February, 1915
John H Lewis
State Engineer.

Permits for power development are subject to the limitation of franchise and the payment of annual fees as provided in Chapter 236, Session Laws of 1911. Chapter 221, Session Laws of 1909