

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Harrison J. Smith (Name of applicant)

of Box 124, Glendale (Mailing address)

State of OREGON, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Booth Creek (Name of stream)

, a tributary of LOW Creek (E. or W.)

2. The amount of water which the applicant intends to apply to beneficial use is 0.50 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 100 ft. S and 530 ft. W from the NE corner of SE 1/4 NE 1/4 of section 13 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 NE 1/4 of Sec. 13, Tp. 32 S (Give smallest legal subdivision) (N. or S.)

R. 5 W, W. M., in the county of Douglas (E. or W.)

5. The ditch and pipe to be 800 feet (Main ditch, canal or pipe line) (Miles or feet)

in length, terminating in the NE 1/4 NE 1/4 of Sec. 13, Tp. 32 S (Smallest legal subdivision) (N. or S.)

R. 5 W, W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 8 feet, length on top 75 feet, length at bottom 60 feet; material to be used and character of construction

Earth dam. Wasteway around (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Steel gate. one opening 1'x1' (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 2" centrifugal pump (Size and type of pump)

E. H. I. Gas motor. 5 foot lift (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of _____

_____ County, having a present population of _____
and an estimated population of _____ in 19____

(b) If for domestic use state number of families to be supplied _____

(Delete questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 1500.00

12. Construction work will begin on or before January 14, 1955

13. Construction work will be completed on or before January 14, 1956

14. The water will be completely applied to the proposed use on or before Jan. 14, 1957

Harrison L. Smith
(Signature of applicant)
Box 124 Glendale, Oregon

Request: The Southeast quarter of the northeast quarter of section 13, township 32 South, range 5 West of the willamette Meridian, Douglas county, Oregon.

Also the following described premises, to wit: the northeast quarter of the northeast quarter of section 13, Township 32 South, range 5 west of the willamette meridian, Douglas county, Oregon.

Excepting therefrom: A tract of land described as follows: to wit: Beginning at the Northeast Corner of the Northeast Quarter of the Northeast Quarter of Section 13, Township 32 South Range 5 West of the Willamette Meridian, Douglas County, Oregon. Thence South 128.4 feet; thence North 85°40' East, 215.4 feet; Thence West 195.0 feet to the place of beginning and containing 0.28 acres more or less.

Less and excepting a tract of land described as follows: to wit: Commencing 28.5 feet North of the Section corner common to Sections 12, 13, 7 and 18 Township 32 South, range 4 and 5 West of the Willamette Meridian and run South 145.5 feet; thence West 165 feet; thence North to the Southerly side of the County Road; thence South 79°51' East to the point of beginning.

Also: A tract of land in Section 12 Township 32 South, range 5 West of the willamette meridian, described as follows, to wit: Beginning at the corner of Section 12 and 13 Township 32 South, range 5 West and Sections 7 and 18, Township 32 South, range 4 West of the Willamette Meridian; thence North 25.2 feet to the South line of the County Road, thence North 79°51' West 600.0 feet along said County Road. Thence North 85°02' West, 200.2 feet along said County Road; thence South 55°40' West, 377.1 feet to the Section line between Sections 12 and 13, thence South 89°15' East, 1146.6 feet to the place of beginning and containing 2.7 acres more or less.

STATE OF OREGON }
County of Marion. } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19____

WITNESS my hand this _____ day of _____, 19____

PERMIT

STATE OF OREGON

County of Washington

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.5 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Booth Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/70 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 18, 1954

Actual construction work shall begin on or before March 12, 1955 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1955.

Complete application of the water to the proposed use shall be made on or before October 1, 1956.

WITNESS my hand this 12th day of March, 1954.

Chas. E. Stricklin
STATE ENGINEER

Application No. 28974

Permit No. 22725

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 18th day of January, 1954, at 1:00 o'clock P. M.

Return to applicant:

Approved:

March 12, 1954

Recorded in book No. 58 of

Permits on page 22725

CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. 16

State Printing 6607

15.75

See paid