

# To appropriate the Public Waters of the State of Oregon

I, ~~EARL GRAY~~ EARL GRAY

of ALLEGANY

State of OREGON

do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is UNNAMED Stream SPRING ON PROPERTY OF EARL GRAY, a tributary of East Fork Millicoma River

2. The amount of water which the applicant intends to apply to beneficial use is 1/100 0.01 cubic feet per second.

\*\*3. The use to which the water is to be applied is DOMESTIC PURPOSES

4. The point of diversion is located 894 ft. N and 1540 ft. E from the S.W. corner of SEC 33 T 24 S R 11 W

being within the SE 1/4 SW 1/4 of Sec. 33, Tp. 24 S, R. 11 W, W. M., in the county of CLATSOP

5. The \_\_\_\_\_ to be \_\_\_\_\_ in length, terminating in the \_\_\_\_\_ of Sec. \_\_\_\_\_, Tp. \_\_\_\_\_, R. \_\_\_\_\_, W. M., the proposed location being shown throughout on the accompanying map.

## DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam \_\_\_\_\_ feet, length on top \_\_\_\_\_ feet, length at bottom \_\_\_\_\_ feet; material to be used and character of construction \_\_\_\_\_

(b) Description of headgate \_\_\_\_\_

(c) If water is to be pumped give general description Gravity

\*A different form of application is provided where storage works are contemplated. \*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) \_\_\_\_\_ feet; width on bottom \_\_\_\_\_ feet; depth of water \_\_\_\_\_ feet; grade \_\_\_\_\_ feet fall per one thousand feet.

(b) At \_\_\_\_\_ miles from headgate: width on top (at water line) \_\_\_\_\_ feet; width on bottom \_\_\_\_\_ feet; depth of water \_\_\_\_\_ feet; grade \_\_\_\_\_ feet fall per one thousand feet.

(c) Length of pipe, 110 ft.; size at intake, 3/4 in.; size at \_\_\_\_\_ ft. from intake \_\_\_\_\_ in.; size at place of use 3/4 in.; difference in elevation between intake and place of use, 4.0 ft. Is grade uniform? Yes Estimated capacity, \_\_\_\_\_ sec. ft.

8. Location of area to be irrigated, or place of use \_\_\_\_\_

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
<u>24 S.</u>	<u>11 W.</u>	<u>33</u>	<u>SE 1/4 SW 1/4</u>	<u>Dam.</u>
Property on which water is to be applied is a part of that more explicitly described by applicant as follows:				
<u>All that part of the South half of the Southwest quarter of Section 33, Township 24, South, Range 11 West, Willamette Meridian, which lies Northerly and Easterly of Oregon State's Secondary Highway No. 241, which runs between the community of Allegany and Golden Falls, and containing 70 acres, more or less, in Coos County, Oregon.</u>				

(If more space required, attach separate sheet)

(a) Character of soil \_\_\_\_\_

(b) Kind of crops raised \_\_\_\_\_

Power or Mining Purposes—

9. (a) Total amount of power to be developed \_\_\_\_\_ theoretical horsepower.

(b) Quantity of water to be used for power \_\_\_\_\_ sec. ft.

(c) Total fall to be utilized \_\_\_\_\_ feet.

(Head)

(d) The nature of the works by means of which the power is to be developed \_\_\_\_\_

(e) Such works to be located in \_\_\_\_\_ of Sec. \_\_\_\_\_

(Legal subdivision)

Tp. \_\_\_\_\_, R. \_\_\_\_\_, W. M.

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream? \_\_\_\_\_

(Yes or No)

(g) If so, name stream and locate point of return \_\_\_\_\_

\_\_\_\_\_, Sec. \_\_\_\_\_, Tp. \_\_\_\_\_, R. \_\_\_\_\_, W. M.

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is \_\_\_\_\_

(i) The nature of the mines to be served \_\_\_\_\_

10. (a) To supply \_\_\_\_\_  
\_\_\_\_\_ and an estimated population of \_\_\_\_\_

(b) If for domestic use number of families to be supplied ONE

11. Estimated cost of proposed works, \$ 500

12. Construction work will begin on or before THIS WORK WAS COMPLETED IN 1940

13. Construction work will be completed on or before COMPLETED

14. The water will be completely applied to the proposed use on or before IN USE NOW

Also see map

Frank Gray  
(Signature of applicant)  
Lulu Gray

Remarks: This water has been in use at this place since it was homesteaded by William Folk, Nov 18-1887, and this vested right is not waived or abandoned by this application

STATE OF OREGON }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 19\_\_\_\_.

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_.

PERMIT

STATE OF OREGON, )  
County of Marion, )

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from unnamed spring stream

The use to which this water is to be applied is domestic

If for irrigation, this appropriation shall be limited to - - of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 26, 1954

Actual construction work shall begin on or before March 12, 1955 and shall thereafter be prosecuted with reasonable diligence and be completed or or before October 1, 1955.

Complete application of the water to the proposed use shall be made on or before October 1, 1956.

WITNESS my hand this 12th day of March, 19 54

*Charles E. Stricklin*  
STATE ENGINEER

Application No. 28985  
Permit No. 22726

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 26<sup>th</sup> day of January, 1954, at 1:35 o'clock P. M.

Return to applicant:

Approved:

March 12, 1954 of  
Recorded in book No. 58  
Permits on page 22726

CHAS. E. STRICKLIN  
STATE ENGINEER

Drainage basin No. 17

State Printing 66097

Fee paid 20.00