

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Albert M. Steaks, of Route 1, Box 629, Cottage Grove, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Row River, a tributary of Coast Fork of Willamette R.

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second.

3. The use to which the water is to be applied is Irrigation.

4. The point of diversion is located 1295' N. and 23' E.W. from the S.E. corner of Absalom Alexander Donation Land Claim No. 71. Iron stake located on West side of County Road from which measurements were made. (Stake located 1890' south of A. Alexander Survey Corner)

being within the NW/4 of Sec. 35, Tp. 20S, R. 3W, W. M., in the county of Lane.

5. The Pipe Line to be in length, terminating in the lots 32 & 33 of Cedar Park of Secs 26 & 35, Tp. 20S, R. 3W, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description of Centrifugal driven at 3450 R.P.M. by a 10 H.P. electric motor. Total head is 270' at maximum output of 125 gal. per min.

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line

7. (a) Give description of each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1500 ft.; size at intake, 2 1/2 in.; size at ft. from intake in.; size at place of use 2 1/2 in.; difference in elevation between intake and place of use, 19 ft. Is grade uniform? No Estimated capacity, 0.3 sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range E or W. of Willamette Meridian	Section	Party-acre Tract	Number Acres To Be Irrigated
20-5	3-W	26	Cedar Park-Lata	5
20-5	3-W	35	Cedar Park-Lata	5
Also located as follows				
20-5	3 W	26	SW 1/4 SW 1/4	3.45
			SE 1/4 SW 1/4	5.00
		35	NE 1/4 NW 1/4	0.95
			NW 1/4 NW 1/4	0.60
				110

(If more space required, attach separate sheet)

(a) Character of soil Sandy Loam

(b) Kind of crops raised Garden Vegetables, Fruit, Hay and Pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

1. The proposed use of _____
_____ and an estimated population of _____ in _____

(b) of the _____ and the number of families to be supplied _____

- 11. Estimated cost of proposed works, \$ 8000
- 12. Construction work will begin on or before Already Started
- 13. Construction work will be completed on or before August 15, 1953
- 14. The water will be completely applied to the proposed use on or before Sept. 1, 1953

Arthur M. Stack
(Signature of applicant)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19 _____

WITNESS my hand this _____ day of _____, 19 _____

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.125 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Row River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 29, 1953

Actual construction work shall begin on or before April 30, 1955 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1956

Complete application of the water to the proposed use shall be made on or before October 1, 1957

WITNESS my hand this 30th day of April, 1954

Chas. E. Stricklin STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 14, Oregon Laws 1933.

Application No. 28590
Permit No. 22739

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 29th day of June, 1953, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

April 30, 1954

Recorded in book No. 58 of 22739 Permits on page

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 802

Fees Paid 15.00