

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

We, Harry H. Haney and Maude S. Haney

of Route 1, Nyssa, Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Snake River, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 1.50 cubic feet per second.

\*\*3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located ... ft. ... and ... ft. ... from the corner of ... E 1233.5' from the West 1/4 corner of Section 6, T. 21 S., R. 47 E., W. M., Malheur County, Oregon.

being within the Lot 3 of Sec. 6, Tp. 21 S., R. 47 E., W. M., in the county of Malheur

5. The Pipe Line to be 300 Ft. in length, terminating in the Lot 3 of Sec. 6, Tp. 21 S., R. 47 E., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam ... feet, length on top ... feet, length at bottom ... feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description 4" Seven Devil Pump

1 1/2 horse power motor; Water lifted 20 feet

\*A different form of application is provided where storage works are contemplated. \*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

32746

Canal System or Pipe Line

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 2 1/2 feet; width on bottom 2 1/2 feet; depth of water 10 inches ~~fall~~ grade 1/2 feet fall per one thousand feet. Ditch canal uniform throughout.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 300 ft.; size at intake, 8 in.; size at 20 ft. from intake 10 in.; size at place of use 10 in.; difference in elevation between intake and place of use, 19 ft. Is grade uniform? yes Estimated capacity, ..... sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range E. or W. of Willamette Meridian	Section	Party-acre Tract	Number Acres To Be Irrigated
21 S	R 47 E	6	Lot 2 <sup>NW NW</sup>	10.2 <sup>5400'</sup>
21 S	R 47 E	6	Lot 3 <sup>SW NW</sup>	31.3 <sup>5400'</sup>
Lots Two (2) and Three (3) in Section Six (6), Township Twenty-one (21) S, Range 47 E. W. M. Malheur County, Oregon containing fifty (50) acres, more or less				

(If more space required, attach separate sheet)

(a) Character of soil Sandy Loam  
 (b) Kind of crops raised alfalfa, small grain, corn

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.  
 (b) Quantity of water to be used for power ..... sec. ft.  
 (c) Total fall to be utilized ..... feet.  
 (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in ..... of Sec. ....  
 (Legal subdivision)

Tp. ...., R. ...., W. M.  
 (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? .....  
 (Yes or No)

(g) If so, name stream and locate point of return

....., Sec. ...., Tp. ...., R. ...., W. M.  
 (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Ministry or Domestic Supply

10. (a) To supply the city of \_\_\_\_\_

County having a present population of \_\_\_\_\_

and an estimated population of \_\_\_\_\_ in 1951.

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Articles 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 950.00 plus labor

12. Construction work will begin on or before \_\_\_\_\_

13. Construction work will be completed on or before .....completed about April 1, 1951

14. The water will be completely applied to the proposed use on or before .....as soon as possible.

July 1, 1953

Harry K. Haney  
(Signature of applicant)

Maudie S. Haney

Remarks: For many years before construction of Owyhee Dam water was pumped from Snake River on land adjoining this land and carried across the adjoining land to this land. This was discontinued after said dam went into operation until April 1951. Water supply from said dam for this land was inadequate.

All waste water from this land drains back direct into Snake River.

Application to withdraw this land from the Owyhee Irrigation District has been filed, and semi-officially approved pending allocation of District water to other lands.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_ correction.

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before January 11, 1954.

WITNESS my hand this 10th day of November, 1953.

CHAS. E. STRICKLIN  
by Chris L. Wheeler STATE ENGINEER  
Chris L. Wheeler, Assistant

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.692 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from the Snake River

The use to which this water is to be applied is irrigation (supplemental)

If for irrigation, this appropriation shall be limited to 1/60 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 4 acre feet per acre for each acre irrigated during the irrigation season of each year, provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 6, 1953

Actual construction work shall begin on or before April 30, 1955 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1956

Complete application of the water to the proposed use shall be made on or before October 1, 1957

WITNESS my hand this 30th day of April, 1954

Chas. E. Stricklin STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1953.

Application No. 28852

Permit No. 22746

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 6th day of July 1953, at 1:00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

April 30, 1954

Recorded in book No. 58 of

Permits on page 22746

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. // Page 2

Fees Paid 16.80