To Apprepriate the Public Waters of the State of Oregon

I,	Valter P Kolning
	Carroral Change of Contract of
steps (9)	Total .
	, do hereby make application for a permit to appropriate the
	lic waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is c	s corporation, give date and place of incorporation
1. The source of to	he proposed appropriation is Mill cuek
,	a tributary of
2. The amount of	water which the applicant intends to apply to beneficial use is
bic feet per second	(If water is to be used from more than one source, elementarity from each)
**3. The use to which	h the water is to be applied is . Ougation
	(Irrigation, power, maing, manufacturing, domestic supplies, etc.)
4. The point of dir	version is located $6.08.5$ ft. $\frac{1}{100}$ and $\frac{1}{100}$ ft. $\frac{1}{100}$ from the $\frac{1}{100}$
orner of L. L.	one Sec. 14
	(Secretar of sandialwos)
	(If preferable, give distance and bearing to section corner)
/1/ al !-	
ing within the	more than one point of diversion, each must be described. Use separate sheet if necessary)
i W w i	(Give smallest legal subdivision) (Give smallest legal subdivision) (N. or S.)
(E. or W.)	the country of Masion.
5. The	price line M 1 to be 1160 lt
longth towningting in	(Main ditch, canal or pipe line) the SE 4 F S W 4 of Sec. 14 , Tp. 4 (N. or S.)
rengin, terminating in	(Smallest legal subdivision) of Sec. 14, 19. 4
(E. or W.)	, the proposed location being shown throughout on the accompanying map.
	DESCRIPTION OF WORKS
iversion Works—	gan foot longth and the
	amfeet, length on topfeet, length at bottom
jeet; mo	aterial to be used and character of construction. (Loose rock, concrete, masonry,
and brush, timber crib, etc., wastews	y over or around dam)
(b) Description of	headgate(Timber, concrete, etc., number and size of openings)
	The Control of
(c) If water is to be	pumped give general description 3" intake 2 i destify
	30 HP eletric motor
	(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

^{*}A different form of application is provided where storage works are contemplated.

^{**}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric 5:53—4M.

ous and feet. (b) At		~~~ vn vv _y	(as truter line)	feet; width on bottor
ous and feet. (b) At	feet; depth of t	vater	feet; grade	feet fall per on
		•	headgate: width on top (at t	
	_	•	feet; depth of	
	feet fall			,
(c) Lengt.	h of pipe. 116	marin	size at intake, 3 iii i	n: size at 20 f
rom intake	5 in.: s	ise at blace i	nfuse 3' in Aiffe	rence in elevation hetrice
take and blace	of use 20 to	17 ft 1	s grade uniform?	Estimated capacity
& sprinkles	Egale Juc	nushee	s grade uniform?	Limite Capacity
8. Locatio	n of area to be i	rrigated, or	place of use	
Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
45	in	14	SE4 of SN4-	15.20
45	1 11	14	1 2 - 4	13.40
45	i n/	14	1	90
7			NEWSWY4	·
			NEW OWN	0.10
agranda garage supre annual esta de destado anual esta de destado de la composiçõe de la composiçõe de la comp				1
"Ic	AND THE STATE OF T		1-19-20-21-22-23-2h-25-26	27_28_29_30_31
of Lot P.E	Oregon. EXC: 8 18 and 19 a 6 & E.R.R. Co	In and of PTING THE md .25 acr	Herst's Garden Tracts, 1 Effect's Garden Tracts, 1 WEFROM .35 acre of Lot- 19 e of Lots 23 and 24, here same appears on the duly	farion County, State and 1.02 acres of
92- of Lot P.E	Oregon. EXC: 8 18 and 19 a 6 & E.R.R. Co	In and of PTING THE md .25 acr	Herst's Garden Tracts, 1 WEFROM .35 asre of lot- 19	farion County, State and 1.02 acres of
92- of Lot P.E	Oregon. EXC: 8 18 and 19 a 6 & E.R.R. Co	PTING THE md .25 acr ., as the ing 98 acr	Herst's Garden Tracts, 1 WEFROM .35 asre of Lot- 1! e of Lote 23 and 2!, here same appears on the daly es, more or less. Con't, under "Remark	farion County, State and 1.02 acres of stofore sold to the recorded plats
of Lot P.E the	Oregon. EXC: as 18 and 19 as b. & E.R.R. Go breof, contain	PTING THE md .25 acr ., as the ing 98 acr	Herst's Garden Tracts, 1 GEFROM .35 acre of Lot- 19 w of Lote 23 and 24, here same appears on the duly wes, more or less.	farion County, State and 1.02 acres of tofore sold to the reserved plats
of Lot P.E the	Oregon. EXC. is 18 and 19 and	PTING THE md .25 acr ., as the ding 98 acr	Herst's Garden Tracts, 1 EFROM .35 acre of Lot 19 e of Lots 23 and 2h, here same appears on the duly es, more or less. Con't, under "Remark required, attach separate sheet)	farion County, State and 1.02 acres of tofore sold to the recented plats
of Lot P.E the (a) Cl (b) Ki	Oregon. EXC. is 18 and 19 and	PTING THE md .25 acr ., as the ding 98 acr	Herst's Garden Tracts, 1 EFROM .35 acre of Lot 19 e of Lots 23 and 24, here same appears on the duly es, more or less. Con't, under "Remark required, attach separate sheet)	farion County, State and 1.02 acres of tofore sold to the recented plats
(a) Cl (b) Ka	Oregon. EXC. 18 and 19	In and of PTING THE md .25 acr ., as the ing 98 acr	Herst's Garden Tracts, 1 EFROM .35 acre of Lot 19 e of Lots 23 and 2h, here same appears on the duly es, more or less. Con't, under "Remark required, attach separate sheet)	farion County, State and 1.02 acres of tofore sold to the recorded plats
(a) Cl (b) Ka Power or Minin 9. (a) To	Cregon. EXC. is 18 and 19 and	In and of PTING THE md .25 acr , as the ing 98 acr (If more specified	Con't under "Remark required, attach separate sheet)	iarion County, State and 1.02 acres of tofore sold to the recorded plats theoretical horsepower
(a) Cl (b) Ki Power or Minin 9. (a) To (b) Q	oregon. EXC. is 18 and 19 and	ower to be used	Cont. under "Remark required, attach separate sheet) Leveloped	iarion County, State and 1.02 acres of tofore sold to the recorded plats theoretical horsepower
(a) Cl (b) Ka Power or Minin 9. (a) To (b) Q (c) To	oregon. EXC. 18 and 19	ised cower to be a rived used	Herst's Garden Tracts, 1 EFROM .35 acre of Lot 1! e of Lots 23 and 2!i, here same appears on the duly es, more or less. Con't. under "Remark required, attach separate sheet) Leveloped for power	theoretical horsepowerssec. ft.
(a) Cl (b) Ki Power or Minin 9. (a) To (b) Q (c) To (d) To	Oregon. EXC. is 18 and 19 and 19 and 19 and 19 and in a contain in a c	isedised cower to be used ilized	Herst's Garden Tracts, 1 DEFROM .35 acre of Lot 1! The of Lots 23 and 21, here same appears on the duly tes, more or less. Con't under "Remark trequired, attach separate sheet) Leveloped for power (Head) neans of which the power is to	theoretical horsepower sec. ft.
(a) Cl (b) Ki Power or Minin 9. (a) To (b) Q (c) To (d) To	Oregon. EXC. is 18 and 19 and	over to be a located in	Con't under "Remark required, attach separate short) leveloped for power (Head) (Legal subdivision)	theoretical horsepowersec. ft.
(a) Cl (b) Ki Power or Minin 9. (a) To (b) Q (c) To (d) To (e) Si Tp. (No. N. or S.	Cregon. EXC. 18 and 19	over to be a located in	Con't under "Remark required, attach separate sheet) Con't under "Remark required, attach separate sheet) Leveloped for power (Head) (Legal subdivision) M.	theoretical horsepowersec. ft.
(a) Cl (b) Ki Power or Minin 9. (a) To (b) Q (c) To (d) Ti (e) Si Tp. (No. N. or S. (f) Is	Oregon. EXC. is 18 and 19 and 19 and 19 and 19 and 19 and 19 and in a contain in a	over to be a created ilized works by n located in	Con't under "Remark required, attach separate short) leveloped for power (Head) (Legal subdivision)	theoretical horsepower sec. ft. be developed

(i) The nature of the mines to be served _____

and the control of th	
(These of) County, having a p	
d an estimated population of	in 19
(b) If for domestic use state number	r of families to be supplied
(Answer qualitate	11, 12, 13, and 14 H M cares) 3 500.00
11. Estimated cost of proposed works, \$	pump + por electer line 1250 build by
12. Construction work will begin on or	11,12,12, we will am spinkler 3 500.00 pump + pup electer line 1250 build by 1 before for 1954
13. Construction work will be completed	don or before June 1 1954
14. The water will be completely applied	d to the proposed use on or before
	Walter 12 Hoesing (Signature of applicant)
Remarks: This impelien	Lion for purmet for water acres. Had a permit for 6. 10 primarinada Ita 16.
right 12 for 26,10	acres. Itad a premist for
10 acres and the 26	5.10 puremend the 10
news i filed on	Defore.
ifich Baines	nameding has fore indea
la nour office 1	water went and and
The state of the s	sacroscijas, hus ficer i edea water signt accessing and
conveyed by William Schwader a recorded in Vol. 166, Page 544 Marion County, Oregon, being center of Section 14, in Thow Willamette Meridian, in Marion 24.57 chains to an iron bar at tract of land deeded to E. M. recorded January 6, 1911, in Marion County, Oregon; thence of said tract 20.06 chains to of a tract of land conveyed by Scheurer, by deed recorded May Records for Marion County, Oregon east line of said tract 24.55 thence East 20.06 chains to the acres of land, more or less, in Township 4 South, Range 1 County, Oregon. SAVE and EXC. deeded to the State of Oregon	ipe at the Southeast corner of land and wife to Ida L. Garrett, by deed It on May 16, 1922, Deed Records for 10.19 chains South 5' West from the Inship It South, Range I West of the In County, Oregon; thence South 5' West to the Northeast corner of that certain Orim by William Schwader and wife and Vol. 116, Page 380 Deed Records for North 89° 13' West along the north line an iron pipe at the Southeast corner y William Schwader and wife to Anne E. y 16, 1922, in Vol. 166, Page 515, Deed egon; thence North 5' East along the chains to an iron pipe in the creek; he point of beginning, containing 19.26 in the Southwest quarter of Section 114, West of the Willamette Meridian, Marion ErT approximately 9.16 acres heretofore for highway purposes by deed dated and December 3, 1936, in Vol. 227, at on County, State of Oregon."
STATE OF OREGON	
STATE OF OREGON County of Marion,	
County of Marion,	the foregoing application, together with the accompan

WITNESS my hand thisday of, 19

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.358 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Mill Creek
The use to which this water is to be applied is <u>irragation</u>
If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2½ acre feet per acre for each acre irrigated during the irrigation season of each year.
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The priority date of this permit is November 20, 1953
Actual construction work shall begin on or before April 30, 1955 and shall
thereafter be prosecuted with reasonable diligence and be completed or or before October 1, 1956
Complete application of the water to the proposed use shall be made on or before October 1, 19.57
WITNESS my hand this 30th day of April 1954 Class & State Engineer
in the regon, of of

State Printing 66097

Drainage Basin No. . . .

CHAS. E. STRICKLIN STAI

Permits on page 22758

Recorded in book No. 58...

Park 15.00

ټ

TO APPROPRIATE THE WATERS OF THE ST PERMIT

Application No. 28910.

20

Permit No. 227

This instrument was first re office of the State Engineer at Si on the 20th day of Navern

1953, at 6:00 "o'clock A.

Return to applicant:

Approved:

April 30, 1954