Parell-

TANKS PRINCE FOR FRANCE

To Appropriate the Public Waters of the State of Oregon

LAKEYIEN OREGO	~ · · · · · · · · · · · · · · · · · · ·
	,
te of	do hereby make application for a permit to appropriate the
lowing described public waters of the State	e of Oregon, SUBJECT TO EXISTING RIGHTS:
•	ate and place of incorporation
	and place of theorporation sales
1 Who are set all a second at	
	tion is LINAMED SLOWER & Reservoir
	a tributary of
2. The amount of water which the appli	cant intends to apply to beneficial use is
(If water is	to be used from more than one source, give quantity from each)
**3. The use to which the water is to be a	pplied is
4. The point of diversion is located	
	(M. or S.) (E. or W.)
rner of	(Section or subdivision)
	ME corner of the
51/11 1030' TV	WE COME? OF THE
	in THE INSTANCE LAKE STAICE
Z	IMEANE NU of SEG. 5 TAISKIGE
	distance and bearing to section corner)
(If preferable, give d	distance and bearing to section corner) n, each must be described. Use separate sheet if necessary)
(If preferable, give of the same point of diversion ing within the National State (Give smallest legal subdiversion)	distance and bearing to section corner) n, each must be described. Use separate sheet if necessary) of Sec. , Tp. 4/3
(If preferable, give of the country of	distance and bearing to section corner) n, each must be described. Use separate sheet if necessary) of Sec. , Tp. 47.5 vision) (N. or S.)
(If there is more than one point of diversion ing within the NAWA (Give smallest legal subdiversion), W. M., in the county of	distance and bearing to section corner) n, each must be described. Use separate sheet if necessary) of Sec. , Tp. 47.5 vision) (N. or S.)
(If there is more than one point of diversion ing within the NAWA (Give smallest legal subdiversion), W. M., in the county of	distance and bearing to section corner) n, each must be described. Use separate sheet if necessary) of Sec. , Tp. 47.5 vision) (N. or S.)
(If preferable, give of the country of	distance and bearing to section corner) n, each must be described. Use separate sheet if necessary) Of Sec. , Tp. 47.5 (N. or S.)
(If preferable, give of them one point of diversion ing within the (Give smallest legal subdiversion), W. M., in the county of (E. or W.) 5. The Society of Child Society of the Society	distance and bearing to section corner) n., each must be described. Use separate sheet if necessary) of Sec. , Tp. 4/3 (N. or S.) to be 2/900/ [mine) (Miles or feet) subdivision)
(If there is more than one point of diversion ing within the (Give smallest legal subdiversion), W. M., in the county of (E. or W.) 5. The Society of (Main divers, genel or pipe No.) (Chain divers, genel or pipe No.) (Chaillest legal (Chaillest legal (Chaillest legal))	distance and bearing to section corner) n, each must be described. Use separate sheet if necessary) of Sec. , Tp. 47.5 vision) (N. or S.)
(If preferable, give of the pr	distance and bearing to section corner) n., each must be described. Use separate sheet if necessary) of Sec. , Tp. 4/5 vision) (N. or S.) to 60° / 00° / jine) (Miles or feet) subdivision)
(If preferable, give of the preferable of diversion in the country of the preferable of the preferable, give of the preferable of the preferable, give of the preferable of the preferable of the preferable, give of the preferable of the preferable, give of the preferable of th	distance and bearing to section corner) n., each must be described. Use separate sheet if necessary) of Sec. 7.7p. 4/3 (N. or S.) to 662 / 603 (Miles or feet) of Sec. 7.7p. 4/3 (N. or S.) ion being shown throughout on the accompanying map.
(If preferable, give of the preferable, give of the preferable, give of the preferable, give of the preferable of diversion ing within the N. M. M., in the country of the proposed of the proposed location (E. or W.) (E. or W.) (E. or W.) DESCRIPTION OF THE PROPOSED COURTS (E. or W.)	distance and bearing to section corner) n., each must be described. Use separate sheet if necessary) of Sec. , Tp. // to be // eq (N. or S.) (Miles or feet) of Sec. , Tp. // I subdivision) (N. or S.) ion being shown throughout on the accompanying map. IPTION OF WORKS
(If preferable, give of the preferable of diversion ing within the ALA (Give smallest legal subdivided of the preferable of the preferable of the proposed location of the proposed location (E. or W.) DESCRIVERS (If preferable, give of diversion with the proposed location of the preferable of the pre	distance and bearing to section corner) n, each must be described. Use separate sheet if necessary) of Sec. 7.7p. 4/5 (N. or S.) to 66 2 / 00 2 / Jime) (Miles or feet) ion being shown throughout on the accompanying map. IPTION OF WORKS
(If preferable, give of the preferable (Give smallest legal subdividual of the proposed location of	distance and bearing to section corner) n. each must be described. Use separate sheet if necessary) of Sec. 7.7p. 4/3 (N. or S.) lime) of Sec. 7.7p. 4/3 (N. or S.) is subdivision) of Sec. 7.7p. 4/3 (N. or S.) ion being shown throughout on the accompanying map. IPTION OF WORKS feet, length on top 204 feet, length at bottom character of construction EARTH ELL
(If preferable, give of the preferable (Give smallest legal subdividual of the proposed location of	distance and bearing to section corner) n. each must be described. Use separate sheet if necessary) of Sec. 7. 7p. 4/5 vision) to 62 / 60 - (N. or S.) lime) of Sec. 7. 7p. 4/5 (N. or S.) is subdivision) (N. or S.) ion being shown throughout on the accompanying map. IPTION OF WORKS feet, length on top 204 feet, length at bottom character of construction EARTH FILL
(If preferable, give of the preferable (Give smallest legal subdivide of the proposed location of th	distance and bearing to section corner) In, each must be described. Use separate sheet if necessary) of Sec. Tp. (N. or 3.) LUALITY to BE 2 1003 (Miles or feet) I subdivision) of Sec. Tp. (N. or 3.) ion being shown throughout on the accompanying map. IPTION OF WORKS feet, length on top 204 feet, length at bottom character of construction EARTH FILL (Loose rock, concrete, masonry.
(If preferable, give of the preferable (Give smallest legal subdivide of the proposed location of th	distance and bearing to section corner) In, each must be described. Use separate sheet if necessary) of Sec. Tp. 475 (N. or S.) Land Sec. Tp. 475 (N. or S.) (Miles or feet) in being shown throughout on the accompanying map. IPTION OF WORKS feet, length on top 204 feet, length at bottom character of construction EARTH FILL (Loose rock, concrete, masonry.
(If there is more than one point of diversion ing within the NAME (Give smallest legal subdivided of the country of the orw.) 5. The Man diverse general or pipe length, terminating in the New NAME (Give smallest legal with the country of the cou	distance and bearing to section corner) n. each must be described. Use separate sheet if necessary) of Sec
(If preferable, give of the preferable, give of the preferable, give of the preferable, give of the proposed location of	distance and bearing to section corner) n. each must be described. Use separate sheet if necessary) of Sec. 7.7p. (N. or S.) (N. or S.) (N. or S.) is subdivision) of Sec. 7.7p. (N. or S.) ion being shown throughout on the accompanying map. IPTION OF WORKS feet, length on top 204 feet, length at bottom character of construction EARTH FILL (Loose rock, concrete, masonry. (Timber, concrete, etc., number and size of openings)
(If preferable, give of the proposed location of t	distance and bearing to section corner) In, each must be described. Use separate sheet if necessary) of Sec. Tp. (N. or S.) (N. or S.) (N. or S.) I subdivision) of Sec. Tp. (N. or S.) ion being shown throughout on the accompanying map. IPTION OF WORKS feet, length on top Character of construction EARTH FILE (Loose rock, concrete, massonry.)

^{*}A different form of application is provided where storage works are contemplated.

^{*}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem,

22762				
				*.
enal Bystone or 1 7. (a) Giu	A CAMPAGE AND LINES			nged in size, stating miles from
•			·	feet; width on botton
2	*		• •	feet fall per on
no usena jest.	•			
			radgate: width on top (at rea	
rade				f water feet
(c) Length	of pipe,		size at intake,	in.; size at fi
n intake	in.	; size at place o	f use in.;	difference in elevation between
		-		Estimated capacity
***************************************	sec. ft.			
8. Location			ace of use	<u> </u>
-	Range E or W. of Willemotte Meridian	Section	Party-acre Trest	Number Acres To Be Errigated
4/5	195	5	-NE NW	3.3
			NW NW	26.7
				/ 57
······································				
			required, attach separate sheet)	
		,	- a lone lumi	
(b) Kind o	of crops raised	Lay F	girin - Post	
Power or Mining	-			
				theoretical horsepowe
		- '	power	sec. ft.
(c) Tot	cal fall to be uti	lized	feet.	
(d) The	nature of the t	works by mean.	s of which the power is to b	e developed
		•••••••••••••••••••••••••••••••••••••••		
(e) Suc	h works to be l	ocated in	(Legal subdivision)	of Sec.
	water to be retu		[. 'eam?(Yes or No)	
			(Yes or No) int of return	
			pplied is	, R, W. M.

(i) The nature of the mines to be served

District American	
	THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TRANSPORT NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TRANSPORT NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TRANSPORT NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TRANSPORT NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TRANSPORT NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TRANSPORT NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TRANSPORT NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TRANSPORT
11. Estimated cost of program	tour, to 1500.e.
12. Construction work will h	the ter or before a Transchist day
13. Construction work will b	e completed on or before
14. The water will be comple	stely applied to the proposed use on or before
·	sauthern aregan Pauch
	(Reporture of Augitorial)
	·
Remarks:	
,	
STATE OF OREGON,	
County of Marion,	
	ve examined the foregoing application, together with the accor
This is in certify that I have	
	me for
maps and data, and return the sar	me for ritu. this application must be returned to the State Engineer, wi
maps and data, and return the sar	rity, this application must be returned to the State Engineer, wi

County of Merion,

The sea of the

ed the foregoing application and do hereby grant the same,

SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:						
-		d to the amount of		, •••	•	
and shall not exceed	c	ibic feet per second	measured at the	point of diversio	n from the	
stream, or its equivalent in case of rotation with other water users, froman.unnamed.alough						
and reservoir to	be construct	ed under Applica	tion No. B-28	991, Permit No.	R-1596	
The use to which	this water is to l	be applied isirri	gation (suppl	Lomental)		
If for irrigation, t		shall be limited to				
second or its equiv	alent for eac	h acre irrigated	from direct	flow and shall	b.e	
further limited to	a diversion	of not to exceed	23 acre feet	per acre for	each acre	
irrigated during t	he irrigation	season of each	year from dir	ect flow and s	torage from	
reservoir to be co	instructed und	er Permit No. R-	. 1596 ; pr	ovided further	that the	
amount of water al	lowed herein,	together with t	he amount sec	ured under any	other	
right existing for	the same lan	ds shall not exc	eed the limit	ation allowed	he rein ,	
and shall be subject to a		rotation system as m December 10	-	• •		
Actual constructi	ion work shall be	egin on or before	April 30,	1955	and shall	
thereafter be prosecute		le diligence and be c r to the proposed us	-			
			e sinuse de linaue (on or before wave	# Vik da g da. j	
WITNESS my ha	ind this30th	day of Apri	i hine, s	1954.	2 ENGINEER	
Permits for power devel	lopment are subject to t	the payment of annual fees	as provided in sections	1 and 2, chapter 16, Or	regon Laws 1923.	
				•		

Application No. 289. Permit No. 227 PERMIT

PUBLIC TO APPROPRIATE THE WATERS OF THE ST OF OREGON

Division No. District

This instrument was first received in the

office of the State Engineer at Salem, Oregon on the 10 handay of December

1953, at . 6.. 00. o'clock ... A...... M.

Returned to applicant:

Corrected application received: .

Approved:

Recorded in book No. 58 April 30, 1954

CHAS. E. STRICKLIN Permits on page 227

Pees Paid 4 19.05