| To be the state of the State of Oreg | |
|--------------------------------------|---|
| | , |

| of Ring & Box 8874 Management | |
|---|--|
| State of Oragan do hereby make a | pplication for a permit t o appropriate the |
| following described public waters of the State of Oregon, | SUBJECT TO EXISTING RIGHTS. |
| If the applicant is a corporation, give date and place o | f incorporation |
| 1. The source of the proposed appropriation is | Pudding River |
| , a tributary of | Willsmette River |
| 2. The amount of water which the applicant intends | to apply to beneficial use is 0.25 |
| cubic feet per second. | |
| **3. The use to which the water is to be applied is | ITIGATION ion, power, mining, manufacturing, domestic supplies, etc.) |
| 4. The point of diversion is located //ft/////(N. a.S.) | dmb |
| colder of 63.42 chains West and 761.59 fee | |
| West of the S.E. Corner of John McKay D. | m) |
| | MANAGER AMILINE SARA I W |
| W.M. Marion County, Oregon | |
| (If preferable, give distance and bearing to se | ction corner) |
| (If there is more than one point of diversion, each must be described | Vice and the second sec |
| being within the SE/IN | of Sec 29, Tp 5 S |
| (Give smallest legal subdivision) R. 1 W , W. M., in the county of Marion (E. or W.) | () |
| | |
| 5. The (Main ditch, canal or pipe line) | (Miles or feet) |
| in length, terminating in the (Smallest legal subdivision) | of Sec, T_p , (N. or S.) |
| R. $(E. or W.)$, W. M., the proposed location being show | n throughout on the accompanying map. |
| DESCRIPTION OF W | ORKS |
| Diversion Works— | |
| 6. (a) Height of dam feet, length on top | |
| feet; material to be used and character of | (Loose took, concrete, masons). |
| rock and brush, timber crib, etc., wasteway over or around dam) | |
| (b) Description of headgate | ete, etc., number and size of openings) |
| (c) If water is to be pumped give general description Jeauzzi Rotery pump with 146 feet of 1 | head |
| (Size and type of engine or motor to be used, total head | l water is to be lifted, etc.) |

^{*}A different form of application is provided where storage works are contemplated,

^{**}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon. 5.53.—4M.

| m kindgate. | At bendgate; wi | A # 100 (M | water line) | changed in size, stating mile |
|-----------------------------|---|--------------------|-------------------------------|--------------------------------|
| | the table of the same descriptions | alba total action | | feet fall per on |
| (1) (1) (2) (3) (4) | | | | 'at water line) |
| • | | | . 3 | • |
| | | | | h of waterfeet . |
| | feet fall | | | |
| | | | | in.; size at150f |
| rom intake | din.; si | ze at place of u | se <u> </u> | lifference in elevation betwee |
| take and place | of use,80 | ft. Is gr | ade uniform? | Estimated capacity |
| 0.25 | sec. ft. | | 18 60 | naman Ga akia m 90 |
| 8. Locati | | rrigated, or pla | ce of use 17.60 | acres Section 29 |
| Township North or South | Range R. or W. of Willamotte Meridian | Section | Forty-acre Tract | Number Acres To Be Irrigated |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| <u> 5 S</u> | 1 W | 29 | SE/NW | 15,50 |
| 58 | 1 W | 29 | NR/H | 2.00 |
| | | | | 30 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | (See LD under | r "Romarks") |
| | | (If more space req | zired, attack separate shost) | |
| (a) (| Character of soil | | illamette | |
| (b) I | Kind of crops ra | ised Strau | berries, pickles, | caneberries and ato. |
| Power or Mini | ng Purposes— | | .1 | theoretical horsehore |
| | | | | theoretical horsepou |
| | | | r power | |
| (c) ? | Total fall to be ut | ilized | (Head) | eet. |
| (d) | The nature of the | e works by med | ins of which the power | is to be developed |
| 2. <u>44 -</u> 2 | | | | |
| (e) . | Such works to be | located in | | of Sec |
| | , R | | • | |
| | | • | ream? | |
| (1 | | recur ev was y se | (Ves es Ma) | |
| (f) | | | int of wateres | |
| (f) (g) | If so, name strea | m and locate po | | p ' 111 |
| (f)(g) | If so, name strea | m and locate po | , T p(No. N. c | , R, W. (No. E. or W.) |

| micipal or Domestic Supply— | . 2278 |
|--|---|
| 10. (a) To supply the day of | |
| Coquidy, how | ing a present population of |
| I an estanted population of | in 19 |
| (b) If for domestic use state | number of families to be supplied |
| 7.00 | of Gardense 11, 12, 12, and 14 to the defent |
| 11. Estimated cost of proposed w | |
| , | n on or before January 5, 1954 |
| | mpleted on or before |
| | applied to the proposed use on or before June 1954 |
| _ | * Alton Jallan (Sprature Japplicant) |
| Remarks: | |
| _ | tion of the center line of the |
| rown vs.McKay, et al, in tate of Oregon for the C o. 4742, which point of | Elisabeth Brown in Partition Suit, the Circuit Court of the county of Marion, Clerk's Register beginning is 63.42 chains West and |
| Brown vs.McKay, et al, in State of Oregon for the Constant of the Constitution Land Claim No. 4 Nest of the Willamette Methence following the cent following courses: North North 88° 17' West 178.96 177.31 feet; thence South South 51° 22' West 153.00 allotted to John Delore is parcel, 115.29 feet to the the tract conveyed to Jos in Volume 232, Page 273, Oregon; thence South 87° Southeast corner of the tet ux, by deed recorded in the content of the Morthwest corner of the test ux, by deed recorded in the content of the Morthwest corner of the to the Northwest corner of the to the Northwest corner of the to the Northwest corner of the Morthwest corner of the to the Northwest corner of the Morthwest corner of the Morthwe | the Circuit Court of the county of Marion, Clerk's Register beginning is 63.42 chains West and Woutheast corner of the John McKay in Township 5 South, Range 1 cridian, Marion County, Oregon; ser line of the Pudding River on the 36° 20' West 185.30 feet; thence feet; thence 3 guth 59° 05' West 155.43' West 122.32 feet; thence feet to the West line of the tract in said Partition Suit; thence leaving sat along the West line of said Delore most Easterly Northeast corner of seph C. Stravens et ux by deed recorded Deed Redords for Marion County, 40' West 150.00 feet to the most Easterly tract conveyed to Joseph C. Stravens, in Volume 372, Page 268, Deed Records; along the East line of said Stravens center line of the County Road; theme of the said Elisabeth Brown 69.31 set corner is due North of the set corner is due North of the south 1007.41 feet to the place |
| Brown vs.McKay, et al, in itate of Oregon for the Clo. 4742, which point of 510.59 feet North of the conation Land Claim No. 4 Nest of the Willamette Methence following the cent collowing courses: North to the 88° 17' West 178.96 177.31 feet; thence South couth 51° 22' West 153.00 allotted to John Delore is aid river North 0° 03' Eact of the tract conveyed to Jos in Volume 232, Page 273, Cregon; thence South 67° coutheast corner of the tet ux, by deed recorded in the content of the Northwest corner of the tasterly along the center to the Northwest corner of beginning, being situated as a constant of beginning, being situated as a constant of the situation Land Claim Land Cl | the Circuit Court of the county of Marion, Clerk's Register beginning is 63.42 chains West and Woutheast corner of the John McKay in Township 5 South, Range 1 cridian, Marion County, Oregon; ser line of the Pudding River on the 36° 20' West 185.30 feet; thence feet; thence 3 guth 59° 05' West 155.443' West 122.32 feet; thence feet to the West line of the tract in said Partition Suit; thence leaving last along the West line of said Delore most Easterly Northeast corner of seph C. Stravens et ux by deed recorded Deed Redords for Marion County, 40' West 150.00 feet to the most Easterly tract conveyed to Joseph C. Stravens, in Volume 372, Page 268, Deed Records; along the East line of said Stravens center line of the County Road; theme et line of the County Road; theme et line of the County Road; theme et line of the County Road, 811.32 feet of the said Elisabeth Brown 69.31 mest corner is due North of the |
| Brown vs.McKay, et al, in itate of Oregon for the Constant of the Constitution Land Claim No. 4 Constitution Land Claim No. 4 Constitution Land Claim No. 4 Constitution Courses: North Control 88° 17' West 178.96 Control 88° 17' West 178.96 Courth 51° 22' West 153.00 Control 60 Courth 51° 22' West 153.00 Control 60 Courth 60° 03' Example 15.29 feet to the the tract conveyed to Jos in Volume 232, Page 273, Congon; thence South 67° Courtheast corner of the tetux, by deed recorded in the Courth 67° Courtheast corner of the tetux, by deed recorded in the Morthwest corner of the tetux, by deed recorded in the Courth 67° Courtheast corner of the tetux, by deed recorded in the Courth 67° Cour | the Circuit Court of the county of Marion, Clerk's Register beginning is 63.42 chains West and Woutheast corner of the John McKay 3 in Township 5 South, Range 1 cridian, Marion County, Oregon; cer line of the Pudding River on the 36°20' West 185.30 feet; thence feet; thence 36°20' West 122.32 feet; thence feet to the West line of the tract in said Partition Suit; thence leaving fast along the West line of said Delore most Easterly Northeast corner of seph C. Stravens et ux by deed recorded Deed Redords for Marion County, 40' West 150.00 feet to the most Easterly fact conveyed to Joseph C. Stravens, in Volume 372, Page 268, Deed Records; along the East line of said Stravens center line of the County Road; them est line of the County Road; them est line of the County Road; them est line of the County Road, 811.32 feet of the said Elisabeth Brown 69.31 west corner is due North of the section 29, in the John No. 43, in Township 5 South. |
| Brown vs.McKay, et al, in itate of Oregon for the C to. 4742, which point of 510.59 feet North of the conation Land Claim No. 4 West of the Willamette Methence following the cent following courses: North to the 88° 17' West 178.96 177.31 feet; thence South 51° 22' West 153.00 allotted to John Delore is aid river North 0° 03' E ast the tract conveyed to Jos in Volume 232, Page 273, Oregon; thence South 87° Southeast corner of the tet ux, by deed recorded in the noe North 0° 03' East parcel 929.1 feet to the Easterly along the center to the Northwest corner of beginning; thence of beginning; thence of beginning, being situationally Donation Land Claim Mange 1 West of the Willamed | the Circuit Court of the county of Marion, Clerk's Register beginning is 63.42 chains West and Woutheast corner of the John McKay 3 in Township 5 South, Range 1 cridian, Marion County, Oregon; cer line of the Pudding River on the 36°20' West 185.30 feet; thence feet; thence 3cuth 59°05' West 155.453' West 122.32 feet; thence feet to the West line of the tract in said Partition Suit; thence leaving fast along the West line of said Delore most Easterly Northeast corner of seph C. Stravens et ux by deed recorded Deed Redords for Marion County, 40' West 150.00 feet to the most Easterly fract conveyed to Joseph C. Stravens, in Volume 372, Page 268, Deed Records; along the East line of said Stravens center line of the County Road; them est line of the County Road, 811.32 feet of the said Elisabeth Brown 69.31 west corner is due North of the section 29, in the John No. 43, in Township 5 South. |
| Brown vs.McKay, et al, in State of Oregon for the Cono. 4742, which point of 510.59 feet North of the Conation Land Claim No. 4 West of the Willamette Methence following the cent following courses: North South 88° 17' West 178.96 177.31 feet; thence South South 51° 22' West 153.00 allotted to John Delore is aid river North 0° 03' Exparcel, 115.29 feet to the the tract conveyed to Jos in Volume 232, Page 273, Oregon; thence South 87° Southeast corner of the tet ux, by deed recorded in thence North 0° 03' East parcel 929.1 feet to the Easterly along the center to the Northwest corner of beginning; thence of beginning; thence of beginning; thence of beginning; thence of beginning it us Mange 1 West of the Willa TATE OF OREGON County of Marion, | the Circuit Court of the county of Marion, Clerk's Register beginning is 63.42 chains West and Woutheast corner of the John McKay 3 in Township 5 South, Range 1 cridian, Marion County, Oregon; cer line of the Pudding River on the 36°20' West 185.30 feet; thence feet; thence 3cuth 59°05' West 55.453' West 122.32 feet; thence feet to the West line of the tract in said Partition Suit; thence leaving fast along the West line of said Delore most Easterly Northeast corner of seph C. Stravens et ux by deed recorded Deed Redords for Marion County, 40' West 150.00 feet to the most Easterly fract conveyed to Joseph C. Stravens, in Volume 372, Page 268, Deed Records; along the East line of said Stravens center line of the County Road; theme et line of the County Road, 811.32 feet of the said Elisabeth Brown 69.31 west corner is due North of the section 29, in the John No. 43, in Township 5 South. |

rections on or before ______,19_____

STATE OF OREGON,

- County of Marion,

Thick to couldy that I have street SUBJECT TO EXISTING RIGHTS lication and do hereby grant the same, basions and conditions:

| The right herein granted is builted to the amount of water which can be applied to beneficial |
|--|
| ise and shall not exceed 0.218 cubic feet per second measured at the point of diversion from |
| the stream, or its equivalent in case of rotation with other waler users, from Padding River |
| |
| The use to which this water is to be applied is irrigation |
| If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per |
| second or its equivalent for each acre irrigated and shall be further limited to a diversion |
| of not to exceed 22 acre feet per acre for each acre irrigated during the irrigation |
| season of each year, |
| |
| |
| |
| |
| |
| |
| |
| and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. |
| The priority date of this permit is January 12, 1954 |
| Actual construction work shall begin on or before. April 30, 1955 - and shall |
| thereafter be prosecuted with reasonable diligence and be completed or or before October 1, 19 56 . |
| Complete application of the water to the proposed use shall be made on or before October 1. 1957 . |
| WITNESS my hand this 30th day of April 1954 College Street for State Engineer |

Drainage Basin No. 2

CHAS. E. STRICKLIN STATE ENGINEER

Permits on page

Recorded in book No. 59

April 30, 1954

Approved:

State Printing 66097

Paid 15.00

Permit No. 32781. Application No. 2.8.8

received in the

This instrument was first

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

PERMIT

Salem, Oregon,

office of the State Engineer at

on the 12th day of Hancary

19 54 at 8:00 o'clock A M.

Return to applicant: