

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Oregon

I, G. C. Knott and Della B. Knott

(Name of applicant)

of 202 Washington St., Albany, Ore.

(Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Spring (Name of stream)

, a tributary of Alsea River

2. The amount of water which the applicant intends to apply to beneficial use is 0.112 cubic feet per second. (5 G.P.M.) (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic including 1/2 acre lawn and garden (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the corner of (N. or S.) (E. or W.) (Section or subdivision)

North 21° 13' East 498 feet from the G.L. O. meander corner between Sections 27 and 28, T. 13 S. R. 10 W, W.M., Lincoln County, Oregon

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the Lot 5 (SW 1/4 SW 1/4) of Sec. 27, Tp. 13 S

(Give smallest legal subdivision)

(N. or S.)

R. 10, W. M., in the county of Lincoln

(E. or W.)

5. The Pipe Line to be 445 ft. (Main ditch, canal or pipe line) (Miles or feet)

in length, terminating in the of Sec. 27, Tp. 13 S

(Smallest legal subdivision)

(N. or S.)

R. 10 W, W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 3 feet, length on top 6 feet, length at bottom 6 feet; material to be used and character of construction concrete (Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate none (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 250 G.P.H. (Size and type of pump)

Electric Motor 1/4 H.P.

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, 445 ft.; size at intake, 1 1/2 in.; size at 445 ft. from intake 1 1/2 in.; size at place of use _____ in.; difference in elevation between intake and place of use, 5 ft. Is grade uniform? Yes Estimated capacity, 5 G.P.M. sec. ft.

8. Location of area to be irrigated, or place of use _____

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
13S	10 W	27	Lot 5 (SW 1/4 SW 1/4)	Dom. Including 1/2 ac Gdn.

Beginning at the Meander corner between Sections 27 and 28 T. 13 S. R. 10 W. W.M., said point being on the north bank of the Alsea River running thence north 37° 45' west along the bank of river 134.4 feet thence south 85° 15' east 240.6 feet; thence south 5° 30' west 360 feet, to the bank of Alsea River; thence northwesterly along bank of Alsea River to the place of beginning, containing 1.4 acres more or less, together with right of way for water pipe line and except right of way for power line; EXCEPTING any portion below highwater mark and the meander line of the Alsea River; said property being in the County of Lincoln and State of Oregon

(If more space required, attach separate sheet)

(a) Character of soil _____ Sandy loam

(b) Kind of crops raised Lawn - Garden

Power or Mining Purposes—

9. (a) Total amount of power to be developed _____ theoretical horsepower.

(b) Quantity of water to be used for power _____ sec. ft.

(c) Total fall to be utilized _____ feet.
(Head)

(d) The nature of the works by means of which the power is to be developed _____

(e) Such works to be located in _____ of Sec. 27 and 28,
(Legal subdivision)

Tp. 13 S, R. 10, W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? River
(Yes or No)

(g) If so, name stream and locate point of return _____

_____, Sec. _____, Tp. _____, R. _____, W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is _____

(i) The nature of the mines to be served _____

Municipal or Domestic Supply

City of Marion, Oregon
Department of Public Works
and the Municipal Employees Association

(1) for domestic use, the number of families to be supplied _____
SS 1800

11. Estimated cost of proposed works, \$ 100 _____

12. Construction work will begin on or before June 1st, 1954 _____

13. Construction work will be completed on or before Sept. 30, 1954 _____

14. The water will be completely applied to the proposed use on or before Sept. 30, 1954 _____

* *G. C. Arnold*
(Signature of applicant)
* *Emelia B. K. ...*

Remarks: _____

STATE OF OREGON }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from a spring

The use to which this water is to be applied is domestic including irrigation of not to exceed 1/2 acre lawn and garden

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 21, 1954

Actual construction work shall begin on or before April 30, 1955 and shall thereafter be prosecuted with reasonable diligence and be completed or or before October 1, 1956.

Complete application of the water to the proposed use shall be made on or before October 1, 1957.

WITNESS my hand this 30th day of April, 1954

Chas. E. Stricklin STATE ENGINEER

Application No. 28978

Permit No. 22786

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 21st day of January, 1954, at 3:53 o'clock P. M.

Return to applicant:

Approved:

April 30, 1954

Recorded in book No. 59 of

Permits on page 22786

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 18

State Printing 46097

Perd 20.00