

To appropriate the Public Waters of the State of Oregon

I, Maurice Brassfield
(Name of applicant)

of Cloverdale
(City or town)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation.

1. The source of the proposed appropriation is An Unnamed stream, Farmer Cr. and Big Nestucca R., a tributary of Unnamed stream (Name of stream) is tributary to Farmer Cr. which in turn flows into Big Nestucca R.

2. The amount of water which the applicant intends to apply to beneficial use is 0.3 cubic feet per second 0.03 sec. Ft. to supply dwellings - (source being from Unnamed Cr. be used at barn - " " " Farmer Cr. 0.25 sec. Ft. for irrigation - source of supply being Big Nes. R.

**3. The use to which the water is to be applied is For domestic use in dwellings, for barn and stock use, and for irrigation.

(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

shown on map as Div. #1 for dwelling use and located on unnamed stream.

4. The point of diversion is located 284.4 ft. S and 1199.7 ft. W from the N.E. corner of Sec. 1, Twp. 4 S. of R. 10, W. W. M., Tillamook Co., being within the S.E. 1/4 of N.E. 1/4 of said Sec. 1.
(Section or subdivision)
Pt. of Div. #2, on Farmer Cr. is S-253.1 Ft. and W-944.2 Ft. of N.E. Cor. Sec. 1, Twp. 4 S., R. 10, W. W. M., Tillamook Co. lying within S.E. 1/4 of N.E. 1/4 of said Sec. 1 and used to service barn and stock
Pt. of Div. #3, on Big Nestucca R. is S-206.1 Ft. and W-300.24 Ft. of N.E. Cor. Sec. 1, Twp. 4 S., R. 10, W. W. M., Tillamook Co. and lying within S.E. 1/4 of N.E. 1/4 of said Sec. 1 and used for irrigation.
(If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the S.E. 1/4 of N.E. 1/4 of Sec. 1, Twp. 4 S.
(Give smallest legal subdivision) (N. or S.)
R. 10, W. W. M., in the county of Tillamook
(E. or W.)

5. The Pipe line to serve dwellings (in place) to be 15960 Ft.
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the S.E. 1/4 of N.E. 1/4 of Sec. 1, Twp. 4 S.
(Smallest legal subdivision) (N. or S.)
R. 10, W. W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 5 feet, length on top 4 feet, length at bottom 4 feet; material to be used and character of construction Concrete
(Loose rock, concrete, etc.)
(Dam in place)
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate One opening for 1 1/2 in. pipe
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description At Pt. of Div. #2, water to be pumped to barn with head of 10 Ft.
(Size and type of jump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

At Pt. of Div. #3, for irrigation a 3 phase 10 H.P. pump will be used with head of 16 Ft.
" " " " #2, " Barn service a one H.P. pump will be used
" " " " #1, " Gravity flow.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

2222

(1) ~~Point where material changed in size, stating miles from headgate.~~ At headgate, width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, ^(Powering Supply) 460 ft.; size at intake, 1 1/2 in.; size at _____ ft. from intake 1 1/2 in.; size at place of use 1 1/2 in.; difference in elevation between intake and place of use, 74.0 ft. Is grade uniform? yes. Estimated capacity, 0.03 sec. ft.

8. Location of area to be irrigated, or place of use _____

Township North or South	Range of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
4 S.	10, W.	1	S.E. 1/4 of N.E. 1/4	2.15 ACRES, More or less
4 S.	10, W.	1	N.E. 1/4 of S.E. 1/4	1.5 " " "
All in Tillamook Co.				23.0 Total " "

Lot (2) of section One, Twp. 4 South of range 10 W.W.M., Tillamook Co., Oregon.

Also all that part of the East half of Northeast quarter and the Northeast quarter of the Southeast quarter of Sec. One, Twp. 4, South of range 10 W.W.M., lying on the West side of Big Nestucca river, save and except the following exceptions:

(1) A tract containing 4.1 acres, more or less, conveyed to the State of Oregon.

(2) All that part of the Northeast quarter of the Southeast quarter, Sec. One, Twp. 4 South of range 10 W.W.M., lying on the West side of Big Nestucca River and South of Farmer creek.

(Continued under remarks)

(If more space required, attach separate sheet)

(a) Character of soil Clay loam

(b) Kind of crops raised Grass for grazing

Power or Mining Purposes—

9. (a) Total amount of power to be developed _____ theoretical horsepower.

(b) Quantity of water to be used for power _____ sec. ft.

(c) Total fall to be utilized _____ feet.

(Head)

(d) The nature of the works by means of which the power is to be developed _____

(e) Such works to be located in _____ of Sec. _____, (Legal subdivision)

Tp. _____, R. _____, W. M. _____

(f) Is water to be returned to any stream? _____ (Yes or No)

(g) If so, name stream and locate point of return _____

_____, Sec. _____, Tp. _____, R. _____, W. M. _____ (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is _____

(i) The nature of the mines to be served _____

10. (a) To supply the city of _____
_____ County, having a present population of _____
and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied Three

(Answer questions 11, 12, 13, and 14 in this order)

11. Estimated cost of proposed works, \$ 400.00 - in place and in use

12. Construction work will begin on or before _____

13. Construction work will be completed on or before _____

14. The water will be completely applied to the proposed use on or before Now in use.

Maurice Brossfield
(Signature of applicant)

Remarks: The applicant herein will begin construction and installation of pumping systems for both Barn and irrigation use on or before June 1st 1954 and have same completed and ready for use by Jan. 1st 1955.
F.E.B.

(Continued from item 8)

(3) A tract of land heretofore sold to Howard Forsythe, including rights heretofore granted Howard Forsythe to enter upon land hereby contracted to be conveyed, to maintain pipe line and water system used in connection with the property heretofore sold to the said Howard Forsythe.

(4) A tract of land more particularly described as follows: Beginning at a point on the East side of the State highway where the same crosses the North section line of Sec. 1, Twp. 4 South of range 10 W.W.M. and running thence Southerly along the the Easterly line of said State highway, 800.00 feet, more or less, to a fence running East and West from said State highway to the Big Nestucca River and said fence being approximately 40 feet South of the South side of a dwelling, and said dwelling formerly occupied by James Skelton; thence East along said fence 800.00 feet, more or less, to the Big Nestucca River; thence Northerly along the Big Nestucca River to the North section line of said section 1; thence due West to the point of beginning.

STATE OF OREGON }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

STATE OF OREGON

County of Multnomah

I do hereby certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.30 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream, Farmer Creek and Big Nestucca River, being 0.03 cfs from unnamed stream, 0.02 cfs from Farmer Creek and 0.25 cfs from Big Nestucca River

The use to which this water is to be applied is domestic, stock and barn and irrigation, being 0.03 cfs for domestic, 0.02 cfs for stock and barn and 0.25 cfs for irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year, and shall be still further limited to a diversion of not to exceed 0.30 c.f.s.,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 10, 1954

Actual construction work shall begin on or before May 28, 1955 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1956

Complete application of the water to the proposed use shall be made on or before October 1, 1957

WITNESS my hand this 28th day of May, 1954

Chas. E. Stricklin

STATE ENGINEER

Application No. 29009

Permit No. 22828

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 10th day of February, 1954, at 8:00 o'clock A.M.

Return to applicant:

Approved:

May 28, 1954

Recorded in book No. 52 of

Permits on page 22828

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No.

State Printing 66077

15.00