

Permit 22843

To appropriate the Public Waters of the State of Oregon

I, Stanley F. Mohr (Name of applicant)
 of Myrtle Creek (City or town)
 State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is North Myrtle Creek, (Name of stream)
 a tributary of The South Umpqua River

2. The amount of water which the applicant intends to apply to beneficial use is 0.07
 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1369.3 ft. N. and 526.4 ft. E. from the S. 1/4
 corner of Section 5, T. 29 S; R. 4 W; S.M. (Section or sub-division)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 of the NE 1/4 of Sec. 5, Tp. 29 S,
 (Give smallest legal subdivision) (N or S)

R. 4 W, W.M. in the county of Douglas (E or W)

5. The Pipe Line to be 300
 (Main ditch, canal or pipe line) (Miles or feet)

in length, terminating in the NE 1/4 SE 1/4 of Sec. 5, Tp. 29 S,
 (Smallest legal subdivision) (N or S)

R. 4 W, W.M., the proposed location being shown throughout on the accompanying map. (E or W)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam no dam feet, length on top feet, length at bottom
 feet, material to be used and character of construction (Loose rock, concrete, masonry,
 rock and brush, timber crib, etc. wasteway over or around dam)

(b) Description of headgate no hdgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 5" x 4" cent (Size and type of pump)
5 H.P. Electric motor (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
 **Application for permits to appropriate water for the generation of electricity with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

... changed in size, stating miles from
 feet; width on bottom
 feet fall per one
 feet; width on bottom feet; depth of water feet;
 grade feet fall per one thousand feet.

(c) Length of pipe, main, 300 ft.; size at intake, 1/2" in.; size at 300 ft. from intake 1/2" in.; size at place of use 3/4" in.; difference in elevation between intake and place of use, 1.00 ft. Is grade uniform? YES Estimated capacity, 0.07 sec. ft. Sprinkler system

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
29 S	4 W	5	NW 1/4 of the SE 1/4	4.36
			SW 1/4 "	1.04
				Total: 5.40 ac.

- (a) Character of soil loamy creek bottom
- (b) Kind of crops raised pasture grasses, garden

Power or Mining Purposes--

- 9. (a) Total amount of power to be developed
- (b) Quantity of water to be used for power
- (c) Total fall to be utilized
- (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in
 Tp. _____, R. _____, W. M. _____

(f) Is water to be returned to any stream? YES Stream _____


(g) If so, name stream and locate point of return
 _____, Sec. _____, Tp. _____, R. _____, W. M. _____

(h) The use to which power is to be applied as

(i) The nature of the mines to be served

(b) By _____ the date number of families to be supplied _____
 (Number of persons in the family) _____

- 11. Estimated cost of proposed works, \$ 1,500.00
- 12. Construction work will begin on or before, as soon as application is approved
- 13. Construction work will be completed on or before June 1, 1954
- 14. The water will be completely applied to the proposed use on or before July 15, 1954


 (Signature of applicant)

Remarks: Legal description of property figuring in proposed appropriation; That portion of the NW 1/4 of the SE 1/4 and of the SW 1/4 of the SE 1/4 of section 5, T. 29 S; R. 4 W; W.M; Douglas County, Oregon, which is described as follows, Beginning at a point on the north and south mid-section line of section 5, T. 29 S; R. 4 W; which is 840.5 ft. S. of the legally established center of said section 5, thence running E. 1320.0 ft., to the east line of the NW 1/4 of the SE 1/4 of said section 5, thence S. 604.0 ft., along the east line of the NW 1/4 of the SE 1/4 and of the SW 1/4 of the SE 1/4 of said section 5, to a point, thence E. 1320.0 ft. to the north and south mid-section line of said section 5, thence N. 136.0 ft; along said mid-section line to the NW corner of the SW 1/4 of the SE 1/4 of said section 5, thence E. 34.0 ft; along the E. line of the NE 1/4 of the SW 1/4 of said section, thence N. 134.0 ft; on a line parallel to said mid-section line, to a point, thence N. 56.0 ft; thence N. 334.0 ft; thence E. 90.0 ft. to the place of beginning, containing 19.2 acres, more or less.

STATE OF OREGON, | ss
 County of Marion. |

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority this application must be returned to the State Engineer, with corrections on or before _____, 194 _____

WITNESS my hand this _____ day of _____, 194 _____

and do hereby grant the same, subject to the following conditions:

The water shall be applied to the extent of water which can be applied to beneficial use and shall not exceed 0.750 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from North Myrtle Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 1, 1954

Actual construction work shall begin on or before May 21, 1954 and shall thereafter be prosecuted with reasonable diligence and be completed on or before September 1, 1954

Complete application of the water to the proposed use shall be made on or before September 1, 1954

WITNESS my hand this 20th day of May 1954

Chas. E. Stricklin
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2 chapter 34 Oregon Laws 1953

Application No. 24037

Permit No. 22843

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 21st day of March 1954, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

May 20, 1954

Recorded in book No. 59 of

Permits on page 22843

CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. 16 Page 37

Fees Paid 15.00