.0

5

44	200	2	Maria .		A
4.2	4		Ziete	M	Iredan
		re a const	Diago	U	Oregon

	495 Center Street, Beaverton
of	Control of the contro
State	of, do hereby make application for a permit to appropriate the
follow	ing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
	If the applicant is a corporation, give date and place of incorporation
0 0 -0 00 +0 000	
	1. The source of the proposed appropriation is Beaverton Creek
**********	(Name of stream), a tributary of Rock Creek
	and and a second and appropriate the appropriate to deposit to deficient the tall
cubic ;	eet per second. (If water to to be used from more than one source, give quantity from each)
••	3. The use to which the water is to be applied is irrigation
•	(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
	Approx at sec. line 4. The point of diversion is located / ft. and 365 ft. E from the NW
	Granda Dr
corner	of Section 15 (Section or subdivision)
•	
******	(If preferable, give distance and bearing to section corner)
being	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) within the NW4 of NW4 of NW4 of Sec. 15 , Tp. 1 S. (Give smallest legal subdivision)
R	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) within the NW of NW of NW of Sec. 15 , Tp. 1 S. (Give smallest legal subdivision) (N or S.) 1 W. , W. M., in the county of Washington
R	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) within the NW1 of NW1 of Sec. 15 , Tp. 1 S. (Give smallest legal subdivision) 1 W. , W. M., in the county of Washington E or W.) 5. The Portable pipe to be used. (Main ditch, canal or pipe line) (Mules or feet)
R	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) within the NW of NW of NW of Sec. 15 , Tp. 1 S. (Give smallest legal subdivision) (N or S.) 1 W. , W. M., in the county of Washington
R	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) within the NW1 of NW1 of Sec. 15 , Tp. 1 S. (Give smallest legal subdivision) 1 W. , W. M., in the county of Washington E or W.) 5. The Portable pipe to be used. (Main ditch, canal or pipe line) (Mules or feet)
R	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) within the NWL of NWL of SWL of Sec. 15 , Tp. 1 S. (Give smallest legal subdivision) of Sec. 15 , Tp. 1 S. (N or S) 1 W. W. M., in the county of Washington E. or W.) 5. The Portable pipe to be used. to be (Miles or feet) (the proposed location being shown throughout on the accompanying map. W. M. the proposed location being shown throughout on the accompanying map.
R	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) within the NW\$\frac{1}{4}\$ of NW\$\frac{1}{4}\$ of Sec. 15 , Tp. 1 S. (Give smallest legal subdivision) 1 W. , W. M., in the county of Washington E or W.) 5. The Portable pipe to be used. to be (Milles or feet) oth, terminating in the (Smallest legal subdivision) W. M. the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS sion Works—
R	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) within the NW\$\frac{1}{2}\$ of NW\$\frac{1}{2}\$ of Sec. 15 , Tp. 1 S. (Give smallest legal subdivision) of Sec. 15 , Tp. 1 S. (N or S) 1 W. , W. M., in the county of Washington E. or W.) 5. The Portable pipe to be used. (Miles or feet) (the standard of the county of the standard of the county of Sec, Tp. (Smallest legal subdivision) of Sec, Tp. (N or S) W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Sion Works— 6. (a) Height of dam feet, length on top feet, length at bottom
R	(If there is more than one point of diversion, each must be described. Use separate sheet if pecessary) within the NW\$\frac{1}{4}\$ of NW\$\frac{1}{4}\$ of Sec. 15 , Tp. 1 S. (Give smallest legal subdivision) 1 W. , W. M., in the county of Washington E or W.) 5. The Portable pipe to be used. to be (Milles or feet) oth, terminating in the (Smallest legal subdivision) W. M. the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS sion Works—
R	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) within the NW\$\frac{1}{2}\$ of NW\$\frac{1}{2}\$ of Sec. 15 , Tp. 1 S. (Give smallest legal subdivision) of Sec. 15 , Tp. 1 S. (N or S) 1 W. , W. M., in the county of Washington E. or W.) 5. The Portable pipe to be used. (Main ditch, canal or pipe line) (Miles or feet) gth, terminating in the of Sec , Tp. (Smallest legal subdivision) (N or S) W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Sion Works— 6. (a) Height of dam feet, length on top feet, length at bottom
R	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) within the NW1 of NW1 of Sec. 15, Tp. 1 S. (Give smallest legal subdivision) 1 W. , W. M., in the county of Washington 5. The Portable pipe to be used. (Main ditch, canal or pipe line) (Main ditch, canal or pipe line) (Smallest legal subdivision) W. M. the proposed location being shown throughout on the accompanying map. (E. or W.) DESCRIPTION OF WORKS Sion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete masour) (Drush, timber crib, etc., wasteway over or around dam)
R	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) within the NW\$\frac{1}{2}\$ of NW\$\frac{1}{2}\$ of Sec. 15 , Tp. 1 S. (N or S) 1 W. , W. M., in the county of Washington E or W.) 5. The Portable pipe to be used. to be (Miles or feet) (thain ditch, canal or pipe line) of Sec. , Tp. (N or S) W. M., the proposed location being shown throughout on the accompanying map. W. M. the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Sion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock concrete masons)
R	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) within the NW\$\frac{1}{2}\$ of NW\$\frac{1}{2}\$ of Sec. 15 , Tp. 1 S. (N or S.) 1 W. W. M., in the county of Washington E or W.) 5. The Portable pipe to be used. (Main dich. canal or pipe line) (Main dich. canal
in length R	within the NW1 of NW1 of Sec. 15 , Tp. 1 S. (Nors) I W. W. M., in the county of Washington Solution of Sec. 15 , Tp. 1 S. (Nors) I W. W. M., in the county of Washington Solution of Sec. 15 , Tp. 1 S. (Nors) Washington Solution of Sec. 15 , Tp. 1 S. (Nors) Washington Solution of Sec. 15 , Tp. 1 S. (Nors) Washington (Main ditch, canal or pipe line) (Miles or feet) White terminating in the (Smallest legal subdivision) of Sec. , Tp. (Nors) W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Sion Works— Solution of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete masonry) Drush, timber crib, etc. wastaway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description Contribusing Dump, (Size and type of pump)
in length R Divers	within the NW of NW of NW of Sec. 15 , Tp. 1 S. (Nors) 1 W. W. M., in the county of Washington 5. The Portable pipe to be used. (Main ditch, canal or pipe line) (Smallest legal subdivision) W. M. the proposed location being shown throughout on the accompanying map. (E. or W.) DESCRIPTION OF WORKS Sion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction. (Loose rock concrete masure) brush, timber crib, etc. wastaway over or around dam) (b) Description of headgate (c) If water is to be pumped give general description Centrifugal pump, (Size and type of pump) ctric 20tor, 5-7 H. P. Head to be lifted, 12 feet.
in length R Divers	within the NW1 of NW1 of Sec. 15 , Tp. 1 S. (N or 5) 1 W. W. M., in the county of Washington 5. The Portable pipe to be used . (Main ditch, canal or pipe line) (Main ditch, canal or pipe line) (Main the proposed location being shown throughout on the accompanying map. (E. or W.) DESCRIPTION OF WORKS Sion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete mason) brush, timber crib, etc. wastaway over or around dam) (b) Description of headgate (Timber, concrete, etc. number and size of openings) (c) If water is to be pumped give general description Centrifusal pump, (Size and type of pump)

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commussion. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, 3-32-4M.

A CONTRACTOR OF THE CONTRACTOR

			4no)	
send foot.	fort; depth of a	P6267	feet; grade	feet fall per
(b) At	Mana natura da santa	miles from he	sadgate: width on top (at wat	er line)
	· ·		feet; depth of	
	feet fel			
			size at intake,	in.: size at
			of use in.; di	
			s grade uniform?	
•••••••••	-			
		rrigated, or pl	ace of use	
Township North or South	Range E. or V. of Willemetto Moridian	Coction	Furty-scre Tract	Number Acres To Be Irrigated
1 3.	l W.	10	SW1 of SW1	5.87
		15	nwi or nwi	.25
			-	,,,,,
				f
				-
		/1/ ===================================		
(a) Ch	aracter of soil		required, attach separate sheet)	
			sture and garden	
er or Mining	Purposes—			
9. (a) Te	tal amount of po	wer to be dev	eloped	theoretical horsepou
(b) Qu	antity of water	to be used for p	00werse	ec. ft.
(c) To	tal fall to be util	ized	feet,	
			s of which the power is to be	developed
		*******************************	••••	
(e) Su	ch works to be l	ocated in	(Legal subdivision)	of Sec
/55	, R		(Legal subdivision)	
		,	ream?(Yes or No)	
			int of return	
		, DEC	, Tp(No. N. or 8.)	, R, W.
(h) TL	a usa ta subisb		pplied is	

5.50mm

•

22866
19. Construction work will be completed on or before
14. The water will be completely applied to the proposed use on or before
Luy R. Gugg
Remerks: Description of property owned: Beginning at a point which
bears S. 88° 48' W. 365.7 feet from the NE corner of Lot 82, Steel's Addition
to Beaverton, Washington County, Oregon, which point also bears S. 88° 48' N.
1025.7 feet from the NW corner of the Wm. Lockerman D.L.C. No. 45; thence
from point of beginning S. 1° 11' E. 20 feet to an iron pipe on the southerly
line of County Road No. 597 (Center Street); thence continuing S. 1° 11' E.
560.8 feet; thence N. 88° 48' E. 150.0 feet to an iron pipe; thence
S. 10° 20' E. 560.2 feet to a point in the center of old drainage ditch and
in center of present roadway, from which an iron pipe on the north bank of
said ditch bears S. 85° 15' E. 10.3 feet; thence N. 66° 00' W. 467.84 feet
to an iron bar: thence N. 0° 57' W. 207.24 feet to the SW corner of said
Lot 82; thence continuing N. O' 57' W. along the west line of said Ict 32
a distance of 727.32 feet to the NW corner thereof; thence N. 83° 48' 8.
173.8 feet to the place of beginning. Containing 6.22 acres.
en e
STATE OF OREGON, County of Marion, ss.
This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for
In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before

WITNESS my hand this day of

This bear		cable fact p	er second measure	hich can be applied at the point of	diversion from the
The	t use to which this	water is to be applied	isirrigation		
second or	its equivalent for	appropriation shall be leach acre irrigated All feet per acre for	d shall be for	ther limited to	a.diversion.of
season	of each year;				
			•		······································
			•		· · · · · · · · · · · · · · · · · · ·
The Act thereafter Con	e priority date of the tual construction we be prosecuted wi	reasonable rotation sy his permit is	before May e and be complete posed use shall be	28, 1955 d on or before Octo	and shall ber 1, 19 56. October 1, 19 57
Application No. 2. Le. L. Permit No. 22866	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 22 m day of March.	Returned to applicant: Approved:	Nay 28, 1954. Recorded in book No. 59 of Permits on page 22866	CH.S. E. STRICKLIN STATE ENGINEER A State Printing 9890

State Printing 80340