

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, M.R. Moffit of Lostine, Oregon State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation Not Incorporated

1. The source of the proposed appropriation is unnamed spring, a tributary of The South Fork of the Willamette River.

2. The amount of water which the applicant intends to apply to beneficial use is 1 (One) cubic feet per second.

\*\*3. The use to which the water is to be applied is Irrigation, Domestic supply, and livestock.

4. The point of diversion is located 20 ft. North and 650 ft. east from the SW corner of SE 1/4 NW 1/4 section 15, T. 12 N., R. 43 E., W. M., in the county of Clatsop.

being within the NE 1/4, SW 1/4 & SE 1/4 NW 1/4 of Sec. 15, T. 12 N., R. 43 E., W. M., in the county of Clatsop.

5. The ... to be ... in length, terminating in the SE 1/4 NW 1/4 of Sec. 15, T. 12 N., R. 43 East W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam ... feet, length on top ... feet, length at bottom ... feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description Gravity

\*A different form of application is provided where storage works are contemplated. \*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities must be made to the Hydroelectric Commission.

Canal System or Pipe Line

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 3.0 feet; width on bottom 1.0 feet; depth of water 2 feet; grade 15 feet fall per one thousand feet.

(b) At \_\_\_\_\_ miles from headgate: width on top (at water line) \_\_\_\_\_ feet; width on bottom \_\_\_\_\_ feet; depth of water \_\_\_\_\_ feet; grade \_\_\_\_\_ feet fall per one thousand feet.

(c) Length of pipe, 548 ft.; size at intake, 1 1/2" in.; size at 100 ft. from intake 3/4" in.; size at place of use 3/4" in.; difference in elevation between intake and place of use, 12 ft. Is grade uniform? Yes Estimated capacity, 4 gpm sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
1S	43E	15	SE 1/4 NW 1/4	12 & domestic

All that part of the Southeast Quarter of the Northwest Quarter of Section 15, in Township One South Range 43, E. W. M. in Wallowa County, Oregon, lying West of the East Bank of the South Fork of the Wallowa River, except a tract bounded and described as follows, to-wit:

Beginning at the Southwest corner of the Southeast Quarter of the North West Quarter of Section 15, in Township One South of Range 43, E. W. M. in Wallowa County, Oregon, running thence East Thirty Three (33) Rods; thence North Thirty (30) rods; thence West Thirty Three (33) Rods; thence South Thirty (30) Rods to the place of beginning, containing Six and Three Sixteenths (6 3/16) Acres, the land to be conveyed containing Twenty-two (22) Acres more or less.

(If more space required, attach separate sheet)

(a) Character of soil \_\_\_\_\_ texture \_\_\_\_\_ surface soil underlain \_\_\_\_\_

(b) Kind of crops raised \_\_\_\_\_

Power or Mining Purposes—

9. (a) Total amount of power to be developed \_\_\_\_\_ theoretical horsepower.

(b) Quantity of water to be used for power \_\_\_\_\_ sec. ft.

(c) Total fall to be utilized \_\_\_\_\_ feet.

(d) The nature of the works by means of which the power is to be developed \_\_\_\_\_

(e) Such works to be located in \_\_\_\_\_ of Sec. \_\_\_\_\_

(Legal subdivision)

Tp. \_\_\_\_\_, R. \_\_\_\_\_, W. M.

(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? \_\_\_\_\_

(Yes or No)

(g) If so, name stream and locate point of return \_\_\_\_\_

\_\_\_\_\_, Sec. \_\_\_\_\_, Tp. \_\_\_\_\_, R. \_\_\_\_\_, W. M.

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is \_\_\_\_\_

(i) The nature of the mines to be served \_\_\_\_\_

and on which the proposed works are to be done

(b) If the proposed works are for the purpose of supplying water to be supplied One

- 11. Estimated cost of proposed works, \$ One hundred dollars
- 12. Construction work will begin on or before Already in use.
- 13. Construction work will be completed on or before \_\_\_\_\_
- 14. The water will be completely applied to the proposed use on or before June 15, 1954

*M. R. Moffitt*  
(Signature of applicant)

Remarks: This was originally laid out to be a drainage ditch, but now the water picked up in this ditch is used for domestic supply, irrigation, and livestock water. All of the ditch and the land to be irrigated is on my own land, and was built by me. This ditch is not over one foot deep on the average and in no place does it exceed two feet in depth. The width averages about two feet.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_ completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before May 17, 19 54.

WITNESS my hand this 16th day of April, 19 54.

RECEIVED  
MAY 5 1954  
STATE ENGINEER  
SALEM, OREGON

CHAS. E. STRICKLIN  
STATE ENGINEER  
By *Robert D. Best*  
Robert D. Best, Assistant

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.32 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed spring.

The use to which this water is to be applied is irrigation, domestic and stock, being 0.30 c.f.s. for irrigation, 0.01 c.f.s. for domestic and 0.01 c.f.s. for stock.

If for irrigation, this appropriation shall be limited to 1/40 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3/4 acre feet per acre for each acre irrigated during the irrigation season of each year, provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 19, 1952

Actual construction work shall begin on or before July 20, 1955 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1956

Complete application of the water to the proposed use shall be made on or before October 1, 1957

WITNESS my hand this 20th day of July, 1954.

Chas. E. Stricklin  
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 22202

Permit No. 22887

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 19th day of May, 1952, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

July 20, 1954

Recorded in book No. 59 of

Permits on page 22887

CHAS. E. STRICKLIN  
STATE ENGINEER

Drainage Basin No. Page 2

Fees Paid