(Give smallest legal subdivision) 3	I, Reports Mi	(Della di applicatio)
1. The source of the proposed appropriation is 2. The amount of water which the applicant intends to apply to beneficial use is 1. The amount of water which the applicant intends to apply to beneficial use is 1. The use to which the water is to be applied is 1. The use to which the water is to be applied is 1. The use to which the water is to be applied is 1. The point of diversion is located \$\beta \text{ f. It. } \text{ and } \frac{3.8}{3.6} \text{ f. W. from the } \frac{5.6}{3.6} \text{ in the } \frac{5.6}{3.6} \text{ f. W. from the } \frac{5.6}{3.6} \text{ f. W. from the } \frac{5.6}{3.6} \text{ f. W. from the } \frac{5.6}{3.6} f. W. f. S. S. F. S	P.U. BOX 7	and the second s
1. The source of the proposed appropriation is (Rimor Oracle (Ri	e of Oregon	, do hereby make application for a permit to appropriate the
1. The source of the proposed appropriation is (Name of street) A tributary of the Borth Santian River 2. The amount of water which the applicant intends to apply to beneficial use is 1/80 0.0 ic feet per second. (If water is to be applied is Domestia, lives took, & irrigation (trigation, power, mining, manufacturing, domestic trupples, etc.) 4. The point of diversion is located 100 ft. 1. and 38 ft. 1. from the 5 err of 10 ft.	owing described pub	olic winters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
(If we will be applied by the send from men has an source, give quantity from such) 2. The amount of water which the applicant intends to apply to beneficial use is 1/00 0.0 ic feet per second. (If water is to be used from men than an source, give quantity from such) ***3. The use to which the water is to be applied is Domestia, 1 ives took, 6 irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.) 4. The point of diversion is located 100 ft. 1 and 32 ft. W. from the 5 is of 5 cc. 25 m. from the 5 is of 5 cc. 25 m. from the 5 is of 5 cc. 25 m. from the 5 is of 5 cc. 25 m. from the 5 cc. 25 m. from the 5 cc. 25 m. from the 6 cc. 25 m. from 10 cc. 25 m.	If the applicant is	a corporation, give date and place of incorporation
	1. The source of t	the proposed appropriation is
(If water is to be and from more than one course, give quantity from each) **3. The use to which the water is to be applied is Domestic, 11ver book, & irrigation (trigation, power, mining, manufacturing, domestic supplies, etc.) 4. The point of diversion is located 100 ft. 10 and 38 ft. 10 from the SE are of 100 ft. 10 and 38 ft. 10 from the SE are of 100 ft. 10 and 38 ft. 10 from the SE are of 100 ft. 10 and 38 ft. 10 from the SE are of 100 ft. 10 and 38 ft. 10 from the SE are of 100 ft. 10 and 38 ft. 10 from the SE are of 100 ft. 10 and 38 ft. 10 from the SE are of 100 ft. 10 and 38 ft. 10 from the SE are of 100 ft. 10 and 38 ft. 10 from the SE are of 100 ft. 10		M M M M M
(If water is to be and from more than one course, give quantity from each) **3. The use to which the water is to be applied is Domestic, 11ver book, & irrigation (trigation, power, mining, manufacturing, domestic supplies, etc.) 4. The point of diversion is located 100 ft. 10 and 38 ft. 10 from the SE are of 100 ft. 10 and 38 ft. 10 from the SE are of 100 ft. 10 and 38 ft. 10 from the SE are of 100 ft. 10 and 38 ft. 10 from the SE are of 100 ft. 10 and 38 ft. 10 from the SE are of 100 ft. 10 and 38 ft. 10 from the SE are of 100 ft. 10 and 38 ft. 10 from the SE are of 100 ft. 10 and 38 ft. 10 from the SE are of 100 ft. 10 and 38 ft. 10 from the SE are of 100 ft. 10	2. The amount of	water which the applicant intends to apply to beneficial use is $\frac{-1/89}{0.0}$
(If water is to be applied is Domestic, 11 vestock, & irrigation (trigation, power, mining, manufacturing, domestic supplies, etc.) 4. The point of diversion is located 100 ft. 10 and 38 ft. 10 from the SE are of 100 ft. 10 and 38 ft. 10 from the SE are of 100 ft. 10 and 38 ft. 10 from the SE are of 100 ft. 10 ft.		
(It preferable, give distance and bearing to section correct) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than one poi	•	
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) greathin the (Give smallen legal subdivision) 5. The (Give smallen legal subdivision) (E. or W.) 5. The (Main ditch, canal or pipe line) (Mains or text) (Mains or text) (Nor S.)	TT3. I ne use to wmo	
Miles or feet) 5. The light country of to be 25 ff (Main dich, canal or pipe line) (Main dich, canal or pipe line) (Main dich, canal or pipe line) (Miles or feet) (N. or S.) (N. or S.) (N. or S.) (N. or S.) DESCRIPTION OF WORKS ersion Works— (a) Height of dam 4 feet, length on top 3C feet, length at bottom (Length at bottom) And coment.	of' sec	25 in T. 9. S. P. 3 E
5. The le inch intake pipe (Main ditch, canal or pipe line) (Miles or feet) (No or S.) (No or S.) (E or W.) DESCRIPTION OF WORKS ersion Works— (a) Height of dam 4 feet, length on top 3 feet, length at bottom Accompanying map. (Length at bottom Rook (Longe took, Charter or poor	0+ s cc	(If preferable, give distance and bearing to section corner) s more than one point of diversion, each must be described. Use separate sheet if necessary)
(Main dich, canal or pipe line) Ingth, terminating in the \$12 of the \$E 4 of Sec. 25 , Tp. 3 E , W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS ersion Works— 6. (a) Height of dam 4 feet, length on top 3 feet, length at bottom 1 feet; material to be used and character of construction. and coment. (Miles or feet) (Miles or feet) (No or S.)	Of SCC	(If preferable, give distance and bearing to section corner) is more than one point of diversion, each must be described. Use separate sheet if necessary) (Siviasia) of Sec. 25, Tp. 95 (Give smallest legal subdivision)
DESCRIPTION OF WORKS ersion Works— 6. (a) Height of dam. 4 feet, length on top 3C. feet, length at bottom IC feet; material to be used and character of construction. and coment.	Of SCC (If there is a gracitle in the	(If preferable, give distance and bearing to section corner) is more than one point of diversion, each must be described. Use separate sheet if necessary) (Siving Silving Silving) (Give smallest legal subdivision) in the county of Marian
DESCRIPTION OF WORKS ersion Works— 6. (a) Height of dam. 4 feet, length on top 3C. feet, length at bottom IC feet; material to be used and character of construction. and coment.	Of SCC (If there is not within the SE., W. M., is to see the inches.)	(If preferable, give distance and bearing to section corner) is more than one point of diversion, each must be described. Use separate sheet if necessary) (Siviasia) of Sec. 25, Tp. 95 (Give smallest legal subdivision) in the country of Marian intake pipe
DESCRIPTION OF WORKS ersion Works— 6. (a) Height of dam. 4 feet, length on top 3C. feet, length at bottom IC feet; material to be used and character of construction. and coment.	Of SCC (If there is no within the SE., W. M., is to see the inches.)	(If preferable, give distance and bearing to section corner) is more than one point of diversion, each must be described. Use separate sheet if necessary) (Siviasia) of Sec. 25, Tp. 95 (Give smallest legal subdivision) in the country of Marian intake pipe
ersion Works— 6. (a) Height of dam. 4 feet, length on top 3C. feet, length at bottom 1C. feet; material to be used and character of construction. 800k (Lone took, electric cook)	Of SCC (If there is a gravithin the SE, W. M., is see inch	(If preferable, give distance and bearing to section corner) is more than one point of diversion, each must be described. Use separate sheet if necessary) (Siviasia) of Sec. 25, Tp. 95 (Give smallest legal subdivision) in the country of Marian intake pipe
feet; material to be used and character of construction. Rook (Loose tock, construction)	Of SCC (If there is a gravithin the SE, W. M., is the inches of the inc	(If preferable, give distance and bearing to section corner) is more than one point of diversion, each must be described. Use separate sheet if necessary) (S. 10 4 5 2 2 0 0f Sec. 25 , Tp. 95 (Give smallest legal subdivision) in the country of 10 be 2 5 ff (Main ditch, canal or pipe line) 1 the S. 2 of the SE 14 0f Sec. 25 , Tp. 9 1 the S. 3 (Smallest legal subdivision) 1. the proposed location being shown throughout on the accompanying map.
and coment.	(If there is a gravith in the second with the	(If preferable, give distance and bearing to section corper) Is more than one point of diversion, each must be described. Use separate sheet if necessary) (S.W. 4.S.E.W.) of Sec. 25., Tp. (N. or S.) (Give smallest legal subdivision) In the country of to be 2.5. ft (Main ditch, canal or pipe line) (Miles or feet) 1 the \$12.9f for SE /4 of Sec. 25., Tp. (N. or S.) 1. the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS
and cement.	(If there is not within the second within the se	(If preferable, give distance and bearing to section corper) is more than one point of diversion, each must be described. Use separate sheet if necessary) (Sing Sing Sing) (Give smallest legal subdivision) in the county of (Main ditch, canal or pipe line) (Main ditch, canal or pipe line) 1 the Sing of fire Sing (Smallest legal subdivision) 1, the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS
COLUMN TO SECURE AND	(If there is not within the SE W. M., is 5. The 1st inch ength, terminating in SE W.) (E or W.) (E or W.) (errsion Works— (a) Height of a	(If preferable, give distance and bearing to section corner) Is more than one point of diversion, each must be described. Use separate sheet if necessary) (Sivasia) of Sec. 25, Tp. (S. or S.) In the county of Marken Intake pipe to be 25 ff (Main ditch, canal or pipe line) (Miles or feet) I the \$12.0 ff ffc SE /4 of Sec. 25, Tp. (S. or S.) I, the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS dam 4 feet, length on top 36 feet, length at bottom material to be used and character of construction. Rook
b, Description of headgate. Timber, 2g Ft. by 3 Ft.	Of Sec. (If there is a gracith in the SE W. M., is 5. The 12 inch congth, terminating in E IV. M. General Works— 6. (a) Height of coment and coment	(If preferable, give distance and bearing to section corner) Is more than one point of diversion, each must be described. Use separate sheet if necessary) (Single Size) of Sec. 25, Tp. 95 (N. or S.) In the country of to be 25 ff (Maile ditch, canal or pipe line) (Miles or feet) I the \$12.0f the Size of Sec. 25, Tp. 9 OLICK 3 (Smallest legal subdivision) I, the proposed location being shozen throughout on the accompanying map. DESCRIPTION OF WORKS Idam 4 feet, length on top 3 feet, length at bottom material to be used and character of construction. Rock (Lance rock, character means)
(Timber, concrete, etc., number and size of openings)	(If there is gravithin the SE . W. M., is (E. or W.) 5. The latinch congth, terminating in 207 state or W.) cersion Works— 6. (a) Height of congent content in the second coment and trush, tumber crib, etc., waster and trush.	(If preferable, give distance and bearing to section corner) Is more than one point of diversion, each must be described. Use separate sheet if necessary) (Siv 195 = 10) (Give smallest legal subdivision) In the country of Marcon (Main dich, canal or pipe line) (Main dich, canal or pipe line) (Miles or feet) 1 the \$\frac{2}{3} \cdot free \frac{5}{1} \cdot 4 of \frac{5}{1} \cdot 7 of \frac{5}{1} \frac{7}{1} of \frac{5}{1} \frac{7}{1} \f
(c) If water is to be pumped give general description 34 AP 3500 17 17 El	(If there is not within the SE W. M., is (E. or W.) 5. The light inch congth, terminating in SE, W. M. (E. or W.) (Cersion Works— 6. (a) Height of conditions, tumber crab, etc., waster and coment	(If preferable, give distance and bearing to section corner) Is more than one point of diversion, each must be described. Use separate sheet if necessary) (Siv 195 = 10) (Give smallest legal subdivision) In the country of Marcon (Main dich, canal or pipe line) (Main dich, canal or pipe line) (Miles or feet) 1 the \$\frac{2}{3} \cdot free \frac{5}{1} \cdot 4 of \frac{5}{1} \cdot 7 of \frac{5}{1} \frac{7}{1} of \frac{5}{1} \frac{7}{1} \f
A f # H 75 T Ser # 14 547 (Size and type of jump)	(If there is ng within the SE. W. M., is (E. or W.) 5. The 1st inch length, terminating in SE. W. M. (E. or W.) version Works— 6. (a) Height of a feet; in and coment and trush, timber crib, etc., waster (b) Description of	(If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (SWASEA) of Sec. 25, Tp. (S. or S.) (Give smallest legal subdivision) (No or S.) (Main ditch, canal or pipe line) (Main ditch, canal or pipe line) (Main ditch, canal or pipe line) (Miles or feet) (It proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS (Langth on top feet, length at bottom material to be used and character of construction. Rook (Lance resk, charter and size of openings)

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hollow ectric Commission. In the risk the active forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Gregoria.

A Transport of the second second second

rom headgate. At headgate: width on top (at water line) Ma
miles from headgate: width on top (at water line) feet; width on bottom feet; width on bottom feet; depth of water feet; width on bottom feet; width on bottom feet; depth of water feet; width on bottom feet; depth of water feet; dept
feet; width on bottom feet; depth of water 1 feet fall per one thousand feet. (c) Length of pipe, 30 ft.; size at intake, 1½ & 2 in.; size at rom intake in.; size at place of use 1½ & 2 in.; difference in elevation take and place of use, ft. Is grade uniform? Estimated sec. ft. 8. Location of area to be irrigated, or place of use Same as legal description North or South Williamette Meridian Saction Forty-acre Tract Number Acres To Be 1 9 South 3 East 25 St of the S.E. 2 of Sec. One Legal Description K.W. Martig Mater Claim Property Legal Description K.W. Martig Mater Claim Property
feet fall per one thousand feet. (c) Length of pipe, 30 ft.; size at intake, 12 in.; size at
(c) Length of pipe, 30 ft.; size at intake, 12 in.; size at
(c) Length of pipe, 30 ft.; size at intake, 12 in.; size at
in.; size at place of use
Sec. ft. 8. Location of area to be irrigated, or place of use Same as legal description Township North or Seath Willamette Meridian Section Forty-acre Treet Number Acres To Be South 3 East 25 Sk of the S.E. 2 of Sec. One Legal Description K.W. Martig Water Claim Property Legal Description K.W. Martig Water Claim Property
Sec. ft. 8. Location of area to be irrigated, or place of use Township Range E or W. of Williamette Meridian Section Forty-acre Tract Number Acres To Be in the South 3 East 25 Sign of the S.E. 2 of Sec. One Legal Description K.W. Martig Water Claim Property Legal Description K.W. Martig Water Claim Property
8. Location of area to be irrigated, or place of use Same as legal description Township Range E. or W. of Williamette Meridian Section Forty-acre Tract Number Acres To Be Williamette Meridian South 3 East 25 Sign of the S.E. 2 of Sec. One Legal Description K.W. Martig Water Claim Property Legal Description K.W. Martig Water Claim Property
Township North or South Range E of W. of Williametre Meridian Section Forty-acre Tract Number Acres To Be
South 3 East 25 St of the S.E. 2 of Sec. One No. 29094 Legal Description K.W. Martig Water Claim Property
South 3 East 25 Sp of the S.E. of Sec. One No. 29094 Legal Description K.W. Martig Water Claim Property
South 3 East 25 Sp of the S.E. of Sec. One 10 No. 29094 Legal Description K.W. Martig Water Claim Property
South 3 East 25 St of the S.E. t of Sec. One No. 29094 Legal Description K.W. Martig Water Claim Property
South 3 East 25 Sp of the S.E. of Sec. One 10 No. 29094 Legal Description K.W. Martig Water Claim Property
South 3 East 25 Sp of the S.E. of Sec. One No. 29094 Legal Description K.W. Martig Water Claim Property
Legal Description K.W. Martig Water Claim Property
• • • • • • • • • • • • • • • • • • • •
(If more space required, attach separate sheet)
(a) Character of soil Rocky with loam top
(b) Kind of crops raised Gardon
ower or Mining Purposes—
9. (a) Total amount of power to be developed theoretical hor
(b) Quantity of water to be used for power sec. ft.
(c) Total fall to be utilized
(Head) (d) The nature of the works by means of which the power is to be developed
The nature of the works of means of which the power is to be decetoped
(e) Such works to be located in
f. (No. N. or S.) , R . (No. E. or W.)
(j) Is water to be returned to any stream?
(f) Is water to be returned to any stream? (Yes or No) (g) If so, name stream and locate point of return
(f) Is water to be returned to any stream? (Yes or No) (g) If so, name stream and locate point of return , Sec, Tp, R. (No. N. or S) (No. E. or W.)

(i) The nature of the mines to be served

STATE OF OREGON. County of Marion

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficuse and shall not exceed 0.033 cubic feet per second measured at the point of diversion from									
		ent in case of rotation							
		this water is to be apgation and 0.008	· •				n, bein	! *	
		sis appropriation sha							
		er each acre irrigated acre feet per acre							
		see root par acre							
		·····	****************			· · · · · · · · · · · · · · · · · · ·			
								-	
••••••						-			
		***************************************					• •		
and shall		h reasonable rotation				oper stai	te officer		
		of this permit is	March 30						
Ac	tual construction	ı work shall begin o	n or before	July 20, 1	1955		nd shal	I	
thereafte	r be prosecuted	with reasonable dilig	ence and be	completed or	or before	Octobe r	1, 1950	•	
19.57	ipiete application	of the water to the	proposed us	e shall be mo	ide on or t	rejere O	ctober I	•	
W.	ITNESS my han	ed this 20th do	iy of	July E	50	19 54			
			40lm	en E	om	STATE EN	GINEER		
Application No. 6.70.77. Permit No. 2.29.16	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 30 Kday of Merch	Return to applicant:	Approved: July 20, 1954	Recorded in book No. 59 of Permits on page 22916	CHAS. E. STRICKLIN STATE ENGINEER	Drainage Basin No	State Printing 66(9)	

Application No. 2.905 Permit No. 229/6

State Printing 66097