

Permit No. 22982

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Marlin U. and Vivian C. Clark
of R 1 Box 174 B - Tillamook
State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Donaldson Creek
(Name of stream), a tributary of Wilson River

2. The amount of water which the applicant intends to apply to beneficial use is 220
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 500 ft. N and 280 ft. W from the
center of section 26
(Section or subdivision)
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the S.E. 1/4 of N.W. 1/4 of Sec. 26, Tp. 1 S
(Give smallest legal subdivision) (N or S)
R. 9 W, W. M., in the county of Tillamook
(E or W)

5. The Pipe line to be 250 ft
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the S.E. 1/4 of N.W. 1/4 of Sec. 26, Tp. 1 S
(Smallest legal subdivision) (N or S)
R. 9 W, W. M., the proposed location being shown throughout on the accompanying map
(E or W)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 2 feet, length on top 6 feet, length at bottom
6 feet; material to be used and character of construction Two logs laid
horizontal, with boards running vertical & dirt around
(Loose rock, concrete masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate A 12" x 12" board box with 4" pipe
in lower part
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description gravity to storage
pond from where the pump will be located to
irrigate fields
(Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.
1-28-42

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgates. At headgates: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 250 ft.; size at intake, 4" in.; size at ft. from intake 4" in.; size at place of use 4" in.; difference in elevation between intake and place of use, 7' ft. Is grade uniform? *yes* Estimated capacity, 220 sec. ft.

8. Location of area to be irrigated, or place of use *S. E. 1/4 of N. W. 1/4 of Sec. 26, T. 1. S. R. 9. W.*

Township North or South	Range E. or W. of Williams Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
Beginning at the Northwest corner of the Southeast Quarter of the Northwest quarter of Section 26, Township 1 South, Range 9 West of W.M.; Thence South 819.96 feet along the west line of said Southeast quarter of Northwest quarter; thence South 89° 29' East 609.95 feet; thence North 4° 45' East 155.7 feet; thence South 70° 47' East 105.28 feet; thence South 1° 04' West 676 feet; Thence South 48° 32' East 356.0 feet; Thence South 65° 28' East 285.0 feet; thence South 15° 48' East 240.0 feet to a point in the center of the West line of the Northwest quarter of Southeast quarter of said Section 26; Thence North 89° 53' East 2648.18 feet to a point in the center of the East line of the Northeast quarter of the Southeast quarter of said Section 26; thence North 660.57 feet along the East line of said Northeast quarter of Southeast quarter to the quarter corner on the east side of said Section 26; thence South 89° 52' 30" West 1324.09 feet to the Southeast corner of the Southwest quarter of Northeast quarter of said Section 26; thence North 1320.36 feet to the Northeast corner of said Southwest quarter of Northeast quarter; thence South 89° 52' West 2648.23 feet to the point of beginning.				
Less tract sold to FAIRVIEW WATER DISTRICT, recorded in Book 128 Page 569 in the deed records of Tillamook, County.				
<i>1 S</i>	<i>9 W</i>	<i>26</i>	<i>SE of NW</i>	<i>15</i>

(a) Character of soil *Winema*
 (b) Kind of crops raised *Grass pasture*

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.
 (b) Quantity of water to be used for power sec. ft.
 (c) Total fall to be utilized feet.
 (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Water

10. (a) To supply the _____
_____ having a present population of _____
and an anticipated population of _____ to 19_____

(b) If for domestic use state number of families to be supplied _____

- 11. Estimated cost of proposed works, \$ 1000
- 12. Construction work will begin on or before already started
- 13. Construction work will be completed on or before Sept 1 - Possibly sooner.
- 14. The water will be completely applied to the proposed use on or before June 1 - 1955

Martin V Clark
(Signature of applicant)
Uirian C. Clark

Remarks:

This application supersedes the other application already filed by the above named parties.

By - U.C.C

STATE OF OREGON
County of Marion

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before July 26, 1954.

WITNESS my hand this 24th day of June, 1954.

THAS. E. STRICKLIN
STATE ENGINEER

1954 by Robert D. Post, Assistant

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.285 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Donaldson Creek

The use to which this water is to be applied is irrigation of not to exceed 15 acres

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 28, 1954

Actual construction work shall begin on or before September 20, 1955 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1956.

Complete application of the water to the proposed use shall be made on or before October 1, 1957.

WITNESS my hand this 20th day of September, 1954.

Chas. E. Sticklin STATE ENGINEER

Application No. 29143

Permit No. 22982

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 28th day of April, 1954, at 1:25 o'clock P. M.

Returned to applicant:

Approved: September 20, 1954 Recorded in book No. 59 of 22982 Permits on page

CHAS. E. STICKLIN STATE ENGINEER