

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Ralph H. Shumm, of Route #1, Box #209A, Forest Grove, Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation.

1. The source of the proposed appropriation is two springs, unnamed on property owned by Ralph H. Shumm at address SE above, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 3/100 cubic feet per second. 2/100 from one spring, 1/100 from the other

**3. The use to which the water is to be applied is Domestic supplies and limited irrigation.

4. The point of diversion is located ft. and ft. from the corner of

One spring is 1667.9' N21°26'E of the SW corner of Section 34 T 1N R 1W of Will. Mer. One spring is 1802.9' N21°15'E of the SW corner of Section 34 T 1N R 1W of Will. Mer.

being within the Lot 1 of Sec. 34, Tp. 1 N, R. 1 W, W. M., in the county of Washington

5. The Pipe Line to be 335 feet in length, terminating in the Lot 1 of Sec. 34, Tp. 1 N, R. 1 W, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate Boxed springs.

(c) If water is to be pumped give general description No pump - gravity flow.

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the High Electric Commission.

28005

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, 335 ft.; size at intake, 1/2 inch in.; size at _____ ft. from intake _____ in.; size at place of use 1/2 inch in.; difference in elevation between intake and place of use, 82.1 ft. Is grade uniform? No Estimated capacity, varies widely from winter to summer _____ sec. ft.

8. Location of area to be irrigated, or place of use _____

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
1 North	4 West	34	Lot 1	2 1/2

LEGAL DESCRIPTION OF THE PROPERTY.

Beginning at a point on the West line of the David Allen D.L.C. #47 in Section Thirty-four (34) Township 1 North, Range 4 West of Willamette Meridian, said point being North 20°00' West 1335.5 feet from the Southwest corner of said claim, running thence North 20°00' West along said claim line 700 feet; thence West 906.1 feet to an iron rod on the West line of Section 34, Township 1 North, Range 4 West of Willamette Meridian; thence South 1°20' East 657.9 feet along said section line; thence East 1161 feet, more or less, to the place of beginning, containing 15.66 acres more or less.

(If more space required, attach separate sheet)

(a) Character of soil Hill soil, possibly Melbourne

(b) Kind of crops raised Household garden crops, fruits and berries.

Power or Mining Purposes—

9. (a) Total amount of power to be developed _____ theoretical horsepower.

(b) Quantity of water to be used for power _____ sec. ft.

(c) Total fall to be utilized _____ feet.

(Head)

(d) The nature of the works by means of which the power is to be developed _____

(e) Such works to be located in _____ of Sec. _____

(Legal subdivision)

Tp. _____, R. _____, W. M.

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream? _____

(Yes or No)

(g) If so, name stream and locate point of return _____

_____, Sec. _____, Tp. _____, R. _____, W. M.

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is _____

(i) The nature of the mines to be served _____

Map or Diagram
No. (a) 1000
and its location in the county of Marion

(b) If for domestic use state number of families to be supplied One

300

11. Estimated cost of proposed works, \$ 500.00

12. Construction work will begin on or before Already completed

13. Construction work will be completed on or before Already completed

14. The water will be completely applied to the proposed use on or before

Already being applied to the proposed use.

Ralph H. Stricklin
(Signature of applicant)

Remarks:

STATE OF OREGON }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction.

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before August 6, 1954

WITNESS my hand this 6th day of July, 1954

RECEIVED CHAS. E. STRICKLIN
JUL 14 1954 By *Chris L. Wheeler* STATE ENGINEER
STATE ENGINEER Chris L. Wheeler, Assistant
SALEM, OREGON dg

STATE OF OREGON

County of Marion

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.03 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from 2 unnamed springs, being 0.01 c.f.s. from one spring and 0.02 c.f.s. from other spring

The use to which this water is to be applied is irrigation and domestic, being 0.02 c.f.s. for irrigation and 0.01 c.f.s. for domestic.

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year, and shall be further limited to a diversion of not to exceed 0.03 c.f.s.,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 8, 1954

Actual construction work shall begin on or before September 20, 1955 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1956

Complete application of the water to the proposed use shall be made on or before October 1, 1957

WITNESS my hand this 20th day of September, 1954

Chas. E. Stricklin STATE ENGINEER

Application No. 24237
Permit No. 23005

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 21st day of Sept. 1954 at 1:00 o'clock P.M.

Return to applicant:

Approved:

September 20, 1954

Recorded in book No. 59 of

Permits on page 23005

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2

State Printing Co.