

Permit No. 23009

To appropriate the Public Waters of the State of Oregon

I, Orin L. Hess and Rosamond W Hess

(Name of applicant)

of P.O. Box 15, Wedderburn, Ore.

(City or village)

State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is a spring a tributary of an
unnamed creek, a tributary of Rogue River

(Name of stream)

2. The amount of water which the applicant intends to apply to beneficial use is 0.02
cubic feet per second.

(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is domestic - for two houses

(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 595 ft. South and 80 ft. East from the West 1/4
corner of Section 30, Township 36 South, Range 14 West, W.M.

(N. or S.)

(E. or W.)

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the Lot 4 (W. M.) of Sec. 30, Tp. 36 South,
R. 14 W., W. M., in the county of _____

(Give smallest legal subdivision)

(N. or S.)

14 W., W. M., in the county of _____

(E. or W.)

5. The pipe line to be 230 feet
in length, terminating in the Lot 4 of Sec. 30, Tp. 36 South,
R. 14 West, W. M., the proposed location being shown throughout on the accompanying map

(Main ditch, canal or pipe line)

(Miles or feet)

(Smallest legal subdivision)

(N. or S.)

14 West, W. M., the proposed location being shown throughout on the accompanying map

(E. or W.)

DESCRIPTION OF WORKS

Diversion Works— Concrete box 5 x 6 feet and three feet high enclosing
the spring of dam _____ feet, length on top _____ feet, length at bottom

_____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate 12 feet of 1 1/2" pipe leads to a 10 x 10 x 5 feet
high concrete tank

(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description _____
(Size and type of pump)

(Size and type of engine or motor to be used, total head water to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Electric Energy Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

28009

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, 230 ft.; size at intake, 1 1/4" in.; size at 230 ft. from intake 1 1/4" in.; size at place of use _____ in.; difference in elevation between intake and place of use, 40 feet ft. Is grade uniform? Yes Estimated capacity, 0.02 sec. ft.

8. Location of area to be irrigated, or place of use _____

Table with 5 columns: Township North or South, Range E. or W. of Willamette Meridian, Section, Forty-acre Tract, Number Acres To Be Irrigated. Row 1: 36S, 14W, 30, Lot 4 (NW 1/4 SW 1/4), Domestic Use

Description of total property belonging to Urin L. Hess and Rosamon W. Hess lying in Lot 4, Section 30, Township 36 South, Range 14 West, W.M. and in Lot 6, Section 25, Township 36 South, Range 15 West, W.M., in Curry County, Oregon.

Beginning at a point 866.7 feet South, and 26.5 feet East of the 1/4 Section corner on the West side of said Section 30. Thence South 0° 13' West 42.2 feet. Thence North 87° 33' East 204.54 feet. Thence North 0° 13' East 250.5 feet. Thence North 89° 47' West 100.0 feet. Thence North 0° 13' East 86.4 feet. Thence North 87° 30' West 64.9 feet. Thence South 56° 51' West 115.3 feet. Thence South 0° 13' West 192.8 feet. Thence South 89° 47' East 57.0 feet. Thence South 0° 13' West 50.0 feet to the place of beginning.

(Note: This tract was deeded in three separate deeds. That part in Section 25, T 36 S, R 15 W. W.M. is not served by the spring in said Section 30.)

(If more space required, attach separate sheet)

(a) Character of soil _____

(b) Kind of crops raised _____

Power or Mining Purposes—

9. (a) Total amount of power to be developed _____ theoretical horsepower.

(b) Quantity of water to be used for power _____ sec. ft.

(c) Total fall to be utilized _____ feet. (Head)

(d) The nature of the works by means of which the power is to be developed _____

(e) Such works to be located in _____ of Sec. _____ (Legal subdivision)

Tp. _____, R. _____, W. M. (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? _____ (Yes or No)

(g) If so, name stream and locate point of return _____

_____, Sec. _____, Tp. _____, R. _____, W. M. (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is _____

(i) The nature of the mines to be served _____

Application for Domestic Supply

For (a) To supply water

to _____ having a present population of _____
and an estimated population of _____ in 19____

(b) If for domestic use state number of families to be supplied two

(Number of families as in 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 1000.00
- 12. Construction work will begin on or before Completed in 1952
- 13. Construction work will be completed on or before Completed in 1952
- 14. The water will be completely applied to the proposed use on or before Completed in 1952

Orin L. Hess
(Signature of applicant)
Rosamond T. Hess

Remarks: This filing is being made because the Oregon State Highway may take the property on which the spring is located. However, the Highway Comm. has agreed in writing that if they do take the property they will preserve the spring and boxes and grant permission to use, maintain and repair same.

STATE OF OREGON }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19____.

WITNESS my hand this _____ day of _____, 19____.

PERMIT

STATE OF OREGON

County of Marion

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from a spring

The use to which this water is to be applied is domestic

If for irrigation, this appropriation shall be limited to - - of one cubic foot per second or its equivalent for each acre irrigated.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 11, 1954

Actual construction work shall begin on or before September 20, 1955 and shall thereafter be prosecuted with reasonable diligence and be completed or or before October 1, 1956.

Complete application of the water to the proposed use shall be made on or before October 1, 1957.

WITNESS my hand this 20th day of September, 1954.

Chas. E. Stricklin STATE ENGINEER

Application No. 292521

Permit No. 23009

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 11th day of June, 1954, at 1:00 o'clock P.M.

Return to applicant:

Approved:

September 20, 1954

Recorded in book No. 59 of

Permits on page 23009

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 15

State Printing 66097

Paid 2.00