

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Carl Dick & Matilda E. Dick of RT 1 Box 382 Hillsboro, Ore State of Ore, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Reservoir on un-named branch of Rock Creek, a tributary of Tualatin

2. The amount of water which the applicant intends to apply to beneficial use is .31 cubic feet per second.

**3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located 1300 ft. S and 1650 ft. W from the NE corner of Sect 11

or (S. 52° W. - 2840' from NE corn. Sect. 11)

being within the NW 1/4 of NE 1/4 of Sec. 11, Tp. 1 N R. 2 W, W. M., in the county of Washington

5. The Main ditch, canal or pipe line to be in length, terminating in the of Sec. of Tp. R., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description 3 HP Elec. Motor 60 gal. Centrifugal pump - 10 sprinklers (6 gal) max 20' lift

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, _____ ft.; size at intake, _____ in.; size at _____ ft. from intake _____ in.; size at place of use _____ in.; difference in elevation between intake and place of use, _____ ft. Is grade uniform? _____ Estimated capacity, _____ sec. ft.

8. Location of area to be irrigated, or place of use _____

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
1 N	2 W	11	NE 1/4 of NE 1/4	3.5
1 N	2 W	11	NW 1/4 of NE 1/4	21.5

COPY OF LEGAL DESCRIPTION
From Deed of Carl and Matilda E. Dick.
Dated July 6, 1937

to-wit --- The North half of the Northeast quarter of Sec. 11

T 1 N -- R 2 W -- Will. Merid. containing 80 acres more or less.

(If more space required, attach separate sheet)

(a) Character of soil clay loam
(b) Kind of crops raised Garden - Fruit trees - grain & pastures.

Power or Mining Purposes—

9. (a) Total amount of power to be developed _____ theoretical horsepower.

(b) Quantity of water to be used for power _____ sec. ft.

(c) Total fall to be utilized _____ feet.
(Head)

(d) The nature of the works by means of which the power is to be developed _____

(e) Such works to be located in _____ of Sec. _____,
(Legal subdivision)

Tp. _____, R. _____, W. M. _____
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? _____
(Yes or No)

(g) If so, name stream and locate point of return _____

_____, Sec. _____, Tp. _____, R. _____, W. M. _____
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is _____

(i) The nature of the mines to be served _____

Municipal or Domestic Supply

23016

10. (a) To supply the city of _____
_____ County, having a present population of _____
and an estimated population of _____ in 19____.

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 400.
- 12. Construction work will begin on or before Aug. 1, 1954
- 13. Construction work will be completed on or before Dec. 31, 1954
- 14. The water will be completely applied to the proposed use on or before Dec. 31, 1957

Earl Dick, Matilda E. Dick
(Signature of applicant)

Remarks: _____

STATE OF OREGON }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19____.

WITNESS my hand this _____ day of _____, 19____.

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.31 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from unnamed branch of Rock Creek and Dick's Pond to be constructed under Application No. R-29266, Permit No. R-1637

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated/ from direct flow and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation of each year season/ from direct flow and storage from reservoir to be constructed under Permit No. R-1637,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 17, 1954

Actual construction work shall begin on or before September 20, 1955 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1956.

Complete application of the water to the proposed use shall be made on or before October 1, 1957.

WITNESS my hand this 20th day of September, 1954

Chas E. Stuklin STATE ENGINEER

Application No. 29266
Permit No. 23016

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 17th day of Sept. 1954, at 5 o'clock P.M.

Return to applicant:

Approved:

September 20, 1954

Recorded in book No. 59 of

Permits on page 23016

CHAS. E. STUKLIN STATE ENGINEER

Drainage Basin No. 2

State Printing 1957

Paid 15.00